

Covid-19 Tracker [C:\Users\HP\AndroidStudioProjects\Covid19Tracker2] - strings.xml [Covid-19_Tracker.app]

Covid19Tracker2 > app > src > main > res > values > strings.xml

Android > app > manifests > AndroidManifest.xml > java > com.example.covid_19tracker > ExampleInstrumentedTest > ExampleUnitTest > MainActivity > StateModal > StateRVAdapter > com.example.covid_19tracker (androidTest) > com.example.covid_19tracker (test) > java (generated) > res > drawable > ic_launcher_background.xml > ic_launcher_foreground.xml (v24) > layout > activity_main.xml > activity_main2.xml > rv_item.xml > menu > mipmap > ic_launcher (6) > ic_launcher_round (6) > values > res (generated) > Gradle Scripts > build.gradle (Project: Covid-19_Tracker) > build.gradle (Module: Covid-19_Tracker.app) > gradle-wrapper.properties (Gradle Version) > proguard-rules.pro (ProGuard Rules for Covid-19_Tracker) > gradle.properties (Project Properties) > settings.gradle (Project Settings) > local.properties (SDK Location)

Edit translations for all locales in the translations editor.

```
1 <resources>
2   <string name="app_name">Covid-19 Tracker</string>
3   <string name="lets_grow_more">LETS GROW MORE</string>
4   <string name="india_covid_records">India Covid Records</string>
5   <string name="no_of_cases">No. of Cases</string>
6   <string name="recovered">Recovered</string>
7   <string name="cases">Cases</string>
8   <string name="no_of_deaths">No. of deaths</string>
9   <string name="
10  <string name="
11  <string name="title_activity_main2">MainActivity2</string>
12  <string name="action_settings">Settings</string>
13
14
15   <string name="interstitial_ad_sample">Interstitial Ad Sample</string>
16   <string name="start_level">Level 1</string>
17   <string name="next_level">Next Level</string>
18   <!-- --
19   This is an ad unit ID for an interstitial test ad. Replace with your own interstitial ad unit id.
20   For more information, see https://support.google.com/admob/answer/3052638
21   <!-- -->
22   <string name="interstitial_ad_unit_id">ca-app-pub-3940256099942544/1033173712</string>
23 </resources>
```

resources

Push failed
remote: No anonymous write access...
[Show details in console](#)

Event Log > Layout Inspector

Project Covid-19 Tracker is using the following JDK location when running Gradle: // C:/Program Files/Android/AndroidStudio/jre // Using different JDK locations on different processes might cause Gradle to spawn... (2 minute) 1:1 LF UTF-8 4 spaces master

Type here to search

EN 31°C Rain showers 16:03 09-09-2021

Covid-19 Tracker [C:\Users\HP\AndroidStudioProjects\Covid19Tracker2] - strings.xml [Covid-19_Tracker.app]

Covid19Tracker2 > app > src > main > res > values > strings.xml

Android > app > manifests > AndroidManifest.xml > java > com.example.covid_19tracker > ExampleInstrumentedTest > ExampleUnitTest > MainActivity > StateModal > StateRVAdapter > com.example.covid_19tracker (androidTest) > com.example.covid_19tracker (test) > java (generated) > res > drawable > ic_launcher_background.xml > ic_launcher_foreground.xml (v24) > layout > activity_main.xml > activity_main2.xml > rv_item.xml > menu > mipmap > ic_launcher (6) > ic_launcher_round (6) > values > res (generated) > Gradle Scripts > build.gradle (Project: Covid-19_Tracker) > build.gradle (Module: Covid-19_Tracker.app) > gradle-wrapper.properties (Gradle Version) > proguard-rules.pro (ProGuard Rules for Covid-19_Tracker) > gradle.properties (Project Properties) > settings.gradle (Project Settings) > local.properties (SDK Location)

ids.xml x strings.xml x themes.xml x StateModal.kt x StateRVAdapter.kt x activity_main.xml x MainActivity.kt x rv_item.xml x

Edit translations for all locales in the translations editor. Open editor Hide notification

```
1 <resources>
2   <string name="app_name">Covid-19 Tracker</string>
3   <string name="lets_grow_more">LETS GROW MORE</string>
4   <string name="india_covid_records">India Covid Records</string>
5   <string name="no_of_cases">No. of Cases</string>
6   <string name="recovered">Recovered</string>
7   <string name="cases">Cases</string>
8   <string name="no_of_deaths">No. of deaths</string>
9   <string name="deaths">Deaths</string>
10  <string name="no_of_recv">No. of Recv.</string>
11  <string name="title_activity_main2">MainActivity2</string>
12  <string name="action_settings">Settings</string>
13
14  <string name="interstitial_ad_sample">Interstitial Ad Sample</string>
15
16  <string name="start_level">Level 1</string>
17  <string name="next_level">Next Level</string>
18  <!-- --
19      This is an ad unit ID for an interstitial test ad. Replace with your own interstitial ad unit id.
20      For more information, see https://support.google.com/admob/answer/3052638
21  <!-- -->
22  <string name="interstitial_ad_unit_id">ca-app-pub-3940256099942544/1033173712</string>
23 </resources>
```

resources

Push failed
remote: No anonymous write access...
[Show details in console](#)

Event Log Layout Inspector

Project Covid-19 Tracker is using the following JDK location when running Gradle: // C:/Program Files/Android/AndroidStudio/jre // Using different JDK locations on different processes might cause Gradle to spawn ... (a minute) 1:1 LF UTF-8 4 spaces master

Type here to search

EN 31°C Rain showers 16:03 09-09-2021

Covid-19 Tracker [C:\Users\HP\AndroidStudioProjects\Covid19Tracker2] - themes.xml [Covid-19_Tracker.app]

Covid19Tracker2 > app > src > main > res > values > themes.xml

Android > app > manifests > AndroidManifest.xml > java > com.example.covid_19tracker > ExampleInstrumentedTest > ExampleUnitTest > MainActivity > StateModal > StateRVAdapter > com.example.covid_19tracker (androidTest) > com.example.covid_19tracker (test) > java (generated) > res > drawable > ic_launcher_background.xml > ic_launcher_foreground.xml (v24) > layout > activity_main.xml > activity_main2.xml > rv_item.xml > menu > mipmap > ic_launcher (6) > ic_launcher_round (6) > values > res (generated) > Gradle Scripts > build.gradle (Project: Covid-19_Tracker) > build.gradle (Module: Covid-19_Tracker.app) > gradle-wrapper.properties (Gradle Version) > proguard-rules.pro (ProGuard Rules for Covid-19_Tracker) > gradle.properties (Project Properties) > settings.gradle (Project Settings) > local.properties (SDK Location)

```
1 <resources xmlns:tools="http://schemas.android.com/tools">
2     <!-- Base application theme. -->
3     <style name="Theme.Covid19Tracker" parent="Theme.MaterialComponents.DayNight.DarkActionBar">
4         <!-- Primary brand color. -->
5         <item name="colorPrimary">@color/purple_500</item>
6         <item name="colorPrimaryVariant">@color/purple_700</item>
7         <item name="colorOnPrimary">@color/white</item>
8         <!-- Secondary brand color. -->
9         <item name="colorSecondary">@color/teal_200</item>
10        <item name="colorSecondaryVariant">@color/teal_700</item>
11        <item name="colorOnSecondary">@color/black</item>
12        <!-- Status bar color. -->
13        <item name="android:statusBarColor" tools:targetApi="l">?attr/colorPrimaryVariant</item>
14        <!-- Customize your theme here. -->
15    </style>
16 </resources>
```

resources

Push failed
remote: No anonymous write access...
[Show details in console](#)

Event Log > Layout Inspector

Project Covid-19 Tracker is using the following JDK location when running Gradle: // C:/Program Files/Android/AndroidStudio/jre // Using different JDK locations on different processes might cause Gradle to spawn ... (a minute) 1:1 LF UTF-8 4 spaces master

Type here to search

EN 31°C Rain showers 16:03 09-09-2021

FileEditViewNavigateCodeAnalyzeRefactorBuildRunToolsGitWindowHelp

Covid-19 Tracker [C:\Users\HP\AndroidStudioProjects\Covid19Tracker2] - StateModal.kt [Covid-19_Tracker.app]

Covid19Tracker2 > app > src > main > java > com > example > covid_19tracker > StateModal

Pixel 3a API 27

Git

Project

Commit

Pull Requests

Resource Manager

Structure

Favorites

Build Variants

app

manifests

AndroidManifest.xml

java

com.example.covid_19tracker

ExampleInstrumentedTest

ExampleUnitTest

MainActivity

StateModal

StateRVAdapter

com.example.covid_19tracker (androidTest)

com.example.covid_19tracker (test)

java (generated)

res

drawable

ic_launcher_background.xml

ic_launcher_foreground.xml (v24)

layout

activity_main.xml

activity_main2.xml

rv_item.xml

menu

mipmap

ic_launcher (6)

ic_launcher_round (6)

values

res (generated)

Gradle Scripts

build.gradle (Project: Covid-19_Tracker)

build.gradle (Module: Covid-19_Tracker.app)

gradle-wrapper.properties (Gradle Version)

proguard-rules.pro (ProGuard Rules for Covid-19_Tracker)

gradle.properties (Project Properties)

settings.gradle (Project Settings)

local.properties (SDK Location)

ids.xml

strings.xml

themes.xml

StateModal.kt

StateRVAdapter.kt

activity_main.xml

MainActivity.kt

rv_item.xml

```
1 package com.example.covid_19tracker
2
3
4 data class StateModal (
5     val state:String,
6     val recv:Int,
7     val deaths:Int,
8     val cases:Int
9 )
```

1

2

3

4

5

6

7

8

9

Push failed

remote: No anonymous write access....

Show details in console

TODO

Problems

Git

Terminal

Logcat

Build

Profiler

App Inspection

Event Log

Layout Inspector

Project Covid-19 Tracker is using the following JDK location when running Gradle: // C:/Program Files/Android/Android Studio/jre // Using different JDK locations on different processes might cause Gradle to spa... (a minute

9:2

CRLF

UTF-8

4 spaces

master

16:02

09-09-2021

Type here to search

EN

31°C

Rain showers

16:02

09-09-2021

Covid-19 Tracker [C:\Users\HP\AndroidStudioProjects\Covid19Tracker2] - StateRVAdapter.kt [Covid-19_Tracker.app]

Covid19Tracker2 > app > src > main > java > com > example > covid_19tracker > StateRVAdapter

Android > app > manifests > AndroidManifest.xml > java > com.example.covid_19tracker > StateRVAdapter

```
1 package com.example.covid_19tracker
2
3 import ...
4
5
6
7
8
9
10
11 class StateRVAdapter (private val stateList:List<StateModal>) :
12     RecyclerView.Adapter<StateRVAdapter.StatRVViewHolder>() {
13     class StatRVViewHolder(itemView: View) :RecyclerView.ViewHolder(itemView){
14         val stateNameTV: TextView = itemView.findViewById(R.id.idstate)
15         val casesTV: TextView = itemView.findViewById(R.id.id1cases)
16         val deathTV: TextView = itemView.findViewById(R.id.id1death)
17         val recvTV: TextView = itemView.findViewById(R.id.id1recv)
18     }
19
20     override fun onCreateViewHolder(parent: ViewGroup, viewType: Int): StatRVViewHolder {
21         val itemView = LayoutInflater.from(parent.context).inflate(R.layout.rv_item,parent, attachToRoot: false)
22         return StatRVViewHolder(itemView)
23     }
24
25     override fun onBindViewHolder(holder: StatRVViewHolder, position: Int) {
26         val stateData = stateList[position]
27         holder.casesTV.text = stateData.cases.toString()
28         holder.stateNameTV.text = stateData.state
29         holder.deathTV.text = stateData.deaths.toString()
30         holder.recvTV.text = stateData.recv.toString()
31     }
32
33     override fun getItemCount(): Int {
34         return stateList.size
35     }
36
37
38 }
```

Push failed
remote: No anonymous write access...
[Show details in console](#)

Project Covid-19 Tracker is using the following JDK location when running Gradle: // C:/Program Files/Android/AndroidStudio/jre // Using different JDK locations on different processes might cause Gradle to sp... (a minute)

11:7 CRLF UTF-8 4 spaces master

16:02 09-09-2021

Covid-19 Tracker [C:\Users\HP\AndroidStudioProjects\Covid19Tracker2] - rv_item.xml [Covid-19_Tracker.app]

File Edit View Navigate Code Analyze Refactor Build Run Tools Git Window Help

Covid19Tracker2 > app > src > main > res > layout > rv_item.xml

app

- manifests
 - AndroidManifest.xml
- java
 - com.example.covid_19tracker
 - ExampleInstrumentedTest
 - ExampleUnitTest
 - MainActivity
 - StateModal
 - StateRVAdapter
 - com.example.covid_19tracker (androidTest)
 - com.example.covid_19tracker (test)
 - java (generated)
 - res
 - drawable
 - ic_launcher_background.xml
 - ic_launcher_foreground.xml (v24)
 - layout
 - activity_main.xml
 - activity_main2.xml
 - rv_item.xml
 - menu
 - mipmap
 - ic_launcher (6)
 - ic_launcher_round (6)
 - values
 - res (generated)
- Gradle Scripts
 - build.gradle (Project: Covid-19_Tracker)
 - build.gradle (Module: Covid-19_Tracker.app)
 - gradle-wrapper.properties (Gradle Version)
 - proguard-rules.pro (ProGuard Rules for Covid-19_Tracker)
 - gradle.properties (Project Properties)
 - settings.gradle (Project Settings)
 - local.properties (SDK Location)

ids.xml strings.xml themes.xml StateModal.kt StateRVAdapter.kt activity_main.xml MainActivity.kt rv_item.xml

Pixel 3a API 27 Covid19Tracker Default (en-us)

Common

- Text
 - TextView
- Buttons
 - Button
- Widgets
 - ImageView
 - RecyclerView
 - FragmentContainerView
 - ScrollView
- Containers
 - Switch
- Helpers
- Google
- Legacy

Component Tree

- CardView
 - LinearLayout (vertical)
 - Ab idstate "State Name"
 - LinearLayout (horizontal)
 - LinearLayout (vertical)
 - Ab TextView "Cases"
 - Ab id1cases "No. of Cases"
 - LinearLayout (vertical)
 - Ab TextView "Recovered"
 - Ab id1recv "No. of Recv."
 - LinearLayout (vertical)
 - Ab TextView "Deaths"
 - Ab id1death "No. of deaths"

State Name

Cases	Recovered	Deaths
TextView	TextView	TextView

State Name

Cases	Recovered	Deaths

Push failed
remote: No anonymous write access....
[Show details in console](#)

TODO Problems Git Terminal Logcat Build Profiler App Inspection

Project Covid-19 Tracker is using the following JDK location when running Gradle: // C:/Program Files/Android/Android Studio/jre // Using different JDK locations on different processes might cause Gradle to sp... (a minute)

16:1 CRLF UTF-8 4 spaces master

Windows Search Type here to search

EN 31°C Rain showers 16:02 09-09-2021

Covid-19 Tracker [C:\Users\HP\AndroidStudioProjects\Covid19Tracker2] - MainActivity.kt [Covid-19_Tracker.app]

Covid19Tracker2 > app > src > main > java > com > example > covid_19tracker > MainActivity

Project: Android

- app
 - manifests
 - AndroidManifest.xml
 - java
 - com.example.covid_19tracker
 - ExampleInstrumentedTest
 - ExampleUnitTest
 - MainActivity
 - StateModal
 - StateRVAdapter
 - com.example.covid_19tracker (androidTest)
 - com.example.covid_19tracker (test)
 - java (generated)
 - res
 - drawable
 - ic_launcher_background.xml
 - ic_launcher_foreground.xml (v24)
 - layout
 - activity_main.xml
 - activity_main2.xml
 - rv_item.xml
 - menu
 - mipmap
 - ic_launcher (6)
 - ic_launcher_round (6)
 - values
 - res (generated)
- Gradle Scripts
 - build.gradle (Project: Covid-19_Tracker)
 - build.gradle (Module: Covid-19_Tracker.app)
 - gradle-wrapper.properties (Gradle Version)
 - proguard-rules.pro (ProGuard Rules for Covid-19_Tracker)
 - gradle.properties (Project Properties)
 - settings.gradle (Project Settings)
 - local.properties (SDK Location)

Commit: Pull Requests: Resource Manager: Structure: Favorites: Build Variants:

```
61 val cases:Int = regionalObj.getInt( name: "totalconfirmed")
62 val deaths:Int = regionalObj.getInt( name: "deaths")
63 val recovered:Int = regionalObj.getInt( name: "discharged")
64
65 val stateModal =StateModal(stateName,recovered,deaths,cases)
66 stateList = stateList+stateModal
67
68 }
69
70 stateRVAdapter = StateRVAdapter(stateList)
71 recyclerView.LayoutManager = LinearLayoutManager( context: this)
72 recyclerView.adapter =stateRVAdapter
73
74 }catch (e:JSONException){
75     e.printStackTrace()
76 }
77
78 }, { error ->
79 {
80     Toast.makeText( context: this,
81
82
83
84
85
86
87
88 queue.add(request)
```

kotlin.Any
public open fun toString(): String
Returns a string representation of the object.
Gradle: org.jetbrains.kotlin:kotlin-stdlib:1.5.30

TH_SHORT).show()

Push failed
remote: No anonymous write access...
[Show details in console](#)

TODO Problems Git Terminal Logcat Build Profiler App Inspection

Project Covid-19 Tracker is using the following JDK location when running Gradle: // C:/Program Files/Android/AndroidStudio/jre // Using different JDK locations on different processes might cause Gradle to spaw... (a minute

16:1 LF UTF-8 4 spaces master

Type here to search

EN 31°C Rain showers 16:02 09-09-2021

Covid-19 Tracker [C:\Users\HP\AndroidStudioProjects\Covid19Tracker2] - MainActivity.kt [Covid-19_Tracker.app]

Covid19Tracker2 > app > src > main > java > com > example > covid_19tracker > MainActivity

Project: Android

- app
 - manifests
 - AndroidManifest.xml
 - java
 - com.example.covid_19tracker
 - ExampleInstrumentedTest
 - ExampleUnitTest
 - MainActivity
 - StateModal
 - StateRVAdapter
 - com.example.covid_19tracker (androidTest)
 - com.example.covid_19tracker (test)
 - java (generated)
 - res
 - drawable
 - ic_launcher_background.xml
 - ic_launcher_foreground.xml (v24)
 - layout
 - activity_main.xml
 - activity_main2.xml
 - rv_item.xml
 - menu
 - mipmap
 - ic_launcher (6)
 - ic_launcher_round (6)
 - values
 - res (generated)
 - Gradle Scripts
 - build.gradle (Project: Covid-19_Tracker)
 - build.gradle (Module: Covid-19_Tracker.app)
 - gradle-wrapper.properties (Gradle Version)
 - proguard-rules.pro (ProGuard Rules for Covid-19_Tracker)
 - gradle.properties (Project Properties)
 - settings.gradle (Project Settings)
 - local.properties (SDK Location)

Commit: Pull Requests: Resource Manager: Structure: Favorites: Build Variants: TODO: Problems: Git: Terminal: Logcat: Build: Profiler: App Inspection: Event Log: Layout Inspector

Project Covid-19 Tracker is using the following JDK location when running Gradle: // C:/Program Files/Android/AndroidStudio/jre // Using different JDK locations on different processes might cause Gradle to spawn... (a minute) 16:1 LF UTF-8 4 spaces master

Type here to search

EN 31°C Rain showers 16:02 09-09-2021

ids.xml strings.xml themes.xml StateModal.kt StateRVAdapter.kt activity_main.xml MainActivity.kt rv_item.xml

```
41 }
42 private fun getStateInfo(){
43     val url= "https://api.rootnet.in/covid19-in/stats/latest"
44     val queue = Volley.newRequestQueue( context: this@MainActivity)
45     val request =
46         JsonObjectRequest(Request.Method.GET , url, jsonRequest: null, { response ->
47             try {
48                 val dataObj = response.getJSONObject( name: "data")
49                 val summaryObj = dataObj.getJSONObject( name: "summary")
50                 val cases:Int = summaryObj.getInt( name: "total")
51                 val recovered:Int = summaryObj.getInt( name: "discharged")
52                 val death:Int = summaryObj.getInt( name: "total")
53
54                 countryCasesTV.text = cases.toString()
55                 countryrecvTV.text = recovered.toString()
56                 countrydeathTV.text = death.toString()
57                 val regionalArray = dataObj.getJSONArray( name: "regional")
58                 for(i in 0 until regionalArray.length()) {
59                     val regionalObj = regionalArray.getJSONObject(i)
60                     val stateName:String = regionalObj.getString( name: "loc")
61                     val cases:Int = regionalObj.getInt( name: "totalconfirmed")
62                     val deaths:Int = regionalObj.getInt( name: "deaths")
63                     val recovered:Int = regionalObj.getInt( name: "discharged")
64
65                     val stateModal =StateModal(stateName,recovered,deaths,cases)
66                     stateList = stateList+stateModal
67                 }
68                 stateRVAdapter = StateRVAdapter(stateList)
69                 recyclerView.layoutManager = LinearLayoutManager( context: this)
70                 recyclerView.adapter =stateRVAdapter
71             }
72         })
73 }
```

4 2 7 4

Push failed
remote: No anonymous write access...
[Show details in console](#)

File Edit View Navigate Code Analyze Refactor Build Run Tools Git Window Help Covid-19 Tracker [C:\Users\HP\AndroidStudioProjects\Covid19Tracker2] - MainActivity.kt [Covid-19_Tracker.app]

Covid19Tracker2 > app > src > main > java > com > example > covid_19tracker > MainActivity

Android > app > manifests > AndroidManifest.xml > java > com.example.covid_19tracker > MainActivity

```
1 package com.example.covid_19tracker
2
3 import ...
4
13
14
15 class MainActivity : AppCompatActivity() {
16
17     lateinit var countryCasesTV: TextView;
18     lateinit var countryrecVTV: TextView
19     lateinit var recyclerView: RecyclerView
20     lateinit var countrydeathTV: TextView
21     lateinit var stateRV: TextView
22     lateinit var stateRVAdapter: StateRVAdapter
23     lateinit var stateList: List<StateModal>
24
25     override fun onCreate(savedInstanceState: Bundle?) {
26         super.onCreate(savedInstanceState)
27         setContentView(R.layout.activity_main)
28         recyclerView = findViewById(R.id.id1cases)
29
30         try{
31             countrydeathTV = findViewById(R.id.id1death)
32             countryrecVTV = findViewById(R.id.id1recV)
33             stateRV = findViewById(R.id.idstate)
34             stateList = ArrayList<StateModal>()
35
36         }catch (ignored : NullPointerException){
37
38         }
39
40         getStateInfo()
41
42     private fun getStateInfo(){
```

TODO Problems Git Terminal Logcat Build Profiler App Inspection

Project Covid-19 Tracker is using the following JDK location when running Gradle: // C:/Program Files/Android/Android Studio/jre // Using different JDK locations on different processes might cause Gradle to spaw... (a minute 16:1 LF UTF-8 4 spaces master)

EN 31°C Rain showers 16:02 09-09-2021

Push failed
remote: No anonymous write access...
[Show details in console](#)

Covid-19 Tracker [C:\Users\HP\AndroidStudioProjects\Covid19Tracker2] - activity_main.xml [Covid-19_Tracker.app]

Covid19Tracker2 > app > src > main > res > layout > activity_main.xml

Android > app > manifests > AndroidManifest.xml > java > com.example.covid_19tracker > MainActivity

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:orientation="vertical"
    android:layout_height="match_parent"
    tools:context=".MainActivity">

    <LinearLayout
        android:layout_width="match_parent"
        android:layout_height="match_parent"
        android:orientation="vertical"
        tools:context=".MainActivity">

        <TextView
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:layout_marginBottom="40sp"
            android:paddingStart="90dp"
            android:paddingTop="20dp"
            android:text="LETS GROW MORE"
            android:textAllCaps="true"
            android:textColor="@color/black"
            android:textSize="30sp"

        />

        <androidx.cardview.widget.CardView
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
```

India Covid Records

Cases	Recovered	Deaths
TextView	TextView	TextView
Item 0		
Item 1		
Item 2		
Item 3		
Item 4		
Item 5		
Item 6		
Item 7		
Item 8		
Item 9		

Push failed
remote: No anonymous write access...
[Show details in console](#)

Project Covid-19 Tracker is using the following JDK location when running Gradle: // C:/Program Files/Android/Android Studio/jre // Using different JDK locations on different processes might cause Gradle to spawn...

16:02 09-09-2021

Covid-19 Tracker [C:\Users\HP\AndroidStudioProjects\Covid19Tracker2] - MainActivity.kt [Covid-19_Tracker.app]

File Edit View Navigate Code Analyze Refactor Build Run Tools VCS Window Help

Covid19Tracker2 > app

Project: Covid19Tracker2

app

- manifests
- AndroidManifest.xml
- java
 - com.example.covid19tracker
 - ExampleActivity.kt
 - ExampleActivity2.kt
 - MainActivity.kt
 - StateRVAdapter.kt
 - StateModal.kt
 - com.example.covid19tracker
 - com.example.covid19tracker
 - java (generated)
 - res
 - drawable
 - ic_launcher
 - ic_launcher
 - layout
 - activity_main
 - rv_item
 - mipmap
 - ic_launcher
 - ic_launcher
 - values
 - colors
 - ids.xml
 - refs.xml
 - strings
 - themes
 - themes
 - res (generated)
- Gradle Scripts
 - build.gradle (Project: Covid-19 Tracker)
 - build.gradle (Module: Covid-19 Tracker)

Resource Manager

Structure

Favorites

Build Variants

Launch succeeded (moments ago)

Launch succeeded

Gradle build finished in 1 m 33 s 663 ms

Event Log

Layout Inspector

14:1 LF UTF-8 4 spaces

10:51 09-09-2021

30°C AQI 132

EN

Type here to search

MainActivity.kt

```
cases: Int = regionalObj.getInt( name: "totalconfirmed")
deaths: Int = regionalObj.getInt( name: "deaths")
recovered: Int = regionalObj.getInt( name: "discharged")

stateModal = StateModal(stateName, recovered, deaths, cases)
List = stateList + stateModal

adapter = StateRVAdapter(stateList)
view.layoutManager = LinearLayoutManager( context: this)
view.adapter = stateRVAdapter

onException(){
    onBackPressed()
}

toast.makeText( context: this, text: "fail to fetch data", Toast.LENGTH_SHORT).show()
```