

Sw1


06 January 2025 10:32

MAC Address learning
=====

CAM ==> Content Address Memory
➤ mac-address-table

Static ← Security
Dynamic

arp
address
resolution
protocol



How to check mac-address table
switch# show mac-address-table

How to change hostname
Switch(config)# hostname sw1
Sw1(config)#

How to revert switch hostname
Sw1(config)# no hostname
Switch(config)#

How to configure console mode password

=====

```
Switch(config)# line con 0
Switch(config-line)# password cisco
Switch(config-line)# login
Switch(config-line)# exit
```

How to remove console mode password

=====

```
Switch(config)# line con 0
Switch(config-line)# no password
Switch(config-line)# exit
```

How to configure enable mode

=====

```
Switch(config)# enable password cisco
Or
Switch(config)# enable secret cisco
```

How to remove enable mode password

=====

```
Switch(config)# no enable password
Or
Switch(config)# no enable secret
```

How to configure ip address on vlan 1

=====


```
Switch(config)# int vlan 1
Switch(config-int)# ip add 10.0.0.100 255.0.0.0
Switch(config-int)# no shutdown
```

How to check all interfaces

=====

```
Switch# sh ip int brief
```

```
Switch(config-int)# no shutdown
```



Step 1 ⇒ Console password
Step 2 ⇒ Enable password
Step 3 ⇒ Configure IP

Step 4:

=====

```
Switch(config)# line vty 0 4
Switch(config-line)# password cisco
Switch(config-line)# login
Switch(config-line)# exit
```

Client

=====

Command prompt ==> # telnet ip