

Scenario 1 : Generating test cases for file upload(using claude)

Case A→ Using Week prompting

claude.ai/chat/791bf30c-8a48-424c-a703-9b7814199e58

Generate test cases for file upload

25

Total cases

13

High priority

4

Security tests

6

Edge cases

All

Positive

Negative

Edge case

Security

Performance

ID	Test case	Category	Steps	Expected result	Priority
FU-B1	Upload valid JPEG	Positive	Select a valid .jpg file under 5MB and click upload	File uploads successfully; preview shown; success message displayed	High

Claude Fable 5 is currently unavailable.

Write a message...

Sonnet 4.6 Low

claude.ai/chat/791bf30c-8a48-424c-a703-9b7814199e58

File upload test cases


Share

FU-B1	Upload valid JPEG	Positive	Select a valid .jpg file under 5MB and click upload	File uploads successfully; preview shown; success message displayed	High
FU-B2	Upload valid PDF	Positive	Select a valid .pdf file under 5MB and click upload	File uploads successfully; filename listed in UI	High
FU-B3	Upload valid PNG	Positive	Select a valid .png file and click upload	Image accepted; thumbnail rendered correctly	High
FU-B4	Upload multiple files simultaneously	Positive	Select 3 different valid files at once and submit	All 3 files upload; each shown with correct name and size	Medium
FU-B5	Drag and drop file	Positive	Drag a valid file from desktop and drop onto upload zone	Drop zone activates on hover; file uploads on click	High

Claude Fable 5 is currently unavailable.

Or reply directly...

Sonnet 4.6 Low



Case B → Using ICEPOT framework prompting technique

Prompt →

Context

Act as a Senior Test Engineer write test cases for file upload

Instruction

[MANDATORY] Generate testcases for different file extensions & different file sizes to a max of 50 MB only

[MANDATORY] Generate only 10 testcases

[MANDATORY] Include Functional and Non functional

[MANDATORY] Include success & failure criterias

[MANDATORY] Include Positive,negative cases and also include malicious file uploads also

Example:

TCID | Description | Priority|Preconditions| Steps | Expected Result

Persona

Act as a Test lead to review the testcases

Output

Downloadable excel

Tone:

Professional Tone with clarity

File upload test cases

Context

Act as a Senior Test Engineer write test cases for file upload

Instruction

[MANDATORY] Generate testcases for different file extensions & different file sizes to a max of 50 MB only

[MANDATORY] Generate only 10 testcases

[MANDATORY] Include Functional and Non functional

[MANDATORY] Include success & failure criterias

[MANDATORY] Include Positive,negative cases and also include malicious file uploads also

Example:

TCID | Description |Priority|Preconditions| Steps |Expected Result

Persona

Act as a Test lead to review the testcases

Output

Downloadable excel

Tone:

Professional Tone with clari

Write a message...

Sonnet 4.6 Low

File upload test cases - XLSX

TC ID	Test Description	Type	Nature	Priority	Pre-cond
FU-TC-01	Upload valid image file (JPEG, 1 MB)	Functional	Positive	High	User is authenticated, u
FU-TC-02	Upload valid PDF document (10 MB)	Functional	Positive	High	User authenticated, PDF
FU-TC-03	Upload file at maximum allowed size (50 MB)	Functional	Positive	High	System configured with
FU-TC-04	Upload PNG with Unicode filename	Functional	Positive	Medium	Server supports UTF-8

Test Cases Summary

File upload test cases

#	Coverage	Nature	Type	Priority
FU-TC-01	Valid JPEG upload (1 MB)	Positive	Functional	High
FU-TC-02	Valid PDF upload (10 MB)	Positive	Functional	High
FU-TC-03	File at max size (50 MB)	Positive	Functional	High
FU-TC-04	PNG with Unicode filename	Positive	Functional	Medium
FU-TC-05	File exceeding 50 MB limit	Negative	Functional	High
FU-TC-06	Unsupported type (.exe)	Negative	Functional	High
FU-TC-07	Zero-byte empty file	Negative	Functional	High
FU-TC-08	SVG with embedded XSS script	Malicious	Functional	High
FU-TC-09	Path traversal in filename	Malicious	Functional	High
FU-TC-10	Concurrent upload load test	Negative	Non-Functional	Medium

Write a message...

Sonnet 4.6 Low

File upload test cases - XLSX

TC ID	Test Description	Type	Nature	Priority	Pre-cond
FU-TC-01	Upload valid image file (JPEG, 1 MB)	Functional	Positive	High	User is authenticated, u
FU-TC-02	Upload valid PDF document (10 MB)	Functional	Positive	High	User authenticated, PDF
FU-TC-03	Upload file at maximum allowed size (50 MB)	Functional	Positive	High	System configured with
FU-TC-04	Upload PNG with Unicode filename	Functional	Positive	Medium	Server supports UTF-8

Test Cases Summary

claude.ai/chat/791bf30c-8a48-424c-a703-9b7814199e58

Verify it's you

All Bookmarks

id test cases

coverage	Nature	Type	Priority
Valid JPEG Upload (1 KB)	Positive	Functional	High
Valid PDF Upload (10 KB)	Positive	Functional	High
File at max size (50 MB)	Positive	Functional	High
NG with invalid filename	Positive	Functional	Medium
File exceeding 50 KB limit	Negative	Functional	High

Table 5 is currently unavailable. Learn more

message...

Sonnet 4.6 Low

File upload test cases - XLSX

TEST SUITE SUMMARY DASHBOARD

Metric	Value
Total Test Cases	10
Functional	9
Non-Functional	1
Positive Cases	4
Negative Cases	4
Malicious Cases	2
High Priority	8
Medium Priority	2
Low Priority	0
Max File Size Tested	50 MB
Extensions Covered	JPG, PNG, PDF, ZIP, EXE, SVG, TXT, MP4
Test Lead Review	Completed

Difference in outputs (General prompt v/s ICEPOT prompt) --

Observation	Improvement in Second Prompt Output	Why It Improved
1. Better Requirement Compliance	The second output generated exactly 10 test cases , included Functional + Non-Functional, Positive + Negative, Success & Failure Criteria , and Malicious Upload scenarios.	The prompt contained explicit mandatory requirements ([MANDATORY]), reducing ambiguity and ensuring all requested coverage areas were included.
2. Higher Test Design Quality	Test cases became more focused on real-world risks such as double extensions (.pdf.exe) , script injection filenames , unsupported executables , and boundary file sizes (50 MB, 51 MB) .	The persona "Act as a Senior Test Engineer" combined with "Act as a Test Lead to review the test cases" encouraged a risk-based testing approach rather than only happy-path validation.
3. Deliverable-Oriented Output	The second output provided a downloadable Excel file with structured columns and traceable test cases, making it ready for QA execution and review.	Specifying the output format ("Downloadable Excel") transformed the response from informational content into a practical testing artifact that can be directly used in a project.

Scenario 2 → Test the cart functionality(using chatgpt)

Prompt –

Test the cart functionality

chatgpt.com/c/6a2d1f47-5454-83ee-b525-f0dd74312e96

ChatGPT

Test the cart functionality

If you are testing an e-commerce **Cart Functionality**, here are 10 high-priority test cases that a Test Lead would typically expect to see:

TCID	Description	Priority	Preconditions	Steps	Expected Result
CART_001	Add a single product to cart	High	User is on product page	Select product and click "Add to Cart"	Product is added and cart count is updated
CART_002	Add multiple different products to cart	High	Products available	Add multiple products	All selected products appear in cart with correct details
CART_003	Increase product quantity in cart	High	Product already in cart	Increase quantity using quantity selector	Quantity and total price update correctly
CART_004	Decrease product quantity in cart	High	Product quantity > 1	Reduce quantity	Quantity and cart total update correctly
CART_005	Remove product from	High	Product exists	Click Remove/Delete	Product is removed and total recalculated

+ Ask anything

ChatGPT can make mistakes. Check important info.

Prompt2 →Using ICEPOT framework approach

chatgpt.com/c/6a2d1f47-5454-83ee-b525-f0dd74312e96

ChatGPT

Context
Act as a Senior Test Engineer write test cases for shopping cart functionality on an ecommerce platform

Instruction
[MANDATORY] Generate testcases for add,remove and update actions
[MANDATORY] Generate only 10 testcases
[MANDATORY] Include Functional and Non functional
[MANDATORY] Include cases for price calculation validation
[MANDATORY] Include cases for coupon/discount scenarios
[MANDATORY] Include cases for out-of-stock handling
[MANDATORY] Include Positive,negative cases also

Example:
TCID | Description | Priority | Preconditions | Steps | Expected Result

Persona
Act as a Test lead to review the testcases

Output

+ Ask anything

ChatGPT can make mistakes. Check important info.

chatgpt.com/c/6a2d1f47-5454-83ee-b525-f0dd74312e96

☆🔖📄Verify its

📄A

ChatGPT

UpgradeCopy link

The Excel file has been generated and is ready for download:

Shopping_Cart_Test_Cases.xlsx

	A	B	C	D	E	F	G	H	I
1	TCID	Description	Priority	Preconditions	Steps	Expected Result			
2	CART_001	Add a product	High	User on page	Click Add to Cart	Product added successfully and cart count updated			
3	CART_002	Add multiple products	High	Multiple products in cart	Click Add to Cart for each product	All products added and displayed correctly in cart			
4	CART_003	Update product quantity	High	Product already in cart	Click Increase Quantity	Quantity updated and total price recalculated			
5	CART_004	Remove product	High	Product in cart	Click Remove from Cart	Product removed and cart total updated			
6	CART_005	Validate cart total	Critical	Multiple products in cart	Click View Cart	Calculated amount matches expected value			
7	CART_006	Apply valid coupon	High	Eligible cart	Click Apply Coupon	Discount applied correctly and total recalculated			
8	CART_007	Apply invalid coupon	Medium	Invalid coupon code	Click Apply Coupon	Appropriate error message displayed; no discount applied			
9	CART_008	Add out-of-stock product	Critical	Product in cart	Click Add to Cart	System prevents addition and displays stock status			
10	CART_009	Enter invalid email	Medium	Product in cart	Click Checkout	Validation message displayed and update required			
11	CART_010	Verify cart load time	Medium	Large number of products	Add 100 items to cart	Cart loads within acceptable response time			
12									
13									
14									

Shopping Cart Test Cases

The workbook includes:

+ Ask anything

ChatGPT can make mistakes. Check important info.

Difference in outputs (General prompt v/s ICEPOT prompt)

Observation	What Improved	Why It Improved
1. Requirements Traceability Improved	The structured prompt produced test cases covering Add, Remove, Update, Coupon/Discount, Price Calculation, Out-of-Stock, Positive, Negative, and Non-Functional scenarios. The generic prompt missed some of these or included them as optional additions.	The prompt explicitly listed mandatory requirements, making it easier to verify that every business requirement was covered by at least one test case.
2. Higher Signal-to-Noise Ratio	The structured prompt generated exactly 10 focused test cases , prioritizing the most critical cart scenarios. The generic prompt produced a broader list of 20+ cases covering many areas.	The constraint "Generate only 10 testcases" forced prioritization and selection of the highest-risk scenarios rather than generating a large collection of tests.
3. Better Stakeholder Readiness	The structured prompt delivered a review-ready artifact in Excel format with consistent fields (TCID, Description, Priority, Preconditions, Steps, Expected Result).	The specified persona ("Test Lead") and output format ("Downloadable Excel") encouraged creation of documentation that could be directly used in test planning, reviews, or execution.

.....

Case 3 → Write API test cases for user registration(using chatgpt)

The screenshot shows a ChatGPT chat window with the prompt "Write API test cases for user registration". The response lists 15 API test cases for a User Registration API (POST /api/register). The cases are presented in a table format with columns for TC ID, Test Scenario, Request Data, and Expected Result.

TC ID	Test Scenario	Request Data	Expected Result
REG_API_001	Verify successful registration with valid data	Valid username, email, password, confirm password	Status Code 201/200, success message, user ID returned
REG_API_002	Verify registration with mandatory fields missing	Missing email/password	Status Code 400, validation error message
REG_API_003	Verify registration with empty request body	{}	Status Code 400, mandatory field validation errors
REG_API_004	Verify registration with invalid email format	user@gmail.com	Status Code 400, "Invalid email format" message
REG_API_005	Verify registration with already registered email	Existing email address	Status Code 409/400, duplicate email error
REG_API_006	Verify password and confirm password mismatch	↓ Different password values	Status Code 400, mismatch validation message

Below the table, there is a search bar with the text "Ask anything" and a microphone icon. At the bottom of the chat window, a small note states "ChatGPT can make mistakes. Check important info."

Using ICEPOT framework prompt-

Prompt→

Context

Act as a Senior Test Engineer write API test cases for user registration

Instruction

[MANDATORY] Generate testcases for add users using valid email id

[MANDATORY] Generate only 10 testcases

[MANDATORY] Include Functional and Non functional

[MANDATORY] Include cases for duplicate user addition check

[MANDATORY] Include cases for special characters in payload

[MANDATORY] Include cases for invalid payload

[MANDATORY] Include Positive,negative cases also

Example:

TCID | Description | Priority | Preconditions | Steps | Expected Result

Persona


Act as a Test lead to review the testcases

Output

Downloadable excel

Tone:

Professional Tone with clarity



chatgpt.com/c/ba2d244d-3d8c-83ee-b282-a8f01a695b43

venny it s you

All Bookmarks

ChatGPT

Copy link

Professional Test Lead review format

Download the Excel file:

User.Registration_API_TestCases.xlsx

	A	B	C	D	E	F	G	H	I
1	TCID	Description	Priority	Preconditions	Steps	Expected Result	Type		
2	API_REG_001	Add user v	High	Registration successful	POST /api/register	User created successfully	Functional-Positive		
3	API_REG_002	Add multiple users	High	API available	POST /api/register	Each user created successfully	Functional-Positive		
4	API_REG_003	Verify duplicate email	High	User already exists	POST /api/register	API rejects request	Functional-Negative		
5	API_REG_004	Verify registration with special characters	High	API available	POST /api/register	Validation fails	Functional-Negative		
6	API_REG_005	Verify registration with invalid payload	High	API available	POST /api/register	400 Bad Request	Functional-Negative		
7	API_REG_006	Verify registration with invalid email	Medium	API available	POST /api/register	Invalid email format	Functional-Negative		
8	API_REG_007	Verify registration with valid email	Medium	API available	POST /api/register	User created successfully	Functional-Positive		
9	API_REG_008	Verify registration with valid email and password	High	API available	POST /api/register	User created successfully	Functional-Positive		
10	API_REG_009	Verify API endpoint	Medium	API available	GET /api/register	200 OK	Non-Functional		
11	API_REG_010	Verify API endpoint	High	API available	POST /api/register	Only one user can be created	Non-Functional		
12									
13									
14									

User Registration API TC

If you'd like, I can also generate a more advanced version with additional columns such as:

You've reached your data analysis limit. Upgrade to ChatGPT Plus or try again tomorrow after 2:44 PM.

Upgrade

Ask anything

ChatGPT can make mistakes. Check important info.

15:07 13-06-2026

Difference in outputs (General prompt v/s ICEPOT prompt) -

Observation	What Improved	Why It Improved
1. Better Alignment with Requirements	The second output explicitly covers all mandatory requirements: valid email registration, duplicate user checks, special characters, invalid payloads, positive/negative scenarios, and non-functional testing.	Your prompt provided detailed constraints, which guided the generation toward complete requirement coverage and reduced ambiguity.
2. Improved Test Case Structure	The second output follows a standardized QA format: TCID, Description, Priority, Preconditions, Steps, Expected Result, and Type.	A structured format makes test cases easier to review, execute, trace, and import into test management tools such as JIRA, Zephyr, TestRail, or Azure DevOps.
3. Enhanced Usability and Review Readiness	The second output was delivered as a downloadable Excel file with prioritization and test classifications (Functional/Non-Functional, Positive/Negative).	This makes the deliverable closer to what a Test Lead or QA team would use in real projects, reducing manual effort and improving stakeholder readability.