

```
[shiv@endeavour ~] $ ls -a
.  .bash_history  .config  .gitconfig  .local  Pictures  .var  .zcompdump  .zshrc
.. .cache        Downloads .gtkrc-2.0 .npm     .ssh    .vim  .zsh_history

[shiv@endeavour ~] $ mkdir test
[shiv@endeavour ~] $ cd test
[shiv@endeavour ~/test] $ touch hello.txt
[shiv@endeavour ~/test] $ echo "HELL, OH" > hello.txt
[shiv@endeavour ~/test] $ cat hello.txt
HELL, OH
[shiv@endeavour ~/test] $ cp hello.txt yellow.txt
[shiv@endeavour ~/test] $ ls
hello.txt  yellow.txt
[shiv@endeavour ~/test] $ echo "3R-69" > yellow.txt
[shiv@endeavour ~/test] $ cat yellow.txt
3R-69
[shiv@endeavour ~/test] $ echo "Hello" >> yellow.txt
[shiv@endeavour ~/test] $ cat yellow.txt
3R-69
Hello
[shiv@endeavour ~/test] $ ls -alh
total 16K
drwxr-xr-x  2 shiv shiv 4.0K Apr 12 20:44 .
drwx----- 12 shiv shiv 4.0K Apr 12 20:42 ..
-rw-r--r--  1 shiv shiv   9 Apr 12 20:43 hello.txt
-rw-r--r--  1 shiv shiv  12 Apr 12 20:45 yellow.txt
[shiv@endeavour ~/test] $ |
```



```
[shiv@endeavour ~]$ sudo pacman -S jdk11-openjdk jre11-openjdk jenkins
[sudo] password for shiv:
warning: jdk11-openjdk-11.0.30.u7-1 is up to date -- reinstalling
warning: jenkins-2.558-1 is up to date -- reinstalling
resolving dependencies...
looking for conflicting packages...
warning: removing 'jre11-openjdk-11.0.30.u7-1' from target list because it conflicts with 'jdk11-openjdk-11.0.30.u7-1'

Package (2)      Old Version  New Version  Net Change
extra/jdk11-openjdk  11.0.30.u7-1  11.0.30.u7-1    0.00 MiB
extra/jenkins      2.558-1      2.558-1        0.00 MiB

Total Installed Size:  576.98 MiB
Net Upgrade Size:     0.00 MiB

:: Proceed with installation? [Y/n] n
[shiv@endeavour ~]$ sudo systemctl start jenkins
[shiv@endeavour ~]$ ss -tunlp

Netid  State      Recv-Q  Send-Q  Local Address:Port  Local Address:Port  Peer Address:Port  Process
udp    UNCONN    0        0        0.0.0.0:5353        0.0.0.0:5353        *:5353             ssshd
udp    UNCONN    0        0        [::]:5353          [::]:5353           *:5353             ssshd
tcp    LISTEN    0        4096    127.0.0.1:33205    127.0.0.1:33205    *:8090             ssshd
tcp    LISTEN    0        50      *:8090             *:8090              *:8090             ssshd
tcp    LISTEN    0        100     *:8080             *:8080              *:8080             ssshd
[shiv@endeavour ~]$ sudo cat /var/lib/jenkins/secrets/initialAdminPassword
af0d9b025113406d812088ffe7df2ad5
[shiv@endeavour ~]$
```

Getting Started

Unlock Jenkins

To ensure Jenkins is securely set up by the administrator, a password has been written to the log (not sure where to find it?) and this file on the server:

`/var/jenkins_home/secrets/initialAdminPassword`

Please copy the password from either location and paste it below.

Administrator password

Continue

renojl.com

Dashboard [Jenkins]

+

←

→

🏠

🔍 http://localhost:8080

Jenkins

🔔 1

👤 admin

📄 log out

New Item

People

Build History

Manage Jenkins

My Views

New View

Build Queue

No builds in the queue.

Build Executor Status

1	Idle
2	Idle

Welcome to Jenkins!

Create an agent or configure a cloud to set up distributed builds. [Learn more.](#)

Create a job to start building your software project.

add description

REST API

Jenkins 2.249.3

renojl.comexp6 Config [Jenkins]x+http://localhost:8080/job/exp6/configure

Jenkinsexp6

GeneralSource Code ManagementBuild TriggersBuildPost-build Actions

☐ Build periodically

☐ Poll SCM

Build

Execute shell

Command

```
echo "Hello world"
echo "This is experiment no 6"
```

Advanced...

Add build step

Post-build Actions

SaveApply

renojl.comexp6 #1 Console [Jenkins]x+http://localhost:8080/job/exp6/1/consoleJenkins3adminlog outsearch

Back to ProjectStatusChangesConsole OutputView as plain textEdit Build InformationDelete build '#1'Next Build

Console Output

Started by user admin
Running as SYSTEM
Building in workspace /var/lib/jenkins/workspace/exp6
[exp6] \$ /bin/sh -xe /tmp/jenkins8403267301914910445.sh
+ echo Hello world
Hello world
+ echo This is experiment no 6
This is experiment no 6
Finished: SUCCESS

REST APIJenkins 2.249.3

remoji.com

Update Center [Jenkins]

← → ↺ 🏠

http://localhost:8080/pluginManager/available

☆

👤

🔒

🗑️

☰

 **Jenkins**

🔍 search

🔔 3

👤 admin

🚪 log out

Jenkins

Plugin Manager

🏠 Back to Dashboard

⚙️ Manage Jenkins

🧩 Update Center

🔍 json

UpdatesAvailableInstalledAdvanced

Install	Name	Version	Released
☐	Jackson 2 API api-plugin This plugin exposes the Jackson 2 JSON APIs to other Jenkins plugins. Warning: This plugin is built for Jenkins 2.479.1 or newer. Jenkins will refuse to load this plugin if installed. Warning: This plugin has dependencies on other plugins that require Jenkins 2.492.1 or newer. Jenkins will refuse to load the dependencies requiring a newer version of Jenkins, and in turn loading this plugin will fail.	2.21.2-433.v6d50b_92cfe52	10 days ago
☒	Java JSON Web Token (JJWT) Bundles the Java JSON Web Token (JJWT) library. Warning: This plugin is built for Jenkins 2.479.1 or newer. Jenkins will refuse to load this plugin if installed. Warning: This plugin has dependencies on other plugins that require Jenkins 2.492.1 or newer. Jenkins will refuse to load the dependencies requiring a newer version of Jenkins, and in turn loading this plugin will fail.	0.11.5-120.v0268cf544b_89	1 yr 1 mo ago
	JSON Path API api-plugin This plugin provides the JSON Path APIs (v2.9.0) for other plugins. Warning: This plugin is built for Jenkins 2.479.1 or newer. Jenkins will refuse to load this plugin if installed.		

Install without restart

Download now and install after restart

Update information obtained: 2 min 38 sec ago

Check now

