

```

%Written by Shiv Kumar Gurjar (BT23ECE084)
%Arithmetic codeing
clc;
clear;

% Symbols and probabilities
symbols = ['A','B','C','D'];
prob = [0.4 0.3 0.2 0.1];

% Message to encode
msg = 'ABCD';

% Cumulative probability table
cum_prob = [0 cumsum(prob)];

% Initial range
low = 0;
high = 1;

fprintf('Step-wise Arithmetic Coding:\n\n');
fprintf('Symbol\tLow\t\tHigh\n');

for i = 1:length(msg)
    % Find symbol index
    idx = find(symbols == msg(i));

    range = high - low;

    % Update range
    new_low = low + range * cum_prob(idx);
    new_high = low + range * cum_prob(idx+1);

    low = new_low;
    high = new_high;

    fprintf('%c\t%.6f\t%.6f\n', msg(i), low, high);
end

% Final arithmetic code (any number in [low, high))
code = (low + high) / 2;

fprintf('\nFinal Arithmetic Code Value = %.8f\n', code);

```

Step-wise Arithmetic Coding:

Symbol	Low	High
A	0.000000	0.400000
B	0.160000	0.280000
C	0.244000	0.268000
D	0.265600	0.268000

Final Arithmetic Code Value = 0.26680000

