

Started on Saturday, 18 April 2026, 8:29 AM

State Finished

Completed on Saturday, 18 April 2026, 8:39 AM

Time taken 10 mins 52 secs

Grade 14.00 out of 15.00 (93.33%)

Question 1 | Correct Mark 1.00 out of 1.00

In a program, a function can be called ____ times.

- ☒ a. Multiple times ✓
- ☐ b. 2
- ☐ c. 3
- ☐ d. 5

Question 2 | Correct Mark 1.00 out of 1.00

Which of the following number can never be generated by the following code: random.randrange(0, 100)

- ☐ a. 0
- ☐ b. 99
- ☒ c. 100 ✓
- ☐ d. 1

Question 3 | Correct Mark 1.00 out of 1.00

def cal(n1) : What is n1?

- ☐ a. None of the mentioned
- ☒ b. Parameter ✓
- ☐ c. Argument
- ☐ d. Keyword

Question 4 | Correct Mark 1.00 out of 1.00

6. Which of the following is not the built-in function?

- ☐ a. `print( )`
- ☐ b. `input( )`
- ☐ c. `tuple( )`
- ☒ d. `dictionary( )` ✓

Question 5 | Correct Mark 1.00 out of 1.00

Write the output of : `print(max([1, 2, 3, 4], [4, 5, 6], [7]))`

- ☐ a. `[1, 2, 3, 4]`
- ☒ b. `[7]` ✓
- ☐ c. `[4, 5, 6]`
- ☐ d. `7`

Question 6 | Correct Mark 1.00 out of 1.00

Which keyword is used to begin the definition of a function?

- ☐ a. `Def`
- ☒ b. `def` ✓
- ☐ c. `Define`
- ☐ d. `DEF`

Question 7 | Incorrect Mark 0.00 out of 1.00

Choose the incorrect statement.

- ☐ a. `print(pow(2, 3))`
- ☒ b. `print(pow(2, 3, 2))` ✗
- ☐ c. None of the mentioned
- ☐ d. `print(pow(2.3, 3.2))`

Question 8 | Correct Mark 1.00 out of 1.00

Which one of the following is the correct way of calling a function?

- ☐ a. `ret function_name()`
- ☐ b. `function function_name()`
- ☐ c. `call function_name()`
- ☒ d. `function_name()` ✓

Question 9 | Correct Mark 1.00 out of 1.00

Which of the following statement is not true regarding functions?

- ☐ a. A function may or may not have parameters.
- ☐ b. A function may or may not return value.
- ☐ c. Function header always ends with a colon (:).
- ☒ d. A function definition begins with "define" ✓

Question 10 | Correct Mark 1.00 out of 1.00

Which of the following function headers is correct?

- ☐ a. `def fun(a, b, c = 3, d)`
- ☐ b. `def fun(a = 2, b = 3, c)`
- ☐ c. `def fun(a = 2, b, c = 3)`
- ☒ d. `def fun(a, b = 2, c = 3)` ✓

Question 11 | Correct Mark 1.00 out of 1.00

_____ can be defined as a named group of instructions that accomplish a specific task when it is invoked/called.

- ☐ a. Operator
- ☒ b. Function ✓
- ☐ c. Token
- ☐ d. Datatype

Question 12 | Correct Mark 1.00 out of 1.00

A function may return multiple values using _____.

- ☒ a. Tuple ✓
- ☐ b. Dictionary
- ☐ c. List
- ☐ d. String

Question 13 | Correct Mark 1.00 out of 1.00

The ____ statement returns the values from the function to the calling function.

- ☒ a. return ✓
- ☐ b. take
- ☐ c. give
- ☐ d. send

Question 14 | Correct Mark 1.00 out of 1.00

Write the output of : `print(min(tuple("computer")))`

- ☐ a. t
- ☐ b. u
- ☒ c. c ✓
- ☐ d. o

Question 15 | Correct Mark 1.00 out of 1.00

Which keyword is used for defining a function?

- ☐ a. Define
- ☐ b. Function
- ☒ c. def ✓
- ☐ d. Fun