


Assignment no 9

- Open Command Prompt and move to the XAMPP htdocs directory.
Path:C:\xampp\htdocs
- Type the following command to generate a new Laravel project named shiv:
laravel new shiv
- For the installation setup, choose none as the Starter Kit and select 0 for the Testing Framework.
- Disable AI coding support, set mysql as the database option, and allow the default database migration by selecting yes.
- Choose yes for the ignore scripts setting.
- Run the commands given below:
cd shiv
composer run dev
- Launch the browser and open the following address:
<http://localhost:8000>



```
C:\WINDOWS\system32\cmd. x + -
D:\Xampp\htdocs>laravel new shivnath


LARRAVEL

Which starter kit would you like to install? [None]:
[none] None
[react] React
[svelte] Svelte
[vue] Vue
[livewire] Livewire
> none


Which testing framework do you prefer? [Pest]:
[0] Pest
[1] PHPUnit
> 0

Do you want to install Laravel Boost to improve AI assisted coding? (yes/no) [yes]:
> no

Creating a "laravel/laravel" project at "/shivnath"
Cannot use "laravel/laravel": latest version v13.6.0 as it requires php ^8.3 which is not satisfied by your platform.
Installing laravel/laravel (v12.12.2)
- Installing laravel/laravel (v12.12.2): Extracting archive
Created project in D:\Xampp\htdocs\shivnath
Loading composer repositories with package information
Updating dependencies
Lock file operations: 111 installs, 0 updates, 0 removals
- Locking brick/math (0.14.0)
- Locking carbonphp/carbon-doctrine-types (3.2.0)
- Locking dflydev/dot-access-data (v3.0.3)
- Locking doctrine/inflector (2.1.0)
- Locking doctrine/lexer (3.0.1)
```



- Run the command below to create a view named home:
php artisan make:view home
- After that, open the web.php file and define the route for the home page.
- Edit the home.blade.php file and include the required HTML content.
- Finally, open the browser and search for:
http://localhost:8000/home




The screenshot shows the Visual Studio Code editor with the file `home.blade.php` open. The file content is as follows:

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7 </head>
8 <body>
9   <h1>Banjara vibe, developer life.</h1>
10 </body>
11 </html>
```

The terminal at the bottom shows the command `php artisan make:view home` being executed, resulting in the message: `INFO View [D:\Xampp\htdocs\shivnath\resources\views\home.blade.php] created successfully.`



- Run the command below to create a view named home:
php artisan make:view about
- After that, open the web.php file and define the route for the about page.
- Edit the about.blade.php file and include the required HTML content.
- Finally, open the browser and search for:
<http://localhost:8000/about>



The screenshot shows the VS Code editor with three files open: web.php, about.blade.php, and home.blade.php. The web.php file contains the following code:

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7 </head>
8 <body>
9   <h1>Banjara style 🍷 | Programmer lifestyle 💻</h1>
10 </body>
11 </html>
```

The terminal at the bottom shows the following commands and output:

```
PS D:\xampp\htdocs\shivnath> php artisan make:view home
INFO View [D:\xampp\htdocs\shivnath\resources\views\home.blade.php] created successfully.
PS D:\xampp\htdocs\shivnath> php artisan make:view about
INFO View [D:\xampp\htdocs\shivnath\resources\views\about.blade.php] created successfully.
PS D:\xampp\htdocs\shivnath>
```

