



Search

HOME HTML CSS XML JAVASCRIPT ASP PHP SQL MORE ...

REFERENCES | EXAMPLES | FORUM | ABOUT

Overview

JavaScript Objects

JS Array

JS Boolean

JS Date

JS Math

JS Number

JS String

JS RegExp JS Global

Browser Objects

Window Navigator

Screen

History Location

HTML DOM Objects

DOM Document

DOM Events

DOM Elements

DOM Anchor

DOM Area

DOM Base

DOM Body

DOM Button DOM Form

DOM Frame/IFrame

DOM Frameset

DOM Image

DOM Input Button

DOM Input Checkbox

DOM Input File

DOM Input Hidden

DOM Input Password

DOM Input Radio

DOM Input Reset

DOM Input Submit

DOM Input Text

DOM Link

DOM Meta DOM Object

DOM Option

DOM Select

DOM Style

DOM Table

DOM td / th

DOM tr

DOM Textarea

JS & DOM Reference JavaScript valueOf() Method



Definition and Usage

The valueOf() method returns the primitive value of a Date object.

Note: The primitive value is returned as the number of millisecond since midnight January 1, 1970 (same as getTime())!

Note: This method is usually called automatically by JavaScript behind the scenes, and not explicitly in code.

Syntax

Date.valueOf()

Browser Support











The valueOf() method is supported in all major browsers.

Example

Example

Return the primitive value of a Date object:

<script type="text/javascript">

var d=new Date(); document.write(d.valueOf());

</script>

The output of the code above will be:

1325730015411

Try it yourself »

JavaScript Date Object

WEB HOSTING

Best Web Hosting

PHP MySQL Hosting

Best Hosting Coupons

UK Reseller Hosting

Cloud Hosting

Top Web Hosting

\$7.95/mo SEO Hosting

WEB BUILDING

Download XML Editor

FREE Website BUILDER

Free Website Templates Free WordPress Themes

XML Editor « try me!

W3SCHOOLS EXAMS

Get Certified in: HTML, CSS, JavaScript, XML, PHP, and ASP

W3SCHOOLS BOOKS

New Books: HTML, CSS JavaScript, and Ajax

STATISTICS

Browser Statistics Browser OS Browser Display

SHARE THIS PAGE

Share with »

