HTML CSS XML JAVASCRIPT ASP PHP SQL MORE...

REFERENCES | EXAMPLES | FORUM | ABOUT

WEB HOSTING Best Web Hosting

PHP MySQL Hosting

Best Hosting Coupons

UK Reseller Hosting

Cloud Hostina

Top Web Hosting

\$7.95/mo SEO Hosting

WEB BUILDING

XML Editor - Free Trial!

FREE Website BUILDER

Free Website Templates Free WordPress Themes

XML Editor « try me!

W3SCHOOLS EXAMS

Get Certified in: HTML, CSS, JavaScript, XML, PHP, and ASP

W3SCHOOLS BOOKS

New Books: HTML, CSS JavaScript, and Ajax

STATISTICS

Browser Statistics Browser OS Browser Display

SHARE THIS PAGE

Share with »

History back() Method

Overview

JavaScript Objects

JS & DOM Reference

JS Array JS Boolean JS Date

JS Math JS Number

JS String

JS RegExp JS Global

Browser Objects

Window Navigator Screen History Location

HTML DOM Objects

DOM Document DOM Events DOM Elements

DOM Anchor DOM Area

DOM Base DOM Body

DOM Button DOM Form

DOM Frame/IFrame

DOM Frameset DOM Image

DOM Input Button

DOM Input Checkbox

DOM Input File DOM Input Hidden

DOM Input Password

DOM Input Radio DOM Input Reset

DOM Input Submit DOM Input Text

DOM Link

DOM Meta DOM Object

DOM Option DOM Select

DOM Style

DOM Table DOM td / th

DOM tr

DOM Textarea

<u> History Object</u>

Definition and Usage

The back() method loads the previous URL in the history list.

This is the same as clicking the Back button or history.go(-1).

Syntax

history.back()

Browser Support











The back() method is supported in all major browsers.

Example

Example

Create a back button on a page:

```
<html>
<head>
<script type="text/javascript">
function goBack()
 window.history.back()
</script>
</head>
<body>
<input type="button" value="Back" onclick="goBack()" />
</body>
</html>
```

The output of the code above will be:

Back

Try it yourself »

History Object