

HOME HTML CSS XML JAVASCRIPT ASP PHP SQL MORE ...

REFERENCES | EXAMPLES | FORUM | ABOUT

WEB HOSTING

Best Web Hosting

PHP MySQL Hosting

Best Hosting Coupons

UK Reseller Hosting

Cloud Hosting

Top Web Hosting

\$7.95/mo SEO Hosting

WEB BUILDING

XML Editor - Free Trial!

FREE Website BUILDER

Free Website Templates

Free WordPress Themes

XML Editor « try me!

W3SCHOOLS EXAMS

Get Certified in:

HTML, CSS, JavaScript,

XML, PHP, and ASP

W3SCHOOLS BOOKS

New Books:

HTML, CSS

JavaScript, and Ajax

STATISTICS

Browser Statistics

Browser OS

Browser Display

SHARE THIS PAGE

Share with »

Overview

JavaScript Objects

JS Array JS Boolean

JS Date

1S Math

JS Number

JS String

JS RegExp JS Global

Browser Objects

Window Navigator Screen History

Location

HTML DOM Objects

DOM Document DOM Events DOM Elements

DOM Anchor

DOM Area

DOM Base

DOM Body

DOM Button

DOM Form

DOM Frame/IFrame

DOM Frameset

DOM Image

DOM Input Button

DOM Input Checkbox

DOM Input File

DOM Input Hidden

DOM Input Password

DOM Input Radio

DOM Input Reset

DOM Input Submit

DOM Input Text DOM Link

DOM Meta

DOM Object

DOM Option

DOM Select

DOM Style

DOM Table DOM td / th

DOM tr

DOM Textarea

JS & DOM Reference JavaScript undefined Property

Definition and Usage

JavaScript Global Functions

The undefined property indicates that a variable has not been assigned a value.

Browser Support











The undefined property is supported in all major browsers.

Example

Example

Test if variables are undefined:

```
<script type="text/javascript">
var t1="";
var t2;
if (t1==undefined)
document.write("t1 is undefined");
}
if (t2==undefined)
document.write("t2 is undefined");
}
</script>
```

The output of the code above will be:

t2 is undefined

Try it yourself »

JavaScript Global Functions



REPORT ERROR | HOME | TOP | PRINT | FORUM | ABOUT