



JS & DOM Reference

[Overview](#)

JavaScript Objects

[JS Array](#)
[JS Boolean](#)
[JS Date](#)
[JS Math](#)
[JS Number](#)
[JS String](#)
[JS RegExp](#)
[JS Global](#)

Browser Objects

[Window](#)
[Navigator](#)
[Screen](#)
[History](#)
[Location](#)

HTML DOM Objects

[DOM Document](#)
[DOM Events](#)
[DOM Elements](#)

[DOM Anchor](#)
[DOM Area](#)
[DOM Base](#)
[DOM Body](#)
[DOM Button](#)
[DOM Form](#)
[DOM Frame/IFrame](#)
[DOM Frameset](#)
[DOM Image](#)
[DOM Input Button](#)
[DOM Input Checkbox](#)
[DOM Input File](#)
[DOM Input Hidden](#)
[DOM Input Password](#)
[DOM Input Radio](#)
[DOM Input Reset](#)
[DOM Input Submit](#)
[DOM Input Text](#)
[DOM Link](#)
[DOM Meta](#)
[DOM Object](#)
[DOM Option](#)
[DOM Select](#)
[DOM Style](#)
[DOM Table](#)
[DOM td / th](#)
[DOM tr](#)
[DOM Textarea](#)

JavaScript ^{() Method}

 [JavaScript String Object](#)

Definition and Usage

The `sup()` method is used to display a string as superscript text.

This method returns the string embedded in the `<sup>` tag, like this:

```
<sup>string</sup>
```

Syntax

```
string.sup()
```

Browser Support



The `sup()` method is supported in all major browsers.

Example

Example

Display string as superscript text:

```
<script type="text/javascript">

var str = "Hello world!";
document.write(str.sup());

</script>
```

[Try it yourself »](#)

 [JavaScript String Object](#)

WEB HOSTING

[Best Web Hosting](#)

[PHP MySQL Hosting](#)

[Best Hosting Coupons](#)

[UK Reseller Hosting](#)

[Cloud Hosting](#)

[Top Web Hosting](#)

[\\$7.95/mo SEO Hosting](#)

WEB BUILDING

[XML Editor - Free Trial!](#)

[FREE Website BUILDER](#)

[Free Website Templates](#)
[Free WordPress Themes](#)

[XML Editor « try me!](#)

W3SCHOOLS EXAMS

Get Certified in:
HTML, CSS, JavaScript,
XML, PHP, and ASP

W3SCHOOLS BOOKS

New Books:
HTML, CSS
JavaScript, and Ajax

STATISTICS

[Browser Statistics](#)
[Browser OS](#)
[Browser Display](#)

SHARE THIS PAGE

[Share with »](#)