JS & DOM Reference
Overview

JavaScript Objects
JS Array
JS Boolean
JS Date
JS Math
JS Number
JS String
JS RegExp
JS Global

Browser Objects
Window
Navigator
Screen
History
Location

HTML DOM Objects
DOM Document
DOM Events
DOM Elements

DOM Anchor
DOM Area
DOM Base
DOM Body
DOM Button
DOM Form
DOM Frame/IFrame
DOM Frameset
DOM Image
DOM Input Button
DOM Input Checkbox
DOM Input File
DOM Input Hidden
DOM Input Password
DOM Input Radio
DOM Input Reset
DOM Input Submit
DOM Input Text
DOM Link
DOM Meta
DOM Object
DOM Option
DOM Select
DOM Style
DOM Table
DOM td / th
DOM tr
DOM Textarea

JavaScript decodeURI() Function

📁 JavaScript Global Functions

Definition and Usage

The decodeURI() function is used to decode a URI.

Tip: Use the encodeURI() function to encode a URI.

Syntax

```
decodeURI(uri)
```

Parameter	Description
uri	Required. The URI to be decoded

Browser Support

The decodeURI() function is supported in all major browsers.

Example

Example

Decode a URI after encoding it:

```
<script type="text/javascript">

var uri="my test.asp?name=ståle&car=saab";
document.write(encodeURI(uri)+ "<br />");
document.write(decodeURI(uri));

</script>
```

The output of the code above will be:

```
my%20test.asp?name=st%C3%A5le&car=saab
my test.asp?name=ståle&car=saab
```

Try it yourself »

📁 JavaScript Global Functions