



Search

HOME HTML CSS XML JAVASCRIPT ASP PHP SQL MORE... REFERENCES | EXAMPLES | FORUM | ABOUT

WEB HOSTING

Best Web Hosting

Overview

JavaScript Objects

JS Array

JS Boolean

JS Date

JS Math

JS Number

JS String

JS RegExp

JS Global

Browser Objects

Window Navigator Screen

History Location

HTML DOM Objects

DOM Document DOM Events

DOM Elements

DOM Anchor

DOM Area

DOM Base

DOM Body

DOM Button DOM Form

DOM Frame/IFrame

DOM Frameset

DOM Image

DOM Input Button

DOM Input Checkbox

DOM Input File

DOM Input Hidden

DOM Input Password

DOM Input Radio

DOM Input Reset

DOM Input Submit

DOM Input Text

DOM Link

DOM Meta

DOM Object DOM Option

DOM Select

DOM Style

DOM Table

DOM td / th DOM tr

DOM Textarea

JS & DOM Reference JavaScript getSeconds() Method

JavaScript Date Object

Definition and Usage

The getSeconds() method returns the seconds (from 0 to 59) of the specified date and time, according to local time.

Note: This method is always used in conjunction with a Date object.

Syntax

Date.getSeconds()

Browser Support











The getSeconds() method is supported in all major browsers.

Example

Example

Return the seconds, according to local time:

```
<script type="text/javascript">
var d = new Date();
document.write(d.getSeconds());
</script>
```

Try it yourself »

More Examples

Display the time

How to use getHours(), getMinutes(), and getSeconds() to display the time.

JavaScript Date Object

~ 3 schools.com

PHP MySQL Hosting

Best Hosting Coupons

UK Reseller Hosting

Cloud Hosting

Top Web Hosting

\$7.95/mo SEO Hosting

WEB BUILDING

XML Editor - Free Trial!

FREE Website BUILDER

Free Website Templates Free WordPress Themes

XML Editor « try me!

W3SCHOOLS EXAMS

Get Certified in: HTML, CSS, JavaScript, XML, PHP, and ASP

W3SCHOOLS BOOKS

New Books: HTML, CSS JavaScript, and Ajax

STATISTICS

Browser Statistics Browser OS Browser Display

SHARE THIS PAGE

Share with »

REPORT ERROR | HOME | TOP | PRINT | FORUM | ABOUT