


SOP for Sampling of material

1) Click on the [url:- https://qcportal.mpcz.in/](https://qcportal.mpcz.in/) for log in page and go for officer log on and click on submit button.




Energy Department
Government Of Madhya Pradesh

- ☐ User Login(Vendor/Contractor/NABL)
- ☐ User Registration(Vendor/Contractor/NABL)
- ☐ Roof Top Vendor Registration
- ☒ **Officer Login**
- ☐ Collection Agent
- ☐ RCA Vendor Login

SUBMIT

2) After clicking on submit button enter all the valid credentials click on sign in



Discom Login
Enter your login id for login

Login ID *

Enter Login id

SIGN IN

IMPORTANT DOCUMENTS

- Quality Control Circular And Manual Guidelines For Goods And Works
- Important Documents For Contractor
 - Contractor Declaration format **New**
 - Experience certificate format **New**
 - Description of documents to be uploaded **New**
 - Guidelines for Registration Process for Contractor on QC Portal
 - 'अ' श्रेणी विद्युत ठेकेदारों के सुरक्षानिधि/ पटफॉर्मल गारंटी दिलीज किये जाने की प्रक्रिया
 - पंजीकृत विद्युत ठेकेदारों द्वारा रनिस्ट्रेशन निस्ट कटवाने की प्रक्रिया
- Other Documents
 - Undertaking by Solar Vendor regarding Black listing/ Debarring of the firm, serving Officer(s) or Employee(s) of the MPMKVCL, Bhopal
 - Undertaking of A/B-Class Electrical License for Solar Vendor
- Registered & Blacklisted Users Info
 - Registered Contractors list

https://qcportal.mpcz.in:8080/static/assets/pdf/declaration_format.pdf

3) After that officer will get the otp on registered mobile number enter the otp click on submit button

The screenshot shows a web browser window with the URL https://qcuat.mpcz.in:8080/mpeb_verify_otp. The page is titled "Energy Department" and "Government Of Madhya Pradesh". It features an illustration of a smartphone displaying an "OTP Verification" screen with a "Verified" button. To the right, there is a form titled "OTP Verification" with the instruction "Please enter the one time password to verify your account." Below this, there is a field for "Mobile OTP" and a "SUBMIT CODE" button, which is highlighted with a red box.

4. Officer dashboard will get open click on WO sampling from side bar and select All Sampling Request

The screenshot shows a web browser window with the URL https://qcuat.mpcz.in:8080/mpeb_verify_otp. The page is titled "CGM(QC)" and shows a sidebar menu with various options. The "All Sampling Request" option is highlighted with a red box. The main content area is empty. The footer contains the text "© 2023, All Rights Reserved By MPMKVCL" and "Developed and Maintained by IT Cell, Madhya Pradesh Madhya Kshetra Vidyut Vitran Co. Ltd. Nishtha Parisar Govindpura, Bhopal."

5. Sampling list will display here click on Sampling

qcuat.mpcz.in:8080/tkc_wo_sample_list



| | | | | | | | | |
|---------------------------------|---|--|-----|---|------|--|----------|------|
| CGM(QC) | Dashboard | MD/CZ/RDSS/Pck-II (Aug & Addl)/NoA/118 | 692 | Dispatch Instruction for various size control cable at the work place of vendor M/s NEC Wire & Cables Pvt. Ltd., GB Nagar for Package-II (Additional/Augmentation of PTR) under RDSS. | View | COPPER CONTROL CABLE 4 CORE, 2.5 SQMM PVC UNARMoured | Sampled | view |
| Vendor | NABL | MD/CZ/RDSS/Pck-II (Aug & Addl)/NoA/118 | 691 | Dispatch Instruction for 140 Kg., 8.0 Mtrs. Long PCC Pole at the works of vendor M/s Malwa Concrete Udyog, Sehore for Package-II (Additional/Augmentation of PTR) under RDSS. | View | 140 Kg., 8.0 Mtrs. long PCC Poles | Sampling | |
| TKC PDI INSPECTION | Payments | MD/CZ/RDSS/Pck-II (Aug & Addl)/NoA/118 | 1 | 1 | View | 11 KV VCB, OUTDOOR PORCELAIN CLAD TYPE WITH COMPLETE STRUCTURE | Sampled | view |
| ERP Push | Approval Of RCA(New)Vendor | | | | | | | |
| Approval Of RCA(Regular) Vendor | RCA Factory Inspection | | | | | | | |
| Pending For Digital | All Approved/Pending From Discorn Vendor List | | | | | | | |
| Factory Payment Waiver Request | New Material Vendor | | | | | | | |


6. Sampling material list will display after clicking on sampling and status will get change into sampled


qcuat.mpcz.in:8080/tkc_wo_sample_sampling/MD-CZ-RDSS-Pck-II%20(Aug%20&%20Addl)-NoA-118-2022-11-07-602550


| | | | |
|---------------------------------|---|--|-------------|
| CGM(QC) | Dashboard |  <p>M.P.MADHYA KSHETRA VIDYUT VITARAN CO. LTD. (Government of M.P.Undertaking) Regd. Office : Nishtha Parisar, Bijlinagar, Govindpura, Bhopal-462023 0755-2602033-34, 2678325, 2678280-383-325, Fax No.2589821 Email -dgmproc2cz@gmail.com Website:- https://portal.mpcz.in CIN Number:U40109MP2002SGC015119</p> | |
| Vendor | NABL | Serial Number | Sample Code |
| TKC PDI INSPECTION | Payments | 1 | PCC_945 |
| ERP Push | Approval Of RCA(New)Vendor | 2 | PCC_673 |
| Approval Of RCA(Regular) Vendor | RCA Factory Inspection | 3 | PCC_822 |
| Pending For Digital | All Approved/Pending From Discorn Vendor List | 4 | PCC_979 |
| Factory Payment Waiver Request | New Material Vendor | 5 | PCC_880 |
| | | 6 | PCC_912 |
| | | 7 | PCC_1188 |


← → ↻ qcuat.mpcz.in:8080/tkc/tkc_wo_sample_sampling/MD-CZ-RDSS-Pck-II%20(Aug%20&%20Addl)-NoA-118-2022-11-07-602550 🔍 📄 ⭐ + 🛠️ ⏸ Paused ⋮


**CGM(QC)**


 Dashboard


 Vendor >


 NABL >


 TKC PDI INSPECTION >


 Payments


 ERP Push


 Approval Of RCA(New)Vendor >


 Approval Of RCA(Regular) Vendor >

 RCA Factory Inspection >

 Pending For Digital

 All Approved/Pending From Discom Vendor List >

 Factory Payment Waiver Request >

 New Material Vendor >



| | |
|----|----------|
| 52 | PCC_1183 |
| 53 | PCC_938 |
| 54 | PCC_1205 |
| 55 | PCC_1018 |
| 56 | PCC_1048 |
| 57 | PCC_1127 |
| 58 | PCC_702 |
| 59 | PCC_991 |
| 60 | PCC_1067 |
| 61 | PCC_619 |
| 62 | PCC_846 |


© 2023, All Rights Reserved By **MPMKVVCL**


Developed and Maintained by IT Cell, Madhya Pradesh Madhya Kshetra
Vidyut Vitran Co. Ltd. Nishtha Parisar Govindpura, Bhopal.


7. Click on All sampling Request to see the status of sampling


← → ↻ qcuat.mpcz.in:8080/mpeb_verify_otp 🔍 📄 ⭐ + 🛠️ ⏸ Paused ⋮


**CGM(QC)**


 RCA Factory Inspection >


 Pending For Digital


 All Approved/Pending From Discom Vendor List >


 Factory Payment Waiver Request >


 New Material Vendor >


 RCA Material Sampling


 Sampling Details


 Status >

 All Contractor/Vendor

 WO Sampling >

 All Sampling Request

 Blacklisted Vendor >

 Officer SOP

© 2023, All Rights Reserved By **MPMKVVCL**

Developed and Maintained by IT Cell, Madhya Pradesh Madhya Kshetra
Vidyut Vitran Co. Ltd. Nishtha Parisar Govindpura, Bhopal.

https://qcuat.mpcz.in:8080/tkc/tkc_wo_sample_list

CGM(QC)

Dashboard

Vendor

NABL

TKC PDI INSPECTION

Payments

ERP Push

Approval Of RCA(New)Vendor

Approval Of RCA(Regular) Vendor

RCA Factory Inspection

Pending For Digital

All Approved/Pending From Discom Vendor List

Factory Payment Waiver Request

New Material Vendor

MD/CZ/RDSS/Pck-II (Aug & Addl)/NoA/118

692

Dispatch Instruction for various size control cable at the work place of vendor M/s NEC Wire & Cables Pvt. Ltd., GB Nagar for Package-II (Additional/Augmentation of PTR) under RDSS.

View

COPPER CONTROL CABLE 4 CORE, 2.5 SQMM PVC UNARMoured

Sampled

view

MD/CZ/RDSS/Pck-II (Aug & Addl)/NoA/118

691

Dispatch Instruction for 140 Kg., 8.0 Mtrs. Long PCC Pole at the works of vendor M/s Malwa Concrete Udyog, Sehore for Package-II (Additional/Augmentation of PTR) under RDSS.

View

140 Kg., 8.0 Mtrs. long PCC Poles

Sampling

MD/CZ/RDSS/Pck-II (Aug & Addl)/NoA/118

1

1

View

11 KV VCB, OUTDOOR PORCELAIN CLAD TYPE WITH COMPLETE STRUCTURE

Sampled

view

Note:

After this process Site store will log in