

# Logarithm Problem 1-10

Shiv Shankar Dayal

January 18, 2022

## Problem 1

1. Find the value of  $x$  where  $\log_{\sqrt{8}} x = \frac{10}{3}$

## Solution of Problem 1

**Solution:**

$$\begin{aligned}\log_{\sqrt{8}} x &= \frac{10}{3} \Rightarrow \log_{2^{\frac{3}{2}}} x = \frac{10}{4} \\ \Rightarrow \frac{2}{3} \log_2 x &= \frac{10}{3} \Rightarrow \log_2 x = 5 \\ \Rightarrow x &= 5^2 = 25\end{aligned}$$

## Problem 2

2. Prove that  $\log_b a \cdot \log_c b \log_a c = 1$

## Solution of Problem 2

**Solution:**

$$L.H.S. = \log_b a \cdot \log_c b \log_a c = \frac{\log a}{\log b} \frac{\log b}{\log c} \frac{\log c}{\log a} = 1 = R.H.S.$$

## Problem 3

**3.** Prove that  $\log_3 \log_2 \log_{\sqrt{5}}(625) = 1$

## Solution of Problem 3

**Solution:**

$$\begin{aligned}\log_3 \log_2 \log_{\sqrt{5}}(625) &= \log_3 \log_2 \log_{\sqrt{5}} 5^4 \\ &= \log_3 \log_2 8 = \log_3 3 = 1\end{aligned}$$

## Problem 4

4. If  $a^2 + b^2 = 23ab$ , then prove that  $\log \frac{a+b}{5} = \frac{1}{2}(\log a + \log b)$



## Solution of Problem 4

**Solution:**

$$a^2 + b^2 = 23ab \Rightarrow (a + b)^2 = 25ab \Rightarrow \left(\frac{a + b}{5}\right)^2 = ab$$

Taking log of both sides

$$2 \log \frac{a + b}{5} = \log(ab) \Rightarrow \log \frac{a + b}{5} = \frac{1}{2}(\log a + \log b)$$

## Problem 5

5. Prove that  $7 \log \frac{16}{15} + 5 \log \frac{25}{24} + 3 \log \frac{81}{80} = \log 2$

## Solution of Problem 5

**Solution:**

$$\begin{aligned} L.H.S. &= 7[\log 2^4 - \log(3.5)] + 5[\log 5^2 - \log(8.3)] + 3[\log 3^4 - \log 16.5] \\ &= 7[4 \log 2 - \log 3 - \log 5] + 5[2 \log 5 - 3 \log 2 - \log 3] + 3[4 \log 3 - 4 \log 2 - \log 5] \\ &= \log 2 = R.H.S. \end{aligned}$$

## Problem 6

6. Find the value of  $\log \tan 1^\circ + \log \tan 2^\circ + \dots + \log \tan 89^\circ$

## Solution of Problem 6

**Solution:**

$$\begin{aligned} L.H.S. &= \log \tan 1^\circ + \log \tan 2^\circ + \dots + \log \tan 89^\circ \\ &= \log(\tan 1^\circ \cdot \tan 2^\circ \dots \tan 89^\circ) \\ &= \log(\tan 1^\circ \cdot \tan 89^\circ)(\tan 2^\circ \cdot \tan 88^\circ) \dots \tan 45^\circ \\ &= \log(\tan 1^\circ \cdot \cot 1^\circ)(\tan 2^\circ \cot 2^\circ) \dots \tan 45^\circ \\ &= \log(1.1.1. \dots 1) = \log 1 = 0 \end{aligned}$$

## Problem 7

7. Evaluate  $\log_9 \tan \frac{\pi}{6}$

## Solution of Problem 7

**Solution:**

$$\begin{aligned}\log_9 \tan \frac{\pi}{6} &= \log_{3^2} \frac{1}{\sqrt{3}} \\ &= \frac{1}{2} \log_3 3^{-\frac{1}{2}} = -\frac{1}{4}\end{aligned}$$

## Problem 8

8. Evaluate  $\frac{\log_a 2}{\log_{\sqrt{a}} b^2}$



## Solution of Problem 8

**Solution:**

$$\begin{aligned}\frac{\log_{a^2} b}{\log_{\sqrt{a}} b^2} &= \frac{2 \log_a b}{2.2 \log_a b} \\ &= \frac{1}{8}\end{aligned}$$

## Problem 9

9. Evaluate  $\log_{\sqrt{5}} .008$

## Solution of Problem 9

**Solution:**

$$\begin{aligned}\log_{\sqrt{5}} .008 &= \log_{\sqrt{5}} \frac{8}{1000} \\ &= \log_{\sqrt{5}} 8 - \log_{\sqrt{5}} 1.125 = \log_{\sqrt{5}} 8 - \log_{\sqrt{5}} 8 - \log_{\sqrt{5}} 125 = -\log_{\sqrt{5}} 5^3 = -6\end{aligned}$$

## Problem 10

**10.** Evaluate  $\log_{2\sqrt{3}} 144$

## Solution of Problem 10

**Solution:**

$$\log_{2\sqrt{3}} 144 = \log_{12^{\frac{1}{2}}} 12^2 = 4$$