TECHNICAL SPECIFICATION · REVERSE-ENGINEERING REPORT

Incident Management — Full Monthly Process

The complete incidents update from Datix export to data store, including the pivots, SPC sheets and compliance table that the earlier recording (spec 02) did not reach

Document	Technical Specification — reverse-engineered legacy workflow (as-is), target design and build requirements
Subject workflow	Incidents compliance (Operational › Incidents) via *Incident Management.xlsm*: Datix export → Datix tab → Groupings and Harm pivots → per-group SPC sheets → Manage Compliance (10 rows) → Compliance Data.xlsm
Primary evidence	Meeting with Andrew R. Biggins-20260814_102641-Meeting Recording.mp4 — 1920×1080, 16 fps, 10:00 (601 s); camera off. The first video recorded on 14/08/2026
Relationship to spec 02	Spec 02 (recording 20260811 135933) stopped at 07:01 before the fix, pivots and publish. This recording covers the whole process and answers several of spec 02's gaps (§0.3). Read both together
Companion documents	Incident_Full_PreBuild_Client_Requirements.pdf (same folder); 02_Incident_Management/
Report date	16 October 2026
Status	Draft for business-owner review. Datix incident descriptions and Teams notifications naming staff are blurred

What the recording shows. The operator sets out the Requirements and Compliance Timeframes tabs, shows the Datix export live (RLDatix web dashboard → widget → Export → Excel), explains how the Datix tab assigns groups and timeframes, then walks through the Groupings and Harm pivots, the SPC sheets per group (rows dragged down each month), the notes tabs and the Manage Compliance table whose 10 rows are pasted into the data store.

- **Ten compliance rows:** four harm-based (Serious incident, Moderate Harm, Severe Harm, Fatal) counted from the Datix tab, and six SPC-based (All, Clinical, IG, Safeguarding, Health and Safety, Estates) read from the per-group SPC sheets for last month.
- **The #REF! in spec 02 is explained.** On 14/08 the In set timeframe formula is intact; its default branch tests *"Q&S Does the incident need to be discussed at the Incident Review Panel?" = "Yes" → 90 days, else 42*. The 11/08 file had lost that column. The SWITCH on *Description* instead of *Severity* is still present, so the harm-specific limits never apply.
- **Inconsistent logic between tabs:** the All Notes FILTER and the Manage Compliance COUNTIFS use *Severity*, but the timeframe uses *Description*; Moderate Harm's RAG uses 3 for red while Severe Harm uses 2.
- **Live result 14/08/2026:** Moderate Harm non-compliant ("1 Moderate Harm incident(s) in Last 6 Weeks – Datix: 13135", RAG 3); all others 10.
- **Manual steps:** export from Datix, paste, drag SPC rows down, refresh pivots, copy 10 rows to the data store, Last Updated by hand, save, refresh twice.
- **Operator knowledge gaps:** "This was all set up by Matt. We've not made any changes"; "I don't know what that table is"; 0.5 months "doesn't make any difference".

Table of Contents

0. Evidence Base, Method & Reading Guide . . . 3

0.1 Source artefacts . . . 3

0.2 Method and redaction . . . 3

0.3 Gaps in spec 02 answered by this recording . . . 3

1. Complete File, Workbook & Sheet Inventory . . . 4

2. Column-Level Schema & Formula Catalogue . . . 5

2.1 Reference tabs . . . 5

2.2 Datix tab (calculated columns) . . . 8

2.3 Pivots, SPC sheets and notes . . . 10

2.4 Manage Compliance (output rows) . . . 12

3. Chronological Step-by-Step Operator Workflow . . . 17

Step 1 [00:00:00 – 00:00:44]: Introduce the incidents process . . . 18

Step 2 [00:00:44 – 00:02:09]: Requirements (set up by hand) . . . 18

Step 3 [00:02:09 – 00:03:39]: Compliance Timeframes and thresholds . . . 18

Step 4 [00:03:39 – 00:05:00]: Export from Datix (shown) . . . 18

Step 5 [00:05:00 – 00:06:18]: Datix tab calculations . . . 20

Step 6 [00:06:18 – 00:06:46]: Pivots . . . 21

Step 7 [00:06:46 – 00:07:52]: SPC sheets per group . . . 22

Step 8 [00:07:52 – 00:08:51]: Notes and Manage Compliance . . . 22

Step 9 [00:08:51 – 00:10:00]: Copy to the data store; save; refresh twice . . . 23

4. Data Quality Checks, Discrepancies & Failure Modes . . . 25

5. Target Modern System Architecture . . . 26

6. Gap & Ambiguity Register . . . 27

7. What Is Required to Build the Modern System . . . 28

Appendix A. Figure Index . . . 29

Appendix B. Key timestamped utterances . . . 30

0. Evidence Base, Method & Reading Guide

0.1 Source artefacts

Artefact	What it is	Used for
…20260814_102641-Meeting Recording.mp4	Teams recording, 10:00, Git-LFS object 40 MB	Screenshots, timings
…20260814 102641-Meeting Recording.srt / .txt	Timed subtitles and transcript	Timestamps and wording

0.2 Method and redaction

- Figures matched to verified frames at 0.25 s steps. Datix Description cells (patient narratives) and Teams pop-ups naming staff are blurred.

0.3 Gaps in spec 02 answered by this recording

Spec 02 gap	Answer from this recording	Evidence
G-01 second half not recorded	Pivots, SPC sheets, notes, Manage Compliance and paste are shown	§3 steps 7–11
G-02 Datix export off-screen	RLDatix › Capture › Dashboard › Provide Wellbeing Dashboard › widget menu › Export › Excel → DatixWebReport (n).xlsx	Figure 9 [00:04:23], Figure 11 [00:04:49]
G-05 In last 7 months formula	`=IF([@Reported]<>"",(TODAY()-[@Reported])<=217,"")`	Figure 17 [00:05:45]
G-06 column behind #REF!	“Q&S Does the incident need to be discussed at the Incident Review Panel?” (Yes → 90 days, else 42)	Figure 8 [00:03:48]
G-08 tabs not opened	Groupings Pivot, Harm Pivot, SPC sheets per group, All Notes and group Notes tabs shown	Figure 18 [00:06:39], Figure 19 [00:06:51], Figure 15 [00:05:14]
G-07 Manage Compliance	It is the output table (10 rows), filled by formulas, copied by hand	Figure 22 [00:08:07]

1. Complete File, Workbook & Sheet Inventory

#	File / system	Role	Evidence
S1	**RLDatix** (providecic.gateway.prod-uk.datixcloudiq.co.uk)	Incident system; Provide Wellbeing Dashboard; export to Excel	Figure 9 [00:04:23]
F1	DatixWebReport (n).xlsx	Raw export (Protected View); sheet “Datix listing report”	Figure 12 [00:04:55]
F2	**Incident Management.xlsm**	Tool: Manage Compliance, Requirements, Compliance Timeframes, Estates, Health and Safety, Safeguarding, IG, Clinical, SPC, Miscellaneous, Groupings Pivot, Harm Pivot, Datix, Datix Category, All Notes, Clinical / IG / H&S / Estates / Safeguarding Notes	Figure 22 [00:08:07]
F3	**Compliance Data.xlsm**	Data store (UNABLE TO REFRESH banner)	Figure 29 [00:09:09]




Figure 1 [00:00:05] — Teams recording › (camera off): Recording starts: “this video is to go over the process to update the compliance data for incidents management”

2. Column-Level Schema & Formula Catalogue

Columns already catalogued in spec 02 §2 (Requirements, Compliance Timeframes, Datix A–T, Datix Category) are not repeated; below are the formulas confirmed or newly seen here.

2.1 Reference tabs

Cell	Meaning	Formula / value
Req A:G	10 incident types, all Required, Core, Active	Figure 2 [00:01:34]
CT B	Every x months	0.5 (“doesn’t make any difference… we only update it once a month”)
CT H	Unique Lookup	`=CONCAT(Group1,"-",Group2,"-",Group3)` → “Operational-Incidents-”
CT I	Missing	Always TRUE (searches own table)
CT J:N	Thresholds	1, 1, 1, 1, 0.99




Figure 2 [00:01:34] — Incident Management.xlsm › Requirements: Requirements: Provide Wellbeing × 10 incident types (Serious incident, Moderate Harm, Severe Harm, Fatal, SPC Flagged/flagged – All, Clinical, IG, Safeguarding, Health and Safety, Estates), Required TRUE, Core, Active TRUE — set up by hand (“on the last video… built up using Visual Basic”)




Figure 3 [00:02:10] — Incident Management.xlsm › Compliance Timeframes: Compliance Timeframes: Every x months 0.5, Core, Operational › Incidents




Figure 4 [00:02:34] — Incident Management.xlsm › Compliance Timeframes: Every x months 0.5 selected: “Matt set it up as twice a month. I don’t think that actually makes any difference because we only update it once a month”




Figure 5 [00:03:09] — Incident Management.xlsm › Compliance Timeframes: H8 Unique Lookup =CONCAT(Group 1,"-",Group 2,"-",Group 3) → “Operational-Incidents-”: “I don’t know exactly how it’s being used”




Figure 6 [00:03:13] — Incident Management.xlsm › Compliance Timeframes: I2 Missing =XLOOKUP(CONCAT(add_Requirements_Name,"-",[@[Compliance Type]]),[Unique Lookup],[Unique Lookup],"")="" — TRUE for every row




Figure 7 [00:03:28] — Incident Management.xlsm › Compliance Timeframes: Thresholds J:N = 1 / 1 / 1 / 1 / 0.99: “a simple compliant, not compliant thing”

2.2 Datix tab (calculated columns)

Col	Header	Formula
R	Grouping	`=XLOOKUP([@Category],datix_Category_Table[Datix reference],datix_Category_Table[Category],"")`
S	In last 7 months	`=IF([@Reported]<>"",(TODAY()-[@Reported])<=217,"")`
T	In set timeframe	`=IF([@Reported]<>"",OR((TODAY()-[@Reported])<=SWITCH([@Description],"No Harm",42,"Low Harm",42,"Moderate Harm",42,"Severe Harm",90,"Fatal",365,IF([@[Q&S Does the incident need to be discussed at the Incident Review Panel?]]="Yes",90,42)),[@[Approval status]]<>"Incident Approved & Record Closed"),"")`




Figure 8 [00:03:48] — Incident Management.xlsm › Datix: T2 In set timeframe, intact on 14/08/2026: =IF([@Reported]<>"",OR((TODAY()-[@Reported])<=SWITCH([@Description],"No Harm",42,"Low Harm",42,"Moderate Harm",42,"Severe Harm",90,"Fatal",365,IF([@[Q&S Does the incident need to be discussed at the Incident Review Panel?]]="Yes",90,42)),[@[Approval status]]<>"Incident Approved & Record Closed"),"") — the column that is #REF! in spec 02




Figure 14 [00:05:05] — Incident Management.xlsm › Datix: R2 Grouping =XLOOKUP([@Category],datix_Category_Table[Datix reference],datix_Category_Table[Category],"")




Figure 17 [00:05:45] — Incident Management.xlsm › Datix: S2 In last 7 months =IF([@Reported]<>"",(TODAY()-[@Reported])<=217,"") — 217 days ≈ 7 months




Figure 16 [00:05:34] — Incident Management.xlsm › Datix Category: Datix Category table (“My God... or is that hidden? No. There we go”): Datix reference → Category

2.3 Pivots, SPC sheets and notes

Object	Content	Formula / rule
Groupings Pivot	Count of Grouping by year/month	Figure 18 [00:06:39]
Harm Pivot	Count by harm level by year/month	Not opened in detail
Estates / H&S / Safeguarding / IG / Clinical / SPC / Miscellaneous	Monthly count per group since 01/04/2022, mean, LCL, UCL, SPC rule columns	`C63 =IFERROR(GETPIVOTDATA("Grouping",'Groupings Pivot'!$A$3,"Grouping",$B$2,"Months (Incident date)",MONTH(B63),"Years (Incident date)",YEAR(B63)),…); AC6 UCL =AC3+(AC4*3);` LCL negative for counts

Object	Content	Formula / rule
SPC flag cell	Show the month only if a rule fires	D57 =IF(P54=2,"",IF(AND(T57=0,P57=0,K57=0,Z57=0),"",C57))
All Notes	Datix IDs per type in timeframe; text used in Manage Compliance notes	J2 =IFERROR(FILTER(Datix_2[ID],(Datix_2[Severity]="Moderate Harm")*(Datix_2[In set timeframe]=TRUE)),"Moderate harm not found")




Figure 19 [00:06:51] — Incident Management.xlsm › Estates: Estates SPC sheet: monthly counts from 01/04/2022 with mean, LCL (negative), UCL and rule columns; AC6 UCL =AC3+(AC4*3)




Figure 20 [00:06:57] — Incident Management.xlsm › Estates: C63 =IFERROR(GETPIVOTDATA("Grouping",'Groupings Pivot'!$A$3,"Grouping",$B$2,"Months (Incident date)",MONTH(B63),"Years (Incident date)",YEAR(B63)),...) — monthly count per group from the pivot




Figure 21 [00:07:45] — Incident Management.xlsm › SPC (All): D57 =IF(P54=2,"",IF(AND(T57=0,P57=0,K57=0,Z57=0),"",C57)) — highlights a month only when an SPC rule fires; rows dragged down each month (“we drop down our heading and our date”)




Figure 15 [00:05:14] — Incident Management.xlsm › All Notes: All Notes tab: J2 =IFERROR(FILTER(Datix_2[ID],(Datix_2[Severity]="Moderate Harm")*(Datix_2[In set timeframe]=TRUE)),"Moderate harm not found") — note that this uses Severity, unlike the In set timeframe SWITCH; columns Category, Sub Category, Datix IDs, Base Notes, Final Notes - SPC / Serious Incident / Severe Harm / Moderate Harm

2.4 Manage Compliance (output rows)

Col	Header	Formula / value
A–B	Name, Compliance Type	Provide Wellbeing; 10 types
C–D	Completion Date, Status	14/08/2026, Completed
E	RAG Rating	`E4 =IF(N4>0,3,10)` (Moderate Harm) but `E5 =IF(N5>0,2,10)` (Severe Harm)

Col	Header	Formula / value
F	Notes	`F6 =IF(N6>0,'All Notes'!K2,"No incidents resulting in a fatality in last year"); F9 =IF(N9>0,'Information Governance Notes'!$I$2,"Incidents within SPC criteria")`
G–H	Managed By, Due Date	Provide Wellbeing; 24/08/2026
I–M	Groups, Weighting	Operational › Incidents (SPC rows add Group 3/4, e.g. Safeguarding › Clinical); 1
N	Count	`N4 =COUNTIFS(Datix_2[Severity],'Manage Compliance'!B4,Datix_2[In set timeframe],TRUE)` (harm rows)
O	SPC value	`O10 =XLOOKUP(EDATE(DATE(YEAR(TODAY()),MONTH(TODAY()),1),-1),Safeguarding!$B:$B,Safeguarding!$C:$C,"")` (SPC rows)




Figure 22 [00:08:07] — Incident Management.xlsm › Manage Compliance: Manage Compliance: 10 rows, completed 14/08/2026, RAG 10 except Moderate Harm = 3 (“1 Moderate Harm incident(s) in Last 6 Weeks - Datix: 13135”), others “No serious incidents in last 90 days”, “No incidents resulting in a fatality in last year”, “Incidents within SPC criteria”; due 24/08/2026




Figure 24 [00:08:26] — Incident Management.xlsm › Manage Compliance: N4 Count =COUNTIFS(Datix_2[Severity],'Manage Compliance'!B4,Datix_2[In set timeframe],TRUE)




Figure 25 [00:08:30] — Incident Management.xlsm › Manage Compliance: O10 =XLOOKUP(EDATE(DATE(YEAR(TODAY()),MONTH(TODAY()),1),-1),Safeguarding!$B:$B,Safeguarding!$C:$C,"") — last month's value from the Safeguarding SPC sheet




Figure 26 [00:08:36] — Incident Management.xlsm › Manage Compliance: F6 =IF(N6>0,'All Notes'!K2,"No incidents resulting in a fatality in last year")




Figure 23 [00:08:21] — Incident Management.xlsm › Manage Compliance: F9 Notes =IF(N9>0,'Information Governance Notes'!$I$2,"Incidents within SPC criteria")





Figure 27 [00:08:39] — Incident Management.xlsm › Manage Compliance: E5 RAG =IF(N5>0,2,10) (Severe Harm)



Completion Date	Completion Status	RAG Rating	Notes	Managed By	Due Date	Compliance Group 1	Compliance Group 2	Compliance Group 3	Compliance Group 4
14/08/2026	Completed	10	No serious incidents in last 90 days	Provide Wellbeing	24/08/2026	Operational	Incidents		
14/08/2026	Completed	3	1 Moderate Harm Incident(s) in Last 6 Weeks - Datix: 13135	Provide Wellbeing	24/08/2026	Operational	Incidents		
14/08/2026	Completed	10	No incidents resulting in severe harm in last 90 days	Provide Wellbeing	24/08/2026	Operational	Incidents		
14/08/2026	Completed	10	No incidents resulting in a fatality in last year	Provide Wellbeing	24/08/2026	Operational	Incidents		
14/08/2026	Completed	10	Incidents within SPC criteria	Provide Wellbeing	24/08/2026	Operational	Incidents		
14/08/2026	Completed	10	Incidents within SPC criteria	Provide Wellbeing	24/08/2026	Operational	Incidents		
14/08/2026	Completed	10	Incidents within SPC criteria	Provide Wellbeing	24/08/2026	Operational	Incidents		
14/08/2026	Completed	10	Incidents within SPC criteria	Provide Wellbeing	24/08/2026	Operational	Incidents	Safeguarding	Clinical
14/08/2026	Completed	10	Incidents within SPC criteria	Provide Wellbeing	24/08/2026	Operational	Incidents	Health and Safety	Operational
14/08/2026	Completed	10	Incidents within SPC criteria	Provide Wellbeing	24/08/2026	Operational	Incidents	Estates	Operational

Figure 28 [00:08:50] — Incident Management.xlsm › Manage Compliance: E4 RAG =IF(N4>0,3,10) (Moderate Harm): red is 3 here but 2 in E5

3. Chronological Step-by-Step Operator Workflow

Nine steps cover the 10:00 recording.

Step	Window	Action
1	00:00:00–00:00:44	Introduce the incidents process
2	00:00:44–00:02:09	Requirements (set up by hand)
3	00:02:09–00:03:39	Compliance Timeframes and thresholds
4	00:03:39–00:05:00	Export from Datix (shown)
5	00:05:00–00:06:18	Datix tab calculations
6	00:06:18–00:06:46	Pivots
7	00:06:46–00:07:52	SPC sheets per group
8	00:07:52–00:08:51	Notes and Manage Compliance
9	00:08:51–00:10:00	Copy to the data store; save; refresh twice

Step 1 [00:00:00 – 00:00:44]: Introduce the incidents process

Action performed	Camera off; “a little bit different from the first video”.
Source → target	—
State mutation	—

Shown above: Figure 1 [00:00:05] — Recording starts: “this video is to go over the process to update the compliance data for incidents management…

Step 2 [00:00:44 – 00:02:09]: Requirements (set up by hand)

Action performed	No Names tab, one entity; requirements typed rather than added by VBA; can switch types off.
Source → target	—
State mutation	—

Shown above: Figure 2 [00:01:34] — Requirements: Provide Wellbeing × 10 incident types (Serious incident, Moderate Harm, Severe Harm, Fatal, SPC …

Step 3 [00:02:09 – 00:03:39]: Compliance Timeframes and thresholds

Action performed	0.5 months, Operational › Incidents, lookup “used somewhere”, Missing, thresholds (“simple compliant, not compliant”).
Source → target	—
State mutation	—

Shown above: Figure 3 [00:02:10] — Compliance Timeframes: Every x months 0.5, Core, Operational › Incidents

Shown above: Figure 4 [00:02:34] — Every x months 0.5 selected: “Matt set it up as twice a month. I don’t think that actually makes any differenc…

Shown above: Figure 5 [00:03:09] — H8 Unique Lookup =CONCAT(Group 1,"-",Group 2,"-",Group 3) → “Operational-Incidents-”: “I don’t know exactly ho…

Shown above: Figure 6 [00:03:13] — I2 Missing =XLOOKUP(CONCAT(add_Requirements_Name,"-",[@[Compliance Type]]),[Unique Lookup],[Unique Lookup],"")…

Shown above: Figure 7 [00:03:28] — Thresholds J:N = 1 / 1 / 1 / 1 / 0.99: “a simple compliant, not compliant thing”

Step 4 [00:03:39 – 00:05:00]: Export from Datix (shown)

Action performed	Opens Datix tab, then RLDatix › Dashboard › Provide Wellbeing Dashboard; widget menu › Export › Excel; downloads DatixWebReport (13)/(14).xlsx and opens it.
Source → target	RLDatix → .xlsx export
State mutation	File downloaded

Shown above: Figure 8 [00:03:48] — T2 In set timeframe, intact on 14/08/2026: =IF([@Reported]<>"",OR((TODAY()-[@Reported])<=SWITCH([@Description]…




Figure 9 [00:04:23] — RLDatix (web) › Provide Wellbeing Dashboard: RLDatix (providecic.gateway.prod-uk.datixcloudiq.co.uk) › Capture › Dashboard: “Provide Wellbeing Dashboard” of incident charts (all incidents, SPC chart with UCL/LCL, by level of harm)




Figure 10 [00:04:25] — RLDatix (web) › Provide Wellbeing Dashboard: Widget menu › Export → Export dialog with options PDF / Excel and “Merge Footer Text”




Figure 11 [00:04:49] — RLDatix (web) › Downloads: Browser download: DatixWebReport (13).xlsx — one widget exported to Excel




Figure 12 [00:04:55] — DatixWebReport (14).xlsx › (export): The raw export opened in Protected View: header “All Incidents Reported: Provide Wellbeing Ltd”, columns ID, Name, Incident date, Reported, Category, Sub category, Description (blurred), Severity …

Step 5 [00:05:00 – 00:06:18]: Datix tab calculations

Action performed	Paste location; Grouping via Datix Category (“or is that hidden? No. There we go”); In last 7 months; In set timeframe (“once it falls out of a particular time frame for harm, it doesn’t get reported”).
Source → target	Export → Datix tab (paste, described)

State mutation	—




Figure 13 [00:05:00] — Incident Management.xlsm › Datix: Datix tab: the export pasted in (ID 77, 28/03/2023, Personal Property/Data/Information, Confidentiality Breach, No Harm, Provide Wellbeing, Vasectomy Service Essex & Suffolk). Description blurred; a Teams notification blurred

Shown above: Figure 14 [00:05:05] — R2 Grouping =XLOOKUP([@Category],datix_Category_Table[Datix reference],datix_Category_Table[Category],"")

Shown above: Figure 15 [00:05:14] — All Notes tab: J2 =IFERROR(FILTER(Datix_2[ID],(Datix_2[Severity]="Moderate Harm")(Datix_2[In set timeframe]=T…*

Shown above: Figure 16 [00:05:34] — Datix Category table ("My God… or is that hidden? No. There we go"): Datix reference → Category

Shown above: Figure 17 [00:05:45] — S2 In last 7 months =IF([@Reported]<>"",(TODAY()-[@Reported])<=217,"") — 217 days ≈ 7 months

Step 6 [00:06:18 – 00:06:46]: Pivots

Action performed	"It then informs a pivot for groupings and a pivot for harm."
Source → target	Datix → Groupings / Harm pivots
State mutation	Refresh described




Figure 18 [00:06:39] — Incident Management.xlsm › Groupings Pivot: Groupings Pivot (count of Grouping by year and month); context menu shows it is a PivotTable

Step 7 [00:06:46 – 00:07:52]: SPC sheets per group

Action performed	"We drop down our heading and our date and drop down all these columns. That updates the statistical data… I don't know what that table is."
Source → target	Pivots → SPC sheets (rows extended by hand)
State mutation	Described

Shown above: Figure 19 [00:06:51] — Estates SPC sheet: monthly counts from 01/04/2022 with mean, LCL (negative), UCL and rule columns; AC6 UCL =AC…

Shown above: Figure 20 [00:06:57] — C63 =IFERROR(GETPIVOTDATA("Grouping",'Groupings Pivot'!$A$3,"Grouping",$B$2,"Months (Incident date)",MONTH(B63…

Shown above: Figure 21 [00:07:45] — D57 =IF(P54=2,"",IF(AND(T57=0,P57=0,K57=0,Z57=0),"",C57)) — highlights a month only when an SPC rule fires; ro…

Step 8 [00:07:52 – 00:08:51]: Notes and Manage Compliance

Action performed	Notes tabs name the Datix IDs causing non-compliance; Manage Compliance rows, RAG "10 green, 3 red".
Source → target	SPC sheets + Datix → Manage Compliance
State mutation	Moderate Harm = 3

Shown above: Figure 22 [00:08:07] — Manage Compliance: 10 rows, completed 14/08/2026, RAG 10 except Moderate Harm = 3 ("1 Moderate Harm incident(s…

Shown above: Figure 23 [00:08:21] — F9 Notes =IF(N9>0,'Information Governance Notes'!$I$2,"Incidents within SPC criteria")

Shown above: Figure 24 [00:08:26] — N4 Count =COUNTIFS(Datix_2[Severity],'Manage Compliance'!B4,Datix_2[In set timeframe],TRUE)

Shown above: Figure 25 [00:08:30] — O10 =XLOOKUP(EDATE(DATE(YEAR(TODAY()),MONTH(TODAY()),1),-1),Safeguarding!$B:$B,Safeguarding!$C:$C,"") — last m…

Shown above: Figure 26 [00:08:36] — F6 =IF(N6>0,'All Notes'!K2,"No incidents resulting in a fatality in last year")

Shown above: Figure 27 [00:08:39] — E5 RAG =IF(N5>0,2,10) (Severe Harm)

Shown above: Figure 28 [00:08:50] — E4 RAG =IF(N4>0,3,10) (Moderate Harm): red is 3 here but 2 in E5

Step 9 [00:08:51 – 00:10:00]: Copy to the data store; save; refresh twice

Action performed	Selects the rows; shows the bottom of Compliance Data and its requirements table; “where Visual Basic was copying it in with staff management, we copy and paste it in”.
Source → target	Manage Compliance → Compliance Data
State mutation	Not performed




Figure 29 [00:09:09] — Compliance Data.xlsm › Compliance Data: Compliance Data (UNABLE TO REFRESH): bottom of the table (row 4254, Zoe Porter) where the rows are pasted; paste not performed on screen





Figure 30 [00:09:22] — Compliance Data.xlsm › requirements_Final_Self_Ref: Data store requirements table (UNABLE TO REFRESH banner)



	F	G	H	I	J	K	L	M	N	O	P
1											
2	Notes	Managed By	Due Date	Compliance Group 1	Compliance Group 2	Compliance Group 3	Compliance Group 4	Weighting	Count		
3	No serious incidents in last 90 days	Provide Wellbeing	24/08/2026	Operational	Incidents			1	0		
4	1 Moderate Harm Incident(s) in Last 6 Weeks - Datix: 13135	Provide Wellbeing	24/08/2026	Operational	Incidents			1	1		
5	No incidents resulting in severe harm in last 90 days	Provide Wellbeing	24/08/2026	Operational	Incidents			1	0		
6	No incidents resulting in a fatality in last year	Provide Wellbeing	24/08/2026	Operational	Incidents			1	0		
7	Incidents within SPC criteria	Provide Wellbeing	24/08/2026	Operational	Incidents			1	0	0	
8	Incidents within SPC criteria	Provide Wellbeing	24/08/2026	Operational	Incidents			1	0	0	
9	Incidents within SPC criteria	Provide Wellbeing	24/08/2026	Operational	Incidents			1	0	0	
10	Incidents within SPC criteria	Provide Wellbeing	24/08/2026	Operational	Incidents	Safeguarding	Clinical	1	0	0	
11	Incidents within SPC criteria	Provide Wellbeing	24/08/2026	Operational	Incidents	Health and Safety	Operational	1	0	0	
12	Incidents within SPC criteria	Provide Wellbeing	24/08/2026	Operational	Incidents	Estates	Operational	1	0	0	0
13											
14											
15											
16											
17											
18											
19											
20											
21											
22											
23											
24											

Figure 31 [00:09:44] — Incident Management.xlsm › Manage Compliance: Rows selected for copying (“we copy up to here into the bottom of our compliance data”)

4. Data Quality Checks, Discrepancies & Failure Modes

ID	Finding	Evidence	Impact
SV-01	Timeframe SWITCH tests Description, but notes and counts use Severity	Figure 8 [00:03:48], Figure 15 [00:05:14]	Harm-specific limits (90/365 days) never apply; a fatal incident drops out after 42 or 90 days
SV-02	RAG red = 3 for Moderate Harm, 2 for Severe Harm	Figure 28 [00:08:50], Figure 27 [00:08:39]	Inconsistent values in the store
SV-03	0.5 months “doesn’t make any difference”	Figure 4 [00:02:34]	Constant with no agreed meaning
SV-04	The review-panel column existed on 14/08 but was gone on 11/08 (spec 02)	Figure 8 [00:03:48]	Columns of the Datix export change between runs; formulas break
FD-01	SPC LCL can be negative for count data	Figure 19 [00:06:51]	Lower-limit rules can never fire
FD-02	SPC rows extended by dragging each month	Figure 21 [00:07:45]	Missed months; formulas misaligned
FD-03	TODAY()-based 217-day and timeframe tests	Figure 17 [00:05:45]	Not reproducible
FD-04	Datix export is one widget’s report, not a defined extract	Figure 10 [00:04:25]	Scope depends on the dashboard widget’s filter
FM-01	Patient narratives in the workbook	Figure 13 [00:05:00]	IG risk
FM-02	Manual copy to the store; Last Updated by hand	Figure 31 [00:09:44]	Duplicates, stale timestamps

5. Target Modern System Architecture

The target design in spec 02 §5 applies unchanged (Datix ingestion by ID, versioned category map, harm SLA table, as-of dates). This recording adds:

- **SPC engine shared with Feedback (spec 05):** monthly counts per group from the incident table, versioned rule parameters, and a count-appropriate chart (c-chart or u-chart, with no negative lower limits) chosen by the business.
- **Notes as data:** the Datix IDs behind a non-compliant row are stored with the compliance record, replacing FILTER text in notes tabs.
- **One RAG rule** per result (compliant / not compliant) mapped to a single value set.
- **Defined Datix extract** (report definition or API query) instead of a dashboard widget export.

6. Gap & Ambiguity Register

ID	Timestamp	Gap / ambiguity	Ask
G-01	00:04:24	Which dashboard widget is exported and its filters	Define the Datix extract
G-02	00:07:45	“I don’t know what that table is” on the SPC sheets	Explain or retire
G-03	00:08:42	RAG values 3 vs 2	Agree one rule
G-04	00:05:52	Whether the timeframe should use Severity (as notes do)	Confirm; fix
G-05	00:06:30	Harm Pivot use	Explain
G-06	whole video	Why the review-panel column was missing in the 11/08 file	Confirm export change
G-07	00:06:46	SPC rule set and chart type for counts	Approve

7. What Is Required to Build the Modern System

Spec 02 §7 lists the incident-specific requirements; this recording confirms them and adds the items below. Client checklist: **Incident_Full_PreBuild_Client_Requirements.pdf**.

ID	Requirement (priority)	Why it is required
FR-IF01	Defined Datix extract (report or API) with stable columns (M)	The export is a dashboard widget download, and its columns changed between 11/08 and 14/08 (SV-04).
FR-IF02	Severity-based timeframe rule (M)	SWITCH tests Description (SV-01, Figure 8 [00:03:48]).
FR-IF03	SPC engine for count data with versioned rules (M)	SPC sheets extended by hand; negative LCL (FD-01, FD-02).
FR-IF04	Generated 10 compliance rows with Datix IDs as evidence (M)	Replaces Manage Compliance and notes tabs (Figure 22 [00:08:07]).
FR-IF05	Single RAG mapping (M)	3 vs 2 (SV-02).
T-IF01	Golden case: 14/08/2026 result — Moderate Harm non-compliant with Datix 13135; all others compliant	Parity with the recording.

Appendix A. Figure Index

Fig	Time	File › Tab	Shows
1	00:00:05	Teams recording › (camera off)	Recording starts: “this video is to go over the process to update the compliance data for incidents management”
2	00:01:34	Incident Management.xlsm › Requirements	Requirements: Provide Wellbeing × 10 incident types (Serious incident, Moderate Harm, Severe Harm, Fatal, SPC Flagged/flagged – All, Clinical, IG, Saf…
3	00:02:10	Incident Management.xlsm › Compliance Timeframes	Compliance Timeframes: Every x months 0.5, Core, Operational › Incidents
4	00:02:34	Incident Management.xlsm › Compliance Timeframes	Every x months 0.5 selected: “Matt set it up as twice a month. I don’t think that actually makes any difference because we only update it once a month…
5	00:03:09	Incident Management.xlsm › Compliance Timeframes	H8 Unique Lookup =CONCAT(Group 1,"-",Group 2,"-",Group 3) → “Operational-Incidents-”: “I don’t know exactly how it’s being used”
6	00:03:13	Incident Management.xlsm › Compliance Timeframes	I2 Missing =XLOOKUP(CONCAT(add_Requirements_Name,"-",[@[Compliance Type]]),[Unique Lookup],[Unique Lookup],"")="" — TRUE
7	00:03:28	Incident Management.xlsm › Compliance Timeframes	Thresholds J:N = 1 / 1 / 1 / 1 / 0.99: “a simple compliant, not compliant thing”
8	00:03:48	Incident Management.xlsm › Datix	T2 In set timeframe, intact on 14/08/2026: =IF([@Reported]<>"",OR((TODAY()-[@Reported])<=SWITCH([@Description],"No Harm",…
9	00:04:23	RLDatix (web) › Provide Wellbeing Dashboard	RLDatix (providecic.gateway.prod-uk.datixcloudiq.co.uk) › Capture › Dashboard: “Provide Wellbeing Dashboard” of incident charts (all incidents, SPC ch…
10	00:04:25	RLDatix (web) › Provide Wellbeing Dashboard	Widget menu › Export → Export dialog with options PDF / Excel and “Merge Footer Text”
11	00:04:49	RLDatix (web) › Downloads	Browser download: DatixWebReport (13).xlsx — one widget exported to Excel
12	00:04:55	DatixWebReport (14).xlsx › (export)	The raw export opened in Protected View: header “All Incidents Reported: Provide Wellbeing Ltd”, columns ID, Name, Incident date, Reported, Category, …
13	00:05:00	Incident Management.xlsm › Datix	Datix tab: the export pasted in (ID 77, 28/03/2023, Personal Property/Data/Information, Confidentiality Breach, No Harm, Provide Wellbeing, Vasectomy …
14	00:05:05	Incident Management.xlsm › Datix	R2 Grouping =XLOOKUP([@Category],datix_Category_Table[Datix reference],datix_Category_Table[Category],"")
15	00:05:14	Incident Management.xlsm › All Notes	All Notes tab: J2 =IFERROR(FILTER(Datix_2[ID],(Datix_2[Severity]="Moderate Harm")*(Datix_2[In set timeframe]=TRUE)),"Moderate harm not …
16	00:05:34	Incident Management.xlsm › Datix Category	Datix Category table (“My God… or is that hidden? No. There we go”): Datix reference → Category
17	00:05:45	Incident Management.xlsm › Datix	S2 In last 7 months =IF([@Reported]<>"",(TODAY()-[@Reported])<=217,"") — 217 days ≈ 7 months
18	00:06:39	Incident Management.xlsm › Groupings Pivot	Groupings Pivot (count of Grouping by year and month); context menu shows it is a PivotTable
19	00:06:51	Incident Management.xlsm › Estates	Estates SPC sheet: monthly counts from 01/04/2022 with mean, LCL (negative), UCL and rule columns; AC6 UCL =AC3+(AC4*3)
20	00:06:57	Incident Management.xlsm › Estates	C63 =IFERROR(GETPIVOTDATA("Grouping",'Groupings Pivot'!$A$3,"Grouping",$B$2,"Months (Incident date)",MONTH(B63…
21	00:07:45	Incident Management.xlsm › SPC (All)	D57 =IF(P54=2,"",IF(AND(T57=0,P57=0,K57=0,Z57=0),"",C57)) — highlights a month only when an SPC rule fires; rows dragged down each…
22	00:08:07	Incident Management.xlsm › Manage Compliance	Manage Compliance: 10 rows, completed 14/08/2026, RAG 10 except Moderate Harm = 3 (“1 Moderate Harm incident(s) in Last 6 Weeks - Datix: 13135”), othe…
23	00:08:21	Incident Management.xlsm › Manage Compliance	F9 Notes =IF(N9>0,'Information Governance Notes'!$I$2,"Incidents within SPC criteria")
24	00:08:26	Incident Management.xlsm › Manage Compliance	N4 Count =COUNTIFS(Datix_2[Severity],'Manage Compliance'!B4,Datix_2[In set timeframe],TRUE)
25	00:08:30	Incident Management.xlsm › Manage Compliance	O10 =XLOOKUP(EDATE(DATE(YEAR(TODAY()),MONTH(TODAY()),1),-1),Safeguarding!$B:$B,Safeguarding!$C:$C,"") — last month’s value from the Safeguar…
26	00:08:36	Incident Management.xlsm › Manage Compliance	F6 =IF(N6>0,'All Notes'!K2,"No incidents resulting in a fatality in last year")
27	00:08:39	Incident Management.xlsm › Manage Compliance	E5 RAG =IF(N5>0,2,10) (Severe Harm)
28	00:08:50	Incident Management.xlsm › Manage Compliance	E4 RAG =IF(N4>0,3,10) (Moderate Harm): red is 3 here but 2 in E5
29	00:09:09	Compliance Data.xlsm › Compliance Data	Compliance Data (UNABLE TO REFRESH): bottom of the table (row 4254, Zoe Porter) where the rows are pasted; paste not performed on screen
30	00:09:22	Compliance Data.xlsm › requirements_Final_Self_Ref	Data store requirements table (UNABLE TO REFRESH banner)

Fig	Time	File › Tab	Shows
31	00:09:44	Incident Management.xlsm › Manage Compliance	Rows selected for copying (“we copy up to here into the bottom of our compliance data”)

Appendix B. Key timestamped utterances

Time	Utterance (lightly cleaned)
00:00:15	This video is to go over the process to update the compliance data for incidents management.
00:00:57	There is no names tab… only essentially one entity, Provide Wellbeing.
00:02:33	Matt set it up as twice a month. I don’t think that actually makes any difference.
00:03:34	So it’s a simple compliant, not compliant thing.
00:03:53	We actually download incident data from Datix.
00:05:47	And then it sets up a time frame. This is what Matt set up.
00:06:04	Once it falls out of a particular time frame for harm, it doesn’t get reported.
00:06:30	It then informs a pivot for groupings and a pivot for harm.
00:07:19	We drop down our heading and our date and drop down all these columns.
00:07:45	I don’t know what that table is.
00:08:42	So 10 would be green, three would be red.
00:09:11	And then we would refresh the power queries twice.
00:09:34	Where Visual Basic was copying it in with staff management… we actually copy and paste it in.