TECHNICAL SPECIFICATION · REVERSE-ENGINEERING REPORT

Incident Management Compliance Datastore Update

Legacy Excel / Power Query workflow fed by Datix incident exports, reverse-engineered from an operator screen recording, with a target-state architecture for its replacement

Document	Technical Specification — reverse-engineered legacy workflow (as-is) and target architecture (to-be)
Subject workflow	Monthly update of the **Incidents** area of the Compliance Dashboard data store, via the Excel "user input tool" *Incident Management.xlsm*, which takes an export from **Datix** (the incident-reporting system)
Primary evidence	Microsoft Teams meeting-20260811_135933-Meeting Recording.mp4 — 1920×1080, 16 fps, 7:16 (436 s); operator: Andrew Biggins (Provide Wellbeing); audience: Dheeraj
Secondary evidence	…135933…Recording.srt (timed subtitles; **matches this video**) and two identical TurboScribe .txt transcripts
Timestamps	All [HH:MM:SS] values are positions in the .mp4, cross-checked between the .srt and an offline Whisper re-transcription; every figure was extracted with ffmpeg at the stated second
Companion documents	Incident_Management_PreBuild_Client_Requirements.pdf (same folder); the Staff Management specification in 01_Staff_Management/ (shared platform design)
Report date	16 October 2026
Status	Draft for business-owner review. **The recording stops part-way through the process** (operator pauses at 00:07:01), so §6 and the companion checklist must be closed before build starts

What the recording shows. The operator explains how the Incidents compliance area is set up (Requirements and Compliance Timeframes tabs), then starts the monthly update: export incident data from Datix, paste it into the *Datix* tab of Incident Management.xlsm, and check the calculated columns. A #REF! error appears and the operator pauses the recording at 00:07:01, before fixing it and before any refresh or publish step.

- **One subject, ten compliance types.** Unlike Staff Management there is no Names tab: the only subject is "Provide Wellbeing", with 10 incident types (Serious incident, Moderate/Severe Harm, Fatal, and six "SPC flagged" groups).
- **Raw source = Datix export.** The export itself is never shown: the operator drags the Datix window off the shared screen (00:05:14) and the screen does not change from 00:04:56 to 00:06:17 while the export and paste are described.
- **Copy-paste or Power Query?** The operator says the export is copied and pasted in, yet the Datix table shows Excel's *Query* ribbon tab, meaning it is a Power Query output. Pasting over a query table is overwritten on the next refresh. This must be clarified (G-03).
- **The key timeliness formula is broken in two ways.** "In set timeframe" switches on the free-text *Description* instead of *Severity*, so it always falls to the default branch, and that branch references a deleted column (#REF!). Every row is affected.
- **Other defects seen:** the category-to-group mapping has no entry for a category present in the data ("Administrative Process (excluding documentation)"); the Missing column checks its own table and is TRUE for every row; the review frequency is 0.5 months ("twice a month") while the operator says it is reviewed monthly.
- **Sensitive data:** the Datix table holds free-text incident narratives about patients and staff names. They are blurred in this report, and the target design keeps them out of the dashboard store unless the business confirms a need.

- **Target (§5) and build requirements (§7)** reuse the shared platform from the Staff Management specification and add a Datix ingestion contract, a versioned category map, an effective-dated harm-level SLA table and as-of-date (not TODAY()) calculations.

Table of Contents

0. Evidence Base, Method & Reading Guide . . . 5

0.1 Source artefacts . . . 5

0.2 Method . . . 5

0.3 Relationship to the Staff Management specification . . . 5

1. Complete File, Workbook & Sheet Inventory . . . 6

1.1 Files and external systems . . . 6

1.2 Worksheet tabs in Incident Management.xlsm . . . 6

1.3 Links, queries and macros . . . 6

1.4 Overview screenshots . . . 7

2. Exhaustive Column-Level Schema & Data Lineage Catalogue . . . 9

2.1 Requirements (requirements table) . . . 9

2.2 Compliance Timeframes (Compliance_Timeframe_Table) . . . 10

2.3 Datix (raw incident staging; Power Query table) . . . 12

2.4 Datix Category (datix_Category_Table) . . . 14

3. Chronological Step-by-Step Operator Workflow . . . 17

Step 1 [00:00:00 – 00:01:24]: Introduce the video; start and retry the screen share . . . 18

Step 2 [00:01:24 – 00:02:05]: Open the input tool; explain why there is no Names tab . . . 18

Step 3 [00:02:05 – 00:02:57]: Walk through Requirements . . . 18

Step 4 [00:02:57 – 00:04:26]: Walk through Compliance Timeframes . . . 18

Step 5 [00:04:26 – 00:04:43]: Scroll the tab bar to Datix . . . 18

Step 6 [00:04:43 – 00:05:00]: Open the Datix tab . . . 19

Step 7 [00:05:00 – 00:06:18]: Export from Datix and paste (described, not shown) . . . 19

Step 8 [00:06:18 – 00:06:48]: Explain the Grouping lookup and open Datix Category . . . 20

Step 9 [00:06:48 – 00:07:01]: Check the calculated column; find #REF! . . . 21

Step 10 [00:07:01 – 00:07:16]: Pause the recording . . . 22

4. Data Quality Checks, Manual Exceptions & Edge Cases . . . 23

4.1 Business rules visible in the tool . . . 23

4.2 Manual steps and exceptions . . . 23

4.3 Spoken vs. visual discrepancies and formula defects . . . 23

4.4 Hidden failure modes . . . 23

5. Target Modern System Architecture Blueprint . . . 25

5.1 Ingestion of Datix data . . . 25

5.2 Data model additions . . . 25

5.3 Rules as deterministic SQL (as-of date, not TODAY()) . . . 25

5.4 Human-in-the-loop and publication . . . 25

6. Gap & Ambiguity Register . . . 27

7. What Is Required to Build the Modern System . . . 28

7.1 Prerequisites from the business . . . 28

7.2 Functional requirements . . . 28

7.3 Non-functional requirements 28
7.4 Testing 28
7.5 Traceability 29
Appendix A. Figure Index 30
Appendix B. Key timestamped utterances 30

0. Evidence Base, Method & Reading Guide

0.1 Source artefacts

Artefact	What it is	Used for
…20260811_135933-Meeting Recording.mp4	Teams screen recording, 1920×1080, 16 fps, 7:16. Git-LFS object, 31 MB	Primary evidence: screenshots, step timings
…20260811 135933-Meeting Recording.srt	Timed subtitles of the **same** meeting (100 cues). This is the file that was supplied with the Staff Management video by mistake	Timestamp anchors
…135933…Recording.txt and …(1).txt	Two byte-identical TurboScribe transcripts (3,341 bytes)	Wording cross-check
Author ASR (Whisper small.en, VAD-segmented)	Independent re-transcription with timings	Confirms the .srt alignment (e.g. “we download from Datix” at 00:04:43 in both)

0.2 Method

- Frames extracted with `ffmpeg -ss` at full resolution and cropped to the Excel window (1675×895) or formula bar (1675×410). Each figure was checked for sharpness and for stability against the frame 0.5 s later, then inspected visually.
- A frame-difference scan over the whole video was used to prove where the screen did *not* change (00:04:56–00:06:17).
- **Redaction:** in every Datix screenshot the *Name* and *Description* cells are blurred (red outline). They hold patient narratives and personal names. Column headers and all other values are left as recorded.
- Confidence tags as in the Staff Management spec: **[Seen]**, **[Said]**, **[Inferred]**, **[Unknown]**.

0.3 Relationship to the Staff Management specification

This tool is a sibling of Staff Management.xlsm (same User input folder, same Requirements / Compliance Timeframes pattern, same data store). Where the analysis is identical (shared data store, Power Query consolidation, refresh choreography) this document refers to the Staff Management spec instead of repeating it. Differences are called out explicitly.

1. Complete File, Workbook & Sheet Inventory

1.1 Files and external systems

#	File / system	Format	Location (as seen)	Role	Evidence
F1	**Incident Management.xlsm**	.xlsm (macro-enabled), 267 KB, modified 28/07/2026 14:46; AutoSave Off	Performance Dashboards and Data › User input (same share as Staff Management, Z:\... in that recording)	User-input tool for incidents: requirements, timeframes, Datix staging and analysis tabs	Figure 2 [00:00:58], Figure 3 [00:01:31]
F2	~$Incident Management	Office lock file, 1 KB, 13:56	Same folder	Shows the workbook was already open before recording	Figure 2 [00:00:58]
S1	**Datix**	Incident-reporting system (web dashboard + export)	Not shown (window moved off-screen)	Raw source of every incident row	Said 00:04:43–00:06:04
F3	Compliance Data.xlsm (data store)	.xlsm [Inferred from Staff spec]	Not shown	Receives the Requirements lookup (“pulled through into the requirements table in the compliance data”)	Said 00:02:28
S2	Compliance Dashboard	BI (dial visual)	Not shown	Shows % compliance per type; green only at 100%	Said 00:04:04–00:04:22
F4–F14	Sibling user-input tools	.xlsm / .xlsx	Same folder	Audit, Contract, Estates, Hand Hygiene & IPC Audits, Medical Devices, Policy & Procedure, RTT Data (.xlsx), Sickness/Annual Leave/Vacancy, Survey (.xlsx), Staff Management; plus an Archive folder	Figure 2 [00:00:58]

1.2 Worksheet tabs in Incident Management.xlsm

Order as shown on the tab bar (Figure 3 [00:01:31], Figure 11 [00:04:36], Figure 19 [00:06:44]). Only four tabs were opened.

Tab	Architectural role	Opened?	Notes
Manage Compliance	Entry form (as in Staff Management) [Inferred]	No	First tab; contradicts “doesn’t work in the same way” unless unused [Gap G-07]
Requirements	**Reference**: subject × compliance type	Yes 01:24–02:57	10 rows, all for Provide Wellbeing
Compliance Timeframes	**Reference**: catalogue, frequency, grouping, thresholds	Yes 03:08–04:26	10 rows
Estates · Health and Safety · Safeguarding · IG · Clinical · SPC · Miscellaneous	Per-group analysis views [Inferred]	No	Names match the Datix groupings and SPC types
Groupings Pivot · Harm Pivot	Pivot / reporting outputs [Inferred]	No	Probably counts by group and by harm level
Datix	**Raw source staging** (Power Query table + calculated columns)	Yes 04:43–07:16	~70 rows (scroll tip “Row: 70”), 2023–2026 incidents
Datix Category	**Reference / lookup**: Datix category → dashboard group	Yes 06:35–06:47	25 mappings
All Notes · Clinical Notes · Information Governance Notes · Health and Safety Notes · Estates Notes · Sa... (more off-screen)	Notes/commentary per group [Inferred]	No	Tab list continues past the visible bar [Gap G-08]

1.3 Links, queries and macros

Mechanism	Behaviour observed	Evidence
Power Query on the Datix table	Excel shows the *Query* ribbon tab when a Datix cell is active; the source of the query is not shown	Figure 13 [00:04:47]
Structured-table lookups	Grouping uses `datix_Category_Table`; Missing uses the named range `add_Requirements_Name`	Figure 16 [00:06:24], Figure 9 [00:03:52]
Data-store pull	Requirements Unique Lookup is said to be pulled into the data store’s requirements table	Said 00:02:28
VBA	None triggered in the recording. The file is .xlsm and has a Manage Compliance tab, so macros probably exist	[Unknown] G-07

1.4 Overview screenshots



Figure 1 [00:00:20] — Teams recording › (camera): Recording starts on camera; operator explains this video covers the compliance update for incidents




Figure 2 [00:00:58] — File Explorer › Performance Dashboards and Data › User input: The User input folder: 12 sibling input tools (Audit, Contract, Estates, Hand Hygiene/IPC Audits, Incident, Medical Devices, Policy & Procedure, RTT Data, Sickness/Leave/Vacancy, Survey, Staff Management) plus the lock file ~$Incident Management (13:56), showing the workbook is already open




Figure 11 [00:04:36] — Incident Management.xlsm › (tab bar): Tab bar scrolled: … Health and Safety · Safeguarding · IG · Clinical · SPC · Miscellaneous · Groupings Pivot · Harm Pivot · Datix … (none of these opened)

2. Exhaustive Column-Level Schema & Data Lineage Catalogue

Origin codes: **RAW** = from the Datix export; **MAN** = typed by the operator; **CALC** = Excel formula; **REF** = reference value.

2.1 Requirements (requirements table)

Col	Header	Type / format	Origin	Lineage, rule and evidence
A	Name	Text	MAN	Always “Provide Wellbeing” (single subject). No Names tab exists [Said 00:01:50]
B	Compliance Type	Text	MAN	Serious incident, Moderate Harm, Severe Harm, Fatal, SPC Flagged – All, SPC Flagged – Clinical, SPC flagged – IG, SPC flagged – Safeguarding, SPC flagged – Health and Safety, SPC flagged – Estates. Note inconsistent capitalisation “Flagged”/“flagged”
C	Required (T/F)	Boolean	MAN	TRUE for all (“all required to be reported”)
D	Core Requirement	Text	MAN	Core for all
E	Notes	Text	MAN	Empty
F	Unique Lookup	Text key	CALC	`=CONCAT([@Name],"-",[@[Compliance Type]])` → “Provide Wellbeing-Serious incident”. Pulled into the data store [Said 00:02:28]. Figure 4 [00:02:31]
G	Active	Boolean	**MAN**	Typed constant TRUE (Figure 5 [00:02:47]); switched off by hand if needed. In Staff Management this column is a lookup to Names

Schema drift between tools: Staff Management’s requirements table has 10 columns (incl. Onboarding, Managed By, Compliance Timeframe); this one has 7. Power Query consolidation must cope with both shapes [Gap G-09].






Figure 3 [00:01:31] — Incident Management.xlsm › Requirements: requirements_Table A:G: one name (Provide Wellbeing) × 10 incident compliance types, all Required TRUE, Core, Active TRUE; tab bar Manage Compliance · Requirements · Compliance Timeframes · Estates · Health and Safety · Safeguarding …



Name	Compliance Type	Required (T/	Core Requiremer	Notes	Unique Lookup	Active
Provide Wellbeing	Serious incident	TRUE	Core		Provide Wellbeing-Serious incident	TRUE
Provide Wellbeing	Moderate Harm	TRUE	Core		Provide Wellbeing-Moderate Harm	TRUE
Provide Wellbeing	Severe Harm	TRUE	Core		Provide Wellbeing-Severe Harm	TRUE
Provide Wellbeing	Fatal	TRUE	Core		Provide Wellbeing-Fatal	TRUE
Provide Wellbeing	SPC Flagged - All	TRUE	Core		Provide Wellbeing-SPC Flagged - All	TRUE
Provide Wellbeing	SPC Flagged - Clinical	TRUE	Core		Provide Wellbeing-SPC Flagged - Clinical	TRUE
Provide Wellbeing	SPC flagged - IG	TRUE	Core		Provide Wellbeing-SPC flagged - IG	TRUE
Provide Wellbeing	SPC flagged - Safeguarding	TRUE	Core		Provide Wellbeing-SPC flagged - Safeguarding	TRUE
Provide Wellbeing	SPC flagged - Health and Safety	TRUE	Core		Provide Wellbeing-SPC flagged - Health and Safety	TRUE
Provide Wellbeing	SPC flagged - Estates	TRUE	Core		Provide Wellbeing-SPC flagged - Estates	TRUE

Figure 4 [00:02:31] — Incident Management.xlsm › Requirements: Formula bar, F3 Unique Lookup: =CONCAT([@Name],"-",[@[Compliance Type]])




Name	Compliance Type	Required (T/	Core Requiremer	Notes	Unique Lookup	Active
Provide Wellbeing	Serious incident	TRUE	Core		Provide Wellbeing-Serious incident	TRUE
Provide Wellbeing	Moderate Harm	TRUE	Core		Provide Wellbeing-Moderate Harm	TRUE
Provide Wellbeing	Severe Harm	TRUE	Core		Provide Wellbeing-Severe Harm	TRUE
Provide Wellbeing	Fatal	TRUE	Core		Provide Wellbeing-Fatal	TRUE
Provide Wellbeing	SPC Flagged - All	TRUE	Core		Provide Wellbeing-SPC Flagged - All	TRUE
Provide Wellbeing	SPC Flagged - Clinical	TRUE	Core		Provide Wellbeing-SPC Flagged - Clinical	TRUE
Provide Wellbeing	SPC flagged - IG	TRUE	Core		Provide Wellbeing-SPC flagged - IG	TRUE
Provide Wellbeing	SPC flagged - Safeguarding	TRUE	Core		Provide Wellbeing-SPC flagged - Safeguarding	TRUE
Provide Wellbeing	SPC flagged - Health and Safety	TRUE	Core		Provide Wellbeing-SPC flagged - Health and Safety	TRUE
Provide Wellbeing	SPC flagged - Estates	TRUE	Core		Provide Wellbeing-SPC flagged - Estates	TRUE

Figure 5 [00:02:47] — Incident Management.xlsm › Requirements: G5 Active holds a typed constant TRUE (not a lookup to a Names table, which this workbook does not have)


2.2 Compliance Timeframes (Compliance_Timeframe_Table)

Col	Header	Type / format	Origin	Lineage, rule and evidence
A	Compliance Type	Text key	REF	Same 10 types as Requirements
B	Every x months	Decimal	REF	**0.5** for all (“Matt set it for twice a month; we only look at this every month”, 00:03:20). Figure 7 [00:03:20]
C	Core Requirement	Text	REF	Core
D	Compliance Group 1	Text	REF	Operational (one of People / Operational / Clinical)
E	Compliance Group 2	Text	REF	Incidents
F–G	Compliance Group 3, 4	Text	REF	Blank
H	Unique Lookup	Text	CALC	`=CONCAT([@[Compliance Group 1]],"-",[@[Compliance Group 2]],"-",[@[Compliance Group 3]])` → “Operational-Incidents-” (trailing dash). Staff Management uses Group 1-Group 2 only, so keys differ between tools. Figure 8 [00:03:48]
I	Missing	Boolean	CALC	`=XLOOKUP(CONCAT(add_Requirements_Name,"-",[@[Compliance Type]]),[Unique Lookup],[Unique Lookup],"")=""`. **Defect:** it searches this table’s own Unique Lookup (“Operational-Incidents-”), which can never equal “Name-Type”, so it is TRUE for every row. In Staff Management the same formula searches requirements_Table. Operator: “not 100% sure what that does” (00:03:49). Figure 9 [00:03:52]
J–N	Threshold 1–5	Decimal	REF	1, 1, 1, 1, 0.99. Dial is green only at 100%, red below [Said 00:04:08–00:04:19]. Figure 10 [00:04:04]




Compliance Type	Every x months	Core Requirement	Compliance Group 1	Compliance Group 2	Compliance Group 3	Compliance Group 4	Unique Lookup	Missing
Serious incident	0.5	Core	Operational	Incidents			Operational-Incidents-	TRUE
Moderate Harm	0.5	Core	Operational	Incidents			Operational-Incidents-	TRUE
Severe Harm	0.5	Core	Operational	Incidents			Operational-Incidents-	TRUE
Fatal	0.5	Core	Operational	Incidents			Operational-Incidents-	TRUE
SPC Flagged - All	0.5	Core	Operational	Incidents			Operational-Incidents-	TRUE
SPC Flagged - Clinical	0.5	Core	Operational	Incidents			Operational-Incidents-	TRUE
SPC flagged - IG	0.5	Core	Operational	Incidents			Operational-Incidents-	TRUE
SPC flagged - Safeguarding	0.5	Core	Operational	Incidents			Operational-Incidents-	TRUE
SPC flagged - Health and Safety	0.5	Core	Operational	Incidents			Operational-Incidents-	TRUE
SPC flagged - Estates	0.5	Core	Operational	Incidents			Operational-Incidents-	TRUE

Figure 6 [00:03:12] — Incident Management.xlsm › Compliance Timeframes: Compliance_Timeframe_Table A:I: Every x months = 0.5 for all 10 types, Core, Group 1 Operational, Group 2 Incidents, Unique Lookup “Operational-Incidents-”, Missing TRUE for every row



Compliance Type	Every x months	Core Requirement	Compliance Group 1	Compliance Group 2	Compliance Group 3	Compliance Group 4	Unique Lookup	Missing
Serious incident	0.5	Core	Operational	Incidents			Operational-Incidents-	TRUE
Moderate Harm	0.5	Core	Operational	Incidents			Operational-Incidents-	TRUE
Severe Harm	0.5	Core	Operational	Incidents			Operational-Incidents-	TRUE
Fatal	0.5	Core	Operational	Incidents			Operational-Incidents-	TRUE
SPC Flagged - All	0.5	Core	Operational	Incidents			Operational-Incidents-	TRUE
SPC Flagged - Clinical	0.5	Core	Operational	Incidents			Operational-Incidents-	TRUE
SPC flagged - IG	0.5	Core	Operational	Incidents			Operational-Incidents-	TRUE
SPC flagged - Safeguarding	0.5	Core	Operational	Incidents			Operational-Incidents-	TRUE
SPC flagged - Health and Safety	0.5	Core	Operational	Incidents			Operational-Incidents-	TRUE
SPC flagged - Estates	0.5	Core	Operational	Incidents			Operational-Incidents-	TRUE

Figure 7 [00:03:20] — Incident Management.xlsm › Compliance Timeframes: Formula bar, B2 Every x months = 0.5 (“Matt set it for twice a month; we only look at this every month”)



Compliance Group 1	Compliance Group 2	Compliance Group 3	Compliance Group 4	Unique Lookup	Missing	Threshold 1	Threshold 2	Threshold 3	Threshold 4	Threshold 5
Operational	Incidents			Operational-Incidents-	TRUE	1	1	1	1	0.9
Operational	Incidents			Operational-Incidents-	TRUE	1	1	1	1	0.9
Operational	Incidents			Operational-Incidents-	TRUE	1	1	1	1	0.9
Operational	Incidents			Operational-Incidents-	TRUE	1	1	1	1	0.9
Operational	Incidents			Operational-Incidents-	TRUE	1	1	1	1	0.9
Operational	Incidents			Operational-Incidents-	TRUE	1	1	1	1	0.9
Operational	Incidents			Operational-Incidents-	TRUE	1	1	1	1	0.9
Operational	Incidents			Operational-Incidents-	TRUE	1	1	1	1	0.9
Operational	Incidents			Operational-Incidents-	TRUE	1	1	1	1	0.9
Operational	Incidents			Operational-Incidents-	TRUE	1	1	1	1	0.9

Figure 8 [00:03:48] — Incident Management.xlsm › Compliance Timeframes: Formula bar, H4 Unique Lookup: =CONCAT([@[Compliance Group 1]],"-",[@[Compliance Group 2]],"-",[@[Compliance Group 3]]): trailing dash because Group 3 is blank




Figure 9 [00:03:52] — Incident Management.xlsm › Compliance Timeframes: Formula bar, I2 Missing: =XLOOKUP(CONCAT(add_Requirements_Name,"-",[@[Compliance Type]]),[Unique Lookup],[Unique Lookup],"")="": looks in its own table's Unique Lookup, so it is TRUE for every row




Figure 10 [00:04:04] — Incident Management.xlsm › Compliance Timeframes: Thresholds J:N selected: Threshold 1–4 = 1, Threshold 5 = 0.99 ("100% shows green, anything less shows red")

2.3 Datix (raw incident staging; Power Query table)

Blue headers (A–Q) come from the Datix export; orange headers (R–T) are calculated. The header spelling is kept as seen.

Col	Header	Type / format	Origin	Lineage, rule and evidence
A	ID	Integer	RAW · key	Datix incident reference (e.g. 77, 13073). **A real natural key exists**, unlike Staff Management
B	Name	Text	RAW	Personal name (redacted here). Blank on the 2023 row
C	Incident date	Date dd/mm/yyyy	RAW	e.g. 28/03/2023, 07/04/2026
D	Reported	Date	RAW	e.g. 05/04/2023, 08/06/2026. Used by T
E	Category	Text	RAW	Datix category, e.g. Personal Property/Data/Information, Administrative Process (excluding documentation). Key for R
F	Sub category	Text	RAW	e.g. Confidentiality Breach, Follow-up Process
G	Description	Long free text	RAW · **sensitive**	Incident narrative about patients (redacted). Wrapped text makes each row very tall. **Wrongly used by T**
H	Severity	Text	RAW	Harm level: No Harm, Low Harm (Moderate/Severe Harm, Fatal expected). The column T should use
I	Other service – Division	Text	RAW	e.g. Provide Wellbeing
J	Other Service – Service	Text	RAW	e.g. Vasectomy Service Essex & Suffolk; Carpal Tunnel Service (CORA)

Col	Header	Type / format	Origin	Lineage, rule and evidence
K	How did this incident/near miss occur?	Text	RAW	Not populated on visible rows
L	Service	Text (hierarchy path)	RAW	“Provide Group / Provide Wellbeing / Enterprise Directorate / Provide Wellbeing / Vasectomy Service Essex & Suffolk”
M	Name of External Organisation	Text	RAW	Blank on visible rows
N	Oraganisation Type	Text	RAW	Header misspelt in source; blank
O	Q&S Does the incident need to be discussed at the Incident Review Panel?	Yes/No	RAW	Blank on visible rows. Possibly what the deleted #REF! column held [Inferred]
P	Q&S Date of Incident Review Panel	Date	RAW	Blank
Q	Approval status	Text (conditional fill)	RAW	e.g. “Incident Approved & Record Closed” (green). Used by T
R	Grouping	Text	CALC	`=XLOOKUP([@Category],datix_Category_Table[Datix reference],datix_Category_Table[Category],"")`. Unmapped categories silently return blank. Figure 16 [00:06:24]
S	In last 7 months	Boolean	CALC	Formula not shown [Gap G-05]. FALSE for the 2023 row (Figure 17 [00:06:24])
T	In set timeframe	Boolean	CALC	`=IF([@Reported]<>"",OR((TODAY()-[@Reported])<=SWITCH([@Description],"No Harm",42,"Low Harm",42,"Moderate Harm",42,"Severe Harm",90,"Fatal",365,IF(#REF!="Yes",90,42)),[@[Approval status]]<>"Incident Approved & Record Closed"),"")`. Shows **#REF!**. See §4.3. Figure 20 [00:06:53]




Figure 12 [00:04:45] — Incident Management.xlsm › Datix: On first opening, the Datix sheet is scrolled to a later row: ID 13073, incident 07/04/2026, reported 08/06/2026, so the table holds incidents from 2023 to 2026. Name and Description are blurred in this report (patient and staff information)




Figure 13 [00:04:47] — Incident Management.xlsm › Datix: Datix table A:J: ID, Name (blank), Incident date, Reported, Category, Sub category, Description (free text), Severity, Other service – Division, Other Service – Service. Ribbon shows a Query tab: this table is a Power Query output. Name and Description blurred in this report




Figure 14 [00:04:53] — Incident Management.xlsm › Datix: Datix table N:T: Organisation Type, Q&S Incident Review Panel (Y/N, date), Approval status (green = “Incident Approved & Record Closed”), and the calculated columns Grouping, In last 7 months, In set timeframe

2.4 Datix Category (datix_Category_Table)

Row	Datix reference	Category	Row	Datix reference	Category
2	Personal Property/Data/Information	Information Governance	15	Referral Issue	Clinical
3	Behaviour	Health and Safety	16	Patient Care Issue (DO NOT USE FOR PRESSURE SORES)	Clinical
4	Documentation	Information Governance	17	Equipment/Medical Device Issue	Clinical

Row	Datix reference	Category	Row	Datix reference	Category
5	Medication	Clinical	18	Fall Patient	Clinical
6	Accident/Injury to Service User(s)	Clinical	19	Safeguarding Issue	Safeguarding
7	Illness	Clinical	20	Person Unwell	Clinical
8	Diagnostic Process/Procedure	Clinical	21	Wound – not categorised as a Pressure Ulcer’	Clinical
9	Service User Fall	Clinical	22	Infection Prevention & Control	Clinical
10	Property	Estates	23	Medical Devices, Equipment, Supplies, Furnishings	Estates
11	Communication/Consent Issues	Information Governance	24	Accidents/Falls/Injury	Health and Safety
12	Incidents relating to personal data	Information Governance	25	Contact with Sharps	Health and Safety
13	Unwell	Clinical	26	Staff Inadequately Trained	Information Governance **(?)**
14	Medical Records Issue	Information Governance			

Observations: (1) “Administrative Process (excluding documentation)”, the category of incident 13073 (Figure 12 [00:04:45]), is **not in the table**, so its Grouping is blank and it drops out of every group count. (2) “Staff Inadequately Trained → Information Governance” looks wrong and needs confirming. (3) Several near-duplicates map to one group (Fall Patient / Service User Fall / Accidents/Falls/Injury), which suggests Datix categories changed over time. (4) Six groups exist (Clinical, IG, H&S, Estates, Safeguarding, plus Miscellaneous as a tab) and match the SPC compliance types.




Figure 18 [00:06:37] — Incident Management.xlsm › Datix Category: datix_Category_Table rows 2–24: Datix reference (category) → dashboard Category (Information Governance, Health and Safety, Clinical, Estates, Safeguarding)




Figure 19 [00:06:44] — Incident Management.xlsm › Datix Category: Rows 10–26 (25 mappings in total); tab bar shows All Notes · Clinical Notes · Information Governance Notes · Health and Safety Notes · Estates Notes · Sa…

3. Chronological Step-by-Step Operator Workflow

Ten steps cover the whole 7:16 recording. Steps 7 and 9 contain the actual update; both are only partly observable.

Step	Window	Action
1	00:00:00–00:01:24	Introduce the video; start and retry the screen share
2	00:01:24–00:02:05	Open the input tool; explain why there is no Names tab
3	00:02:05–00:02:57	Walk through Requirements
4	00:02:57–00:04:26	Walk through Compliance Timeframes
5	00:04:26–00:04:43	Scroll the tab bar to Datix
6	00:04:43–00:05:00	Open the Datix tab
7	00:05:00–00:06:18	Export from Datix and paste (described, **not shown**)
8	00:06:18–00:06:48	Explain the Grouping lookup and open Datix Category
9	00:06:48–00:07:01	Check the calculated column; find #REF!
10	00:07:01–00:07:16	Pause the recording

Step 1 [00:00:00 – 00:01:24]: Introduce the video; start and retry the screen share

Action performed	On camera: “show how we update the compliance for incidents”. First share (00:00:55–00:01:08) shows File Explorer on the User input folder; the operator is unsure it is sharing and re-shares (“That’s more like it”, 00:01:24).
Source → target	—
State mutation (before → after)	No data change.

Shown above: Figure 1 [00:00:20] — Recording starts on camera; operator explains this video covers the compliance update for incidents

Shown above: Figure 2 [00:00:58] — The User input folder: 12 sibling input tools (Audit, Contract, Estates, Hand Hygiene/IPC Audits, Incident, Me…

Step 2 [00:01:24 – 00:02:05]: Open the input tool; explain why there is no Names tab

Action performed	Incident Management.xlsm open on Requirements. “It doesn’t work in the same way as the other ones... we don’t need a names tab... there’s only one name, Provide Wellbeing.”
Source → target	Read-only.
State mutation (before → after)	None.

Shown above: Figure 3 [00:01:31] — requirements_Table A:G: one name (Provide Wellbeing) × 10 incident compliance types, all Required TRUE, Core, …

Step 3 [00:02:05 – 00:02:57]: Walk through Requirements

Action performed	Selects A3, B3, D (Core), F3 (formula), G5. “All required to be reported... all core... no notes... lookup pulled into the compliance data... active all the time, can switch off manually.”
Source → target	Read-only.
State mutation (before → after)	None.

Shown above: Figure 4 [00:02:31] — Formula bar, F3 Unique Lookup: =CONCAT([@Name],"-",[@[Compliance Type]])

Shown above: Figure 5 [00:02:47] — G5 Active holds a typed constant TRUE (not a lookup to a Names table, which this workbook does not have)

Step 4 [00:02:57 – 00:04:26]: Walk through Compliance Timeframes

Action performed	Opens the tab; selects A, B2 (0.5), C2, D2, E2, H4 (formula), I2 (Missing formula), J:N thresholds.
Source → target	Read-only.
State mutation (before → after)	None. Spoken frequency (monthly) differs from the stored value (0.5).

Shown above: Figure 6 [00:03:12] — Compliance_Timeframe_Table A:I: Every x months = 0.5 for all 10 types, Core, Group 1 Operational, Group 2 Inci…

Shown above: Figure 7 [00:03:20] — Formula bar, B2 Every x months = 0.5 (“Matt set it for twice a month; we only look at this every month”)

Shown above: Figure 8 [00:03:48] — Formula bar, H4 Unique Lookup: =CONCAT([@[Compliance Group 1]],"-",[@[Compliance Group 2]],"-",[@[Compliance G…

Shown above: Figure 9 [00:03:52] — Formula bar, I2 Missing: =XLOOKUP(CONCAT(add_Requirements_Name,"-",[@[Compliance Type]]),[Unique Lookup],[Uniq…

Shown above: Figure 10 [00:04:04] — Thresholds J:N selected: Threshold 1–4 = 1, Threshold 5 = 0.99 (“100% shows green, anything less shows red”)

Step 5 [00:04:26 – 00:04:43]: Scroll the tab bar to Datix

Action performed	“Let me go through the process of how we update it.” Uses “See all sheets” scrolling past Estates...Harm Pivot.
Source → target	—
State mutation (before → after)	None.

Shown above: Figure 11 [00:04:36] — Tab bar scrolled: … Health and Safety · Safeguarding · IG · Clinical · SPC · Miscellaneous · Groupings Pivot ·…

Step 6 [00:04:43 – 00:05:00]: Open the Datix tab

Action performed	Sheet opens scrolled to a 2026 row (ID 13073); operator jumps to the top row (ID 77, 2023) and scrolls right to N:T and back. “We download from Datix all of the incident data and load it into there.”
Source → target	Read-only.
State mutation (before → after)	None.

Shown above: Figure 12 [00:04:45] — On first opening, the Datix sheet is scrolled to a later row: ID 13073, incident 07/04/2026, reported 08/06/20…

Shown above: Figure 13 [00:04:47] — Datix table A:J: ID, Name (blank), Incident date, Reported, Category, Sub category, Description (free text), S…

Shown above: Figure 14 [00:04:53] — Datix table N:T: Organisation Type, Q&S Incident Review Panel (Y/N, date), Approval status (green = “Incident …

Step 7 [00:05:00 – 00:06:18]: Export from Datix and paste (described, not shown)

Action performed	“I’ll pull this over to here” (00:05:14) moves the Datix window off the shared screen. “We go into Datix... the dashboard... pull out the export... and then we just copy and paste it into here” (00:05:26–00:06:04). Frame-difference scan: no screen change from 00:04:56 to 00:06:17.
Source → target	Datix export → Datix tab A:Q (claimed). Paste type, range and whether existing rows are replaced are unknown.
State mutation (before → after)	Not observable: the Datix tab shows the same rows before and after.




Figure 15 [00:05:30] — Incident Management.xlsm › Datix: While the operator describes going into Datix, opening the dashboard and exporting, the shared screen does not change: the Datix browser window was dragged off the shared screen (05:14). Name and Description blurred in this report

Step 8 [00:06:18 – 00:06:48]: Explain the Grouping lookup and open Datix Category

Action performed	Selects F2, scrolls to R2 (Grouping formula). “It looks at the category… references that with a table… puts it into one of our categories.” Opens Datix Category, scrolls to row 26, returns.
Source → target	Datix[Category] → datix_Category_Table → Datix[Grouping].
State mutation (before → after)	None. Row 2 Grouping = Information Governance (correct).




Figure 16 [00:06:24] — Incident Management.xlsm › Datix: Formula bar, R2 Grouping: =XLOOKUP([@Category],datix_Category_Table[Datix reference],datix_Category_Table[Category],""); row 2 results: Grouping = Information Governance, In last 7 months = FALSE, In set timeframe = #REF!




Figure 17 [00:06:24] — Incident Management.xlsm › Datix: Close-up of row 2: Grouping = Information Governance (correct), In last 7 months = FALSE, In set timeframe = #REF!

Shown above: Figure 18 [00:06:37] — datix_Category_Table rows 2–24: Datix reference (category) → dashboard Category (Information Governance, Healt…

Shown above: Figure 19 [00:06:44] — Rows 10–26 (25 mappings in total); tab bar shows All Notes · Clinical Notes · Information Governance Notes · H…

Step 9 [00:06:48 – 00:07:01]: Check the calculated column; find #REF!

Action performed	“What we generally do when we copy it in is we’ll check that column. Oh look, #REF!… that needs fixing.” Selects T2 showing the In set timeframe formula.
Source → target	—
State mutation (before → after)	T2 (In set timeframe) = **#REF!**; Grouping is fine. The fix is not shown.




Figure 20 [00:06:53] — Incident Management.xlsm › Datix: Formula bar, T2 In set timeframe: =IF([@Reported]<>"",OR((TODAY()-[@Reported])<=SWITCH([@Description],"No Harm",42,"Low Harm",42,"Moderate Harm",42,"Severe Harm",90,"Fatal",365,IF(#REF!="Yes",90,42)),[@[Approval status]]<>"Incident Approved & Record Closed"),""): result #REF!

Step 10 [00:07:01 – 00:07:16]: Pause the recording

Action performed	“I’m just going to pause the recording there.” The video ends. No fix, save, refresh or publish is recorded.
Source → target	—
State mutation (before → after)	—




Figure 21 [00:07:12] — Incident Management.xlsm › Datix: Last frame: recording paused by the operator before the #REF! is fixed and before any refresh or publish step

4. Data Quality Checks, Manual Exceptions & Edge Cases

4.1 Business rules visible in the tool

ID	Rule	Where	Evidence
BR-01	Incident identity = Datix ID	Datix!A	Figure 13 [00:04:47]
BR-02	Datix category → dashboard group via a lookup table	Datix!R, datix_Category_Table	Figure 16 [00:06:24]
BR-03	Allowed days by harm level: No/Low/Moderate Harm 42, Severe Harm 90, Fatal 365; otherwise 90 if a (deleted) flag = “Yes”, else 42	Datix!T	Figure 20 [00:06:53]
BR-04	An incident counts as “in set timeframe” if (today − Reported) ≤ allowed days **or** it is not yet “Incident Approved & Record Closed”	Datix!T	Figure 20 [00:06:53]
BR-05	A reporting window of the last 7 months	Datix!S (formula not shown)	Figure 17 [00:06:24]
BR-06	All 10 types are required, core and active for the one subject	Requirements	Figure 3 [00:01:31]
BR-07	Dial: green only at 100% (Threshold 1–4 = 1), red otherwise (Threshold 5 = 0.99)	Compliance Timeframes J:N	Figure 10 [00:04:04]
BR-08	After pasting, the operator checks the calculated columns for errors	Manual check	Said 00:06:41

4.2 Manual steps and exceptions

ID	Exception	Handling	Evidence
EX-01	Datix export must be produced by hand from the Datix dashboard	Operator exports and copies; off-screen	00:05:26–00:06:04
EX-02	#REF! in a calculated column	Spotted by eye after paste; fix not recorded	Figure 20 [00:06:53]
EX-03	Requirements can be switched off manually	Edit Active to FALSE	Said 00:02:41
EX-04	Screen-share does not follow the window	Datix window moved to another screen	Said 00:05:06–00:05:19

4.3 Spoken vs. visual discrepancies and formula defects

ID	Spoken / intended	On screen / in data	Impact
SV-01	“We just copy and paste it into here” (00:06:01)	Datix table is a Power Query output (Query ribbon tab)	A paste over a query table is replaced at the next refresh, or the paste goes to a hidden source sheet; the real path is unknown
SV-02	“We only look at this every month” (00:03:20)	Every x months = 0.5 for all types	Due-date and compliance maths run on a half-month cycle the business does not follow
SV-03	“We’ll check that column” after describing Grouping (00:06:48)	The #REF! is in *In set timeframe* (T), not Grouping (R)	The check the operator relies on is not the column at fault
SV-04	Missing “just checks that there’s a requirement” (00:03:49)	Formula searches its own table, so it is TRUE for all rows	The column gives no information
SV-05	“Doesn’t work in the same way… no Names tab” (00:01:38)	A Manage Compliance tab still exists, and the named range add_Requirements_Name is referenced	Leftovers from cloning the Staff tool; behaviour unknown
FD-01	T should vary by harm level	SWITCH tests [@Description] (free text), never [@Severity]	Always takes the default branch, so the 42/90/365-day rule never applies
FD-02	Default branch tests a flag	IF(#REF!="Yes",…): the referenced column was deleted	Every row shows #REF!; any count or % built on T fails
FD-03	Timeliness should be stable	TODAY() − Reported	The value changes every day and cannot be reproduced for a past month
FD-04	Compliance means closed within the time limit [Inferred]	OR(within limit, not closed)	Open incidents always count as “in timeframe”, even when overdue, and every closed incident older than its limit counts as out of timeframe even if it was closed in time (TODAY() is used, not the closure date). The logic may be inverted (G-04)

4.4 Hidden failure modes

ID	Failure mode	Mechanism	Severity
FM-01	**Silent unmapped categories**	XLOOKUP returns blank for a category missing from the map (e.g. “Administrative Process (excluding documentation)”), so the incident disappears from group totals	High

ID	Failure mode	Mechanism	Severity
FM-02	**Broken timeliness flag**	FD-01 + FD-02: every row #REF!	High
FM-03	**Paste vs query conflict**	SV-01: data may be lost at refresh, or stale data published	High
FM-04	**Non-reproducible results**	TODAY() in T (and probably S)	Medium
FM-05	**Full-replace imports**	If each paste replaces all rows, status history (open → closed) is lost; if it appends, duplicates appear. No key-based merge is visible	High
FM-06	**Sensitive data in a shared workbook**	Patient narratives and names in a file on a shared drive, copied into a reporting tool	High (IG)
FM-07	**Schema drift between tools**	Different Requirements columns and Unique Lookup formulas from Staff Management	Medium
FM-08	**Mapping table drift**	Datix categories change over time; near-duplicates already present	Medium
FM-09	**Process not recorded end to end**	Fix, refresh and publish steps were not shown	Medium

5. Target Modern System Architecture Blueprint

Incidents run on the **same platform** as Staff Management (spec 01, §5): staged ingestion, review gate, append-only ledger, atomic publication and audit. Below is what is **specific to incidents**.

5.1 Ingestion of Datix data

- **Preferred:** scheduled pull from the Datix API or a scheduled Datix report delivered as CSV to a secure drop folder. **Fallback:** the operator uploads the export file in the web UI. No copy-paste in either case.
- **Header contract** for the export (columns A–Q in §2.3), versioned. Unknown or missing columns fail the file before staging.
- **Cell checks:** ID integer and unique in the file; dates parsed as dd/mm/yyyy; Severity in the harm list; Approval status in the status list; Category must exist in the category map, otherwise the row goes to the exception queue (fixes FM-01).
- **Data minimisation:** drop Description and Name at ingestion unless the business confirms a use (fixes FM-06). Keep the Datix ID as the link back to Datix.

5.2 Data model additions

Table	Key columns	Replaces
incident	incident_id (PK, = Datix ID), incident_date, reported_date, datix_category, sub_category, severity_id, division, service, approval_status, review_panel_flag, review_panel_date	Datix tab
incident_version	incident_id, import_batch_id, row hash, values as imported; new version only when something changed	Repeated full pastes (keeps status history, fixes FM-05)
ref_datix_category_map (versioned)	datix_category, group_code, valid_from, valid_to, approved_by	Datix Category tab
ref_harm_sla (versioned)	severity, allowed_days (42 / 90 / 365 ...), valid_from, valid_to	SWITCH(...) constants in T
ref_compliance_type / policy	Shared tables from spec 01; frequency stored as an explicit cadence (monthly) instead of 0.5	Compliance Timeframes
requirement	Shared table; subject = Provide Wellbeing (organisation subject type)	Requirements tab

5.3 Rules as deterministic SQL (as-of date, not TODAY())

```
CREATE VIEW mart.v_incident_timeliness AS
SELECT i.incident_id, s.as_of_date,
       g.group_code,                                  -- NULL only if mapping missing (blocked at ingestion)
       (s.as_of_date - i.reported_date)             AS age_days,
       sla.allowed_days,
       (i.approval_status = 'Incident Approved & Record Closed') AS is_closed,
       CASE WHEN i.approval_status = 'Incident Approved & Record Closed'
            THEN i.closed_date - i.reported_date <= sla.allowed_days   -- closed within limit
            ELSE s.as_of_date - i.reported_date <= sla.allowed_days    -- still open, not yet overdue
       END                                          AS in_set_timeframe,   -- rule to confirm (G-04)
       i.incident_date >= s.as_of_date - INTERVAL '7 months'  AS in_last_7_months
FROM core.incident i
CROSS JOIN mart.snapshot s                          -- the publication's as-of date
JOIN ref.harm_sla sla ON sla.severity = i.severity
 AND s.as_of_date BETWEEN sla.valid_from AND coalesce(sla.valid_to,'infinity')
LEFT JOIN ref.datix_category_map g ON g.datix_category = i.datix_category
 AND s.as_of_date BETWEEN g.valid_from AND coalesce(g.valid_to,'infinity');
```

- Severity drives the SLA (fixes FD-01); there is no reference to a deleted column (FD-02); the as-of date makes every month reproducible (FD-03).
- The OR/AND meaning of “in set timeframe” is written once, tested and approved (FD-04, G-04).
- Compliance % per type = in-timeframe incidents ÷ applicable incidents, per group and harm level, for the snapshot; the dial reads the stored thresholds.

5.4 Human-in-the-loop and publication

- **Exception queue:** unmapped category, unknown severity, duplicate ID, date errors. The operator maps a new category once (with approval) and it applies from then on.
- **Import diff:** before publishing, show new, changed (e.g. status open → closed) and disappeared incidents against the last import.

- **Atomic publish** with an as-of date and snapshot ID, exactly as in spec 01 §5.6; the dashboard reads only published snapshots.
- **Access:** incident data restricted to roles approved by the IG lead; the dashboard shows only counts and percentages.

6. Gap & Ambiguity Register

ID	Timestamp	Gap / ambiguity	Why it matters	Ask
G-01	00:07:01–end	Recording paused before the #REF! fix, save, refresh and publish	The second half of the process is unknown	Record the rest of the monthly update
G-02	00:05:14–00:06:17	Datix export steps happened off-screen (report used, filters, date range, file format)	Defines the ingestion contract	Show or document the Datix export
G-03	00:04:47, 00:06:01	Datix table is a query output but the operator describes copy-paste	Determines where data actually lands and whether a refresh overwrites it	Share the Power Query (M) behind the Datix table
G-04	00:06:53	Intended meaning of “In set timeframe” (OR with not-closed); which date (Reported vs Incident) starts the clock	Core compliance rule	Business owner to define
G-05	00:06:24	Formula of “In last 7 months” not shown	Reporting window rule	Share formula / define rule
G-06	00:06:53	Which column did #REF! point to (deleted flag tested for “Yes”)	Needed to restore the 90-day default rule	Identify from file history
G-07	tab bar	Manage Compliance tab and any VBA not opened	May hold update logic	Share workbook and VBA
G-08	00:04:36, 00:06:44	Estates…SPC, Miscellaneous, both Pivots and the Notes tabs not opened; tab list continues off-screen	Outputs and manual commentary unknown	Walk through or share
G-09	00:02:31	Requirements schema differs from Staff Management	Consolidation in the data store	Share Compliance Data.xlsm queries
G-10	00:03:20	Frequency 0.5 months vs monthly review	Due dates and cadence	Confirm cadence
G-11	00:06:44	“Staff Inadequately Trained → Information Governance” mapping; missing “Administrative Process (excluding documentation)”	Group totals	Approve full category map
G-12	00:02:13	Definition of “SPC flagged” types and how they are counted	Six of the ten compliance types	Explain SPC flagging
G-13	00:04:04	How the dial percentage is calculated per type	Dashboard parity	Share dashboard measures
G-14	00:04:45	Row count and date range of the Datix table (~70 rows, 2023–2026 seen)	Volume and history needs	Confirm export scope

7. What Is Required to Build the Modern System

Requirements specific to incidents, each with the reason it is needed. Platform requirements (identity, audit, review gate, atomic publish, SSO, backups, CI/CD) are shared with Staff Management and listed in spec 01 §7; they are not repeated here. Priority: **M** must, **S** should, **C** could. The full client checklist is in **Incident_Management_PreBuild_Client_Requirements.pdf**.

7.1 Prerequisites from the business

ID	What is required	Why it is required
P-01	The rest of the process, recorded or written down (fix, save, refresh, publish)	The video stops at 00:07:01 (Figure 21 [00:07:12]); half the workflow is unknown (G-01).
P-02	Datix export definition and a sample export file (anonymised)	The export happened off-screen (Figure 15 [00:05:30]); it defines the ingestion contract (G-02).
P-03	The workbook and its Power Query (M) code	The Datix table is a query output but is described as a paste (SV-01, G-03).
P-04	Approved rules: SLA days per harm level, start date, OR/AND meaning, 7-month window	The current formula is broken and its meaning is unclear (FD-01…04, G-04, G-05).
P-05	Approved category map, including currently unmapped categories	Unmapped categories silently drop out of totals (FM-01, G-11).
P-06	Decision on which Datix fields may be stored (Description, Name)	Patient narratives and names are in the sheet (FM-06).
P-07	Datix integration route (API access or scheduled report) and licence	Removes manual export and copy-paste (EX-01).

7.2 Functional requirements

ID	Requirement (priority)	Why it is required
FR-I01	Automated or uploaded Datix ingestion with header and cell validation (M)	Replaces the off-screen manual export and paste (EX-01, SV-01).
FR-I02	Key-based merge on Datix ID with version history (M)	Keeps status changes and avoids duplicates or losses between imports (FM-05).
FR-I03	Versioned category map with an exception queue for unmapped values (M)	Fixes silent blank groupings (FM-01, Figure 19 [00:06:44]).
FR-I04	Effective-dated harm-level SLA table driving timeliness (M)	Replaces the SWITCH on the wrong column and the #REF! default (FD-01, FD-02, Figure 20 [00:06:53]).
FR-I05	As-of-date calculations for every published month (M)	TODAY() makes results change daily (FD-03).
FR-I06	Import diff and review before publishing (M)	The only check today is looking at a column by eye (BR-08), and it is the wrong column (SV-03).
FR-I07	Group and harm-level views replacing the Estates…SPC tabs and pivots (S)	These tabs feed the dashboard today but were not shown (G-08).
FR-I08	Notes/commentary per group as records with author and date (S)	Notes tabs exist per group (Figure 19 [00:06:44]); content and use to be confirmed.
FR-I09	Monthly cadence stored explicitly (M)	0.5 months vs “we only look at this every month” (SV-02).
FR-I10	Single-subject support (organisation) in the shared requirement model (M)	Incidents have one subject, Provide Wellbeing (00:01:50).

7.3 Non-functional requirements

ID	Requirement	Why it is required
NFR-I01	Data minimisation and role-based access to incident records	Sensitive patient narratives (FM-06); NHS DSP Toolkit / UK GDPR.
NFR-I02	Datix credentials held in a secrets store; read-only API account	An automated pull needs safe credentials.
NFR-I03	Reproducible monthly snapshots	Past dashboard figures must be re-creatable (FD-03).

7.4 Testing

ID	Test	Why it is required
T-I01	Golden rows: ID 77 (No Harm, reported 05/04/2023, closed, IG) and ID 13073 (Low Harm, reported 08/06/2026, unmapped category)	Two real cases seen in the video with known expected groupings and errors.
T-I02	SLA boundary tests at 42/90/365 days for each harm level, open and closed	The core rule (BR-03, BR-04).
T-I03	Re-import tests: same file twice (no change), status change, deleted incident	Proves the merge (FR-I02).
T-I04	Parity: one month vs the Excel dashboard once #REF! is fixed	Shows the new numbers match or that each difference is a known fix.

7.5 Traceability

Observed problem	Evidence	Removed by
FM-01 Unmapped categories	Figure 12 [00:04:45], Figure 19 [00:06:44]	FR-I03, P-05
FM-02 / FD-01 / FD-02 Broken timeliness flag	Figure 20 [00:06:53]	FR-I04, P-04
FM-03 / SV-01 Paste vs query	Figure 13 [00:04:47]	FR-I01, P-03
FM-04 / FD-03 TODAY()	Figure 20 [00:06:53]	FR-I05
FM-05 Full-replace imports	00:06:01	FR-I02
FM-06 Sensitive data	Figure 13 [00:04:47]	NFR-I01, P-06
SV-02 Frequency 0.5	Figure 7 [00:03:20]	FR-I09
SV-04 Missing always TRUE	Figure 9 [00:03:52]	Shared missing-requirements view (spec 01 FR-05)
G-01 Unrecorded second half	Figure 21 [00:07:12]	P-01

Appendix A. Figure Index

Fig	Time	File › Tab	Shows
1	00:00:20	Teams recording › (camera)	Recording starts on camera; operator explains this video covers the compliance update for incidents
2	00:00:58	File Explorer › Performance Dashboards and Data › User input	The User input folder: 12 sibling input tools (Audit, Contract, Estates, Hand Hygiene/IPC Audits, Incident, Medical Devices, Policy & Procedure, R…
3	00:01:31	Incident Management.xlsm › Requirements	requirements_Table A:G: one name (Provide Wellbeing) × 10 incident compliance types, all Required TRUE, Core, Active TRUE; tab bar Manage Compliance ·…
4	00:02:31	Incident Management.xlsm › Requirements	Formula bar, F3 Unique Lookup: =CONCAT([@Name],"-",[@[Compliance Type]])
5	00:02:47	Incident Management.xlsm › Requirements	G5 Active holds a typed constant TRUE (not a lookup to a Names table, which this workbook does not have)
6	00:03:12	Incident Management.xlsm › Compliance Timeframes	Compliance_Timeframe_Table A:I: Every x months = 0.5 for all 10 types, Core, Group 1 Operational, Group 2 Incidents, Unique Lookup “Operational-Incide…
7	00:03:20	Incident Management.xlsm › Compliance Timeframes	Formula bar, B2 Every x months = 0.5 (“Matt set it for twice a month; we only look at this every month”)
8	00:03:48	Incident Management.xlsm › Compliance Timeframes	Formula bar, H4 Unique Lookup: =CONCAT([@[Compliance Group 1]],"-",[@[Compliance Group 2]],"-",[@[Compliance Group 3]]): trailing …
9	00:03:52	Incident Management.xlsm › Compliance Timeframes	Formula bar, I2 Missing: =XLOOKUP(CONCAT(add_Requirements_Name,"-",[@[Compliance Type]]),[Unique Lookup],[Unique Lookup],"")="…
10	00:04:04	Incident Management.xlsm › Compliance Timeframes	Thresholds J:N selected: Threshold 1–4 = 1, Threshold 5 = 0.99 (“100% shows green, anything less shows red”)
11	00:04:36	Incident Management.xlsm › (tab bar)	Tab bar scrolled: … Health and Safety · Safeguarding · IG · Clinical · SPC · Miscellaneous · Groupings Pivot · Harm Pivot · Datix … (none of these ope…
12	00:04:45	Incident Management.xlsm › Datix	On first opening, the Datix sheet is scrolled to a later row: ID 13073, incident 07/04/2026, reported 08/06/2026, so the table holds incidents from 20…
13	00:04:47	Incident Management.xlsm › Datix	Datix table A:J: ID, Name (blank), Incident date, Reported, Category, Sub category, Description (free text), Severity, Other service – Division, Other…
14	00:04:53	Incident Management.xlsm › Datix	Datix table N:T: Organisation Type, Q&S Incident Review Panel (Y/N, date), Approval status (green = “Incident Approved & Record Closed”), and …
15	00:05:30	Incident Management.xlsm › Datix	While the operator describes going into Datix, opening the dashboard and exporting, the shared screen does not change: the Datix browser window was dr…
16	00:06:24	Incident Management.xlsm › Datix	Formula bar, R2 Grouping: =XLOOKUP([@Category],datix_Category_Table[Datix reference],datix_Category_Table[Category],""); row 2 results: Grou…
17	00:06:24	Incident Management.xlsm › Datix	Close-up of row 2: Grouping = Information Governance (correct), In last 7 months = FALSE, In set timeframe = #REF!
18	00:06:37	Incident Management.xlsm › Datix Category	datix_Category_Table rows 2–24: Datix reference (category) → dashboard Category (Information Governance, Health and Safety, Clinical, Estates, Safegua…
19	00:06:44	Incident Management.xlsm › Datix Category	Rows 10–26 (25 mappings in total); tab bar shows All Notes · Clinical Notes · Information Governance Notes · Health and Safety Notes · Estates Notes ·…
20	00:06:53	Incident Management.xlsm › Datix	Formula bar, T2 In set timeframe: =IF([@Reported]<>"",OR((TODAY()-[@Reported])<=SWITCH([@Description],"No Harm",42,"…
21	00:07:12	Incident Management.xlsm › Datix	Last frame: recording paused by the operator before the #REF! is fixed and before any refresh or publish step

Appendix B. Key timestamped utterances

Time	Utterance (lightly cleaned)
00:00:04	I’m going to make a video now to show how we update the compliance for incidents.
00:01:38	It doesn’t work in the same way as the other ones… We don’t need a names tab for this one.
00:01:54	There’s only one name and that’s Provide Wellbeing.
00:02:05	This is the requirements table, which we can build manually.
00:02:28	There’s a lookup there which gets pulled through into the requirements table in the compliance data.
00:03:20	Matt set it for twice a month. We only look at this every month.
00:03:49	Missing, again I’m not 100% sure what that does.
00:04:08	If it’s 100% it’s going to show green; anything less than that, it’s going to show red.
00:04:43	We download from Datix all of the incident data and load it into there.
00:05:14	I’ll pull this over to here.

Time	Utterance (lightly cleaned)
00:05:26	We just go into Datix… into the dashboard… pull out the export…
00:06:01	…and then we just copy and paste it into here.
00:06:20	There’s a column there that puts it into a grouping. It looks at the category… references that with a table.
00:06:48	We’ll check that column. Oh look, #REF!… that needs fixing.
00:07:01	I’m just going to pause the recording there.