Task 1 – Web App QA & Debug Report

Candidate: Shivanand Suresh Madar
Assessment: Automation & QA Developer Take-Home Skills Assessment

Execution status: BLOCKED – live demo could not be accessed from the test environment

The assignment's suggested live demo (https://demo.realworld.io) returned an HTTP 404 when access was attempted from the available test environment. No sign-up, login, create, edit, delete, or logout actions could therefore be performed. To avoid inventing defects or claiming tests that were not run, the items below are recorded as test cases awaiting execution, not confirmed bugs.

Test environment and scope

Target: RealWorld demo – https://demo.realworld.io
Attempted access: 9 November 2026
Observed result: HTTP 404 from the available access route. This does not prove the site is unavailable to all users; it only records the result from this test environment.

Test cases to execute once the app is reachable

#	Test area	Steps to reproduce	Expected result	Status
1	Sign-up validation	Submit sign-up with empty fields, invalid email, and mismatched/weak password if supported.	Clear field-level validation; no account created for invalid input.	Not run
2	Duplicate registration	Register an account, then attempt registration again with the same email/username.	Duplicate is rejected with a useful message; no duplicate account.	Not run
3	Login errors	Try incorrect password and an unknown email.	Generic, helpful error; user remains unauthenticated.	Not run
4	Create/edit content	Log in; create an article; edit its title/body/tags.	Saved content appears correctly and edits persist after refresh.	Not run
5	Delete/logout/session	Delete owned content; log out; revisit protected actions or refresh.	Deleted content is absent; logged-out user cannot perform protected actions.	Not run

Root-cause analysis (current blocker)

The test run could not proceed because the selected demo URL returned HTTP 404 from the available access environment. A 404 indicates that the requested resource was not found at that route, but it does not identify whether the cause is a retired demo, a routing/configuration issue, or an access-layer restriction. Since the application UI did not load, there was no reliable way to exercise its user flows or observe application defects. The next step is to confirm the intended demo URL with the assessment contact or select another permitted open-source SaaS-style app that can be launched locally. Once a reachable target is selected, repeat the five user-flow tests above and replace each “Not run” status with observed evidence, screenshots, severity, and a specific suspected cause. No production bug is claimed in this report.

Submission note

This is an honest blocker report, not a completed five-defect QA report. Do not submit it as a completed Task 1 unless the recruiter accepts an access-blocker explanation. The five test cases must be executed against a reachable app before they can be reported as defects.