Software Requirements Specification for Software Engineering: subtitle describing software

Team 19, Team BVSH
Shivya Mehta
Anindita Bornomala
Harmanpreet Singh Sagar
Vanessa Lai

October 18, 2026

Contents

1 Introduction **1**
- 1.1 Purpose . . . 2
- 1.2 Scope . . . 2
- 1.3 Stakeholders - ITS STAKEHOLDER TIME BOI . . . 3
- 1.4 Definitions and Acronyms . . . 3
- 1.5 Characteristics of Intended Reader . . . 4

2 System Overview **4**
- 2.1 Problem Statement . . . 4
- 2.2 Product Vision . . . 4
- 2.3 System Context . . . 5
- 2.4 User Characteristics . . . 6
- 2.5 System Constraints . . . 6

3 Stakeholder Requirements **6**

4 User Personas **7**
- 4.1 Persona 1 . . . 7
- 4.2 Persona 2 . . . 7
- 4.3 Persona 3 . . . 8

5 Use Cases **8**
- 5.1 UC1: Example Use Case . . . 9

6 Functional Requirements **9**

7 Data Requirements **9**
- 7.1 Major Data Entities . . . 10
- 7.2 Data Dictionary . . . 10
- 7.3 Privacy and Data Retention . . . 10

8 Non-Functional Requirements **10**

9 AI and Machine Learning Requirements **11**
- 9.1 Model Inputs . . . 11
- 9.2 Model Outputs . . . 12
- 9.3 Evaluation Metrics . . . 12
- 9.4 Known Limitations . . . 12

10 Requirements Traceability Matrices **12**

11 Rationale **13**

12 Likely Changes **13**

13 Unlikely Changes **13**

14 Appendices **14**

14.1 Appendix A: Additional Materials 14
14.2 Appendix B: Development Plan 14
14.3 Appendix C: Values of Auxiliary Constants 14
14.4 Appendix D: Generative AI Disclosure 14
14.5 Appendix E: Reflection 14

Revision History

Date	Version	Notes
Date 1	1.0	Notes
Date 2	1.1	Notes

[All capstone SRS documents should have a reflection appendix. —TPLT]

[This SRS template is based on the IEEE template, with input from co-pilot and S. Smith. It will get you started. You should not modify the section headings, without first discussing the change with the course instructor. Modification means you are not following the template, which loses some of the advantage of a template, especially standardization. —TPLT]

[Feel free to change the appearance of the report by modifying the LaTeX commands. —TPLT]

[This template document assumes that a single program is being documented. If you are documenting a family of models, you should start with a commonality analysis. —TPLT]

[The SRS is not generally written, or read, sequentially. The SRS is a reference document. It is generally read in an ad hoc order, as the need arises. —TPLT]

[Guiding principles for the SRS document:

- Do not repeat the same information at the same abstraction level. If information is repeated, the repetition should be at a different abstraction level.

—TPLT]

[The template description comments should be disabled before submitting this document for grading. —TPLT]

[You can borrow any wording from the text given in the template. It is part of the template, and not considered an instance of academic integrity. Of course, you need to cite the source of the template. —TPLT]

[When the documentation is done, it should be possible to trace back to the source of every piece of information. Some information will come from external sources, like terminology. —TPLT]

[An SRS document should have the following qualities: unambiguous, consistent, complete, validatable, abstract and traceable. —TPLT]

[The overall goal of the SRS is that someone can learn, understand and verify the captured domain knowledge. They should not have to trust the authors of the SRS on any statements. They should be able to independently verify/derive every statement made. —TPLT]

1 Introduction

[Explain what system is being specified. State purpose, users, and project goals. —TPLT]

[Introduce the name of your software as Software Engineering. Using Software Engineering as a command lets you change the name if necessary and have the change propagate to all documents. —TPLT]

[Include a reference to the template this work is based on. **?** justifies the SRS structure and **?** provides the broader life-cycle context that underlines modern requirements engineering practice. —TPLT]

1.1 Purpose

The CAS (Computing and Software) Department currently manages course outlines and assessment schedules on a course-by-course basis. Course instructors set their deadlines independently, so students in the same program and year can face busy weeks of midterms and deadlines with no department-level visibility into them. CAS administrative staff must also manually check each outline against McMaster course outline policy and the Canadian Engineering Accreditation Board (CEAB) requirements, and follow up with instructors when information is missing. The CAS Deadline Management System is intended to make assessment dates visible across courses and to identify policy and accreditation gaps early. It reduces the manual effort of checking outlines against these requirements and helps avoid weeks with heavily clustered assessments. Instructors and administrators remain in the loop and responsible for every decision. The system only flags issues and makes suggestions, and never changes a course outline or assessment date on its own.

1.2 Scope

The CAS Deadline Management System aims to improve course outline review and assessment scheduling within the CAS Department at McMaster University. The system addresses the lack of department-wide visibility into assessment dates and the manual effort required to verify course outlines against university policies and CEAB requirements. The system will allow CAS administrators to upload course outlines, extract and store relevant course and assessment information, identify missing information and potential policy or accreditation gaps, and visualize assessment schedules across courses. It will also identify potential assessment conflicts and suggest alternative dates to help distribute assessments more evenly throughout the academic term. The system will support reviewing and exporting extracted information to facilitate administrative coordination.

The primary users are CAS administrators and course instructors, while students may benefit indirectly from improved assessment scheduling. The system is intended to reduce administrative workload, improve policy compliance, and support more balanced assessment schedules.

The system will provide recommendations for review rather than make decisions independently. It will not automatically modify course outlines, change assessment dates, or override instructor decisions. Instructors retain authority over their course schedules, and administrators remain responsible for reviewing policy compliance and accreditation requirements. The system's recommendations will be based on the available course outline data, timetable information, and defined policies; it will not guarantee that all scheduling conflicts or compliance issues are identified.

1.3 Stakeholders - ITS STAKEHOLDER TIME BOI

The CAS Midterm and Assignment Optimization System is intended to support the Computing and Software (CAS) department at McMaster University in reviewing course outlines provided by instructors and coordinating assessment schedules. The stakeholders include individuals who directly use the system, individuals affected by its recommendations, and organizations responsible for ensuring policy requirements and accreditation.

Primary Stakeholders:

- CAS Administration Team (Customer)
- CAS Department Professors and Instructors (End Users)
- Capstone Project Team 19 (Development Team)

Secondary Stakeholders:

- Software Engineering Students (Indirectly affected by assessment scheduling recommendations)
- McMaster University (Affected by the system's support for course coordination and policy compliance)

Tertiary Stakeholders:

- Canadian Engineering Accreditation Board (CEAB)
- Future CAS Administrators and Instructors

1.4 Definitions and Acronyms

Term	Definition
CEAB	Canadian Engineering Accreditation Board, the organization responsible for accrediting undergraduate engineering programs in Canada.
LLM	Large Language Model, an AI model trained on large amounts of text to understand and generate human language.
SRS	Software Requirements Specification, a document that describes a software system's requirements, including its expected functionality and constraints.

Table 1: Definitions and Acronyms

1.5 Characteristics of Intended Reader

The intended readers of this Software Requirements Specification (SRS) include project supervisors, CAS administrators, software developers, testers, and future maintainers. Technical readers should have a foundational understanding of software development, web applications, databases, and software testing. Familiarity with PDF processing and large language models (LLMs) is beneficial but not required. CAS administrators and project supervisors should be familiar with academic scheduling, course outlines, and relevant university policies, including Canadian Engineering Accreditation Board (CEAB) requirements. This document is intended to communicate system requirements clearly to both technical and non-technical readers.

2 System Overview

This section provides general information about the system. It identifies the problem, the vision, and the interfaces between the system and its environment. This section also describes user characteristics and lists the system constraints.

[The purpose of this section is to provide general information about the system so that the specific requirements in the later sections will be easier to understand. The general system description section is designed to be changeable independent of changes to the functional requirements documented in the specific system description. The general system description provides a context for a family of related models. The general description can stay the same, while specific details are changed between family members. —TPLT]

2.1 Problem Statement

[Current situation, problem, impact, desired improvement. You will likely borrow some text from your problem description document. —TPLT]

TODO

2.2 Product Vision

[A clear and concise statement of the product's purpose and goals. —TPLT]

[The goal statements are functional and nonfunctional objectives that system under consideration should achieve. Goals provide criteria for sufficient completeness of a requirements specification and for requirements pertinence. Goals will be refined by requirements. The goals are written abstractly, with a minimal amount of technical language. They should be understandable by non-domain experts. —TPLT]

[You will likely borrow from your goal statements in your problem description document. —TPLT]

TODO

2.3 System Context

[Include users, external systems, APIs, databases, and third-party services. —TPLT]

[Your system context will include a figure that shows the abstract view of the software. In some cases the diagram will show other external entities, besides the user. For instance, when the software product is a library, the user will be another software program, not an actual end user. If there are system constraints that the software must work with external libraries, these libraries can also be shown on the System Context diagram. They should only be named with a specific library name if this is required by the system constraint. —TPLT]



Figure 1: System Context

[For each of the entities in the system context diagram its responsibilities should be listed. Whenever possible the system should check for data quality, but for some cases the user will need to assume that responsibility. The list of responsibilities should be about the inputs and outputs only, and they should be abstract. Details should not be presented here. However, the information should not be so abstract as to just say "inputs" and "outputs". A summarizing phrase can be used to characterize the inputs. For instance, saying "material properties" provides some information, but it stays away from the detail of listing every required properties. —TPLT]

- User Responsibilities:
  -
- Software Engineering Responsibilities:
  - Detect data type mismatch, such as a string of characters instead of a floating point number
  -

[Identify in what context the software will typically be used. Is it for exploration? education? engineering work? scientific work?. Identify whether it will be used for mission-critical or safety-critical applications. —TPLT]

[This additional context information is needed to determine how much effort should be devoted to the rationale section. If the application is safety-critical, the bar is higher. This is currently less structured, but analogous to, the idea to the Automotive Safety Integrity Levels (ASILs) that McSCert uses in their automotive hazard analyses. —TPLT]

2.4 User Characteristics

[This section summarizes the knowledge/skills expected of the user. Measuring usability, which is often a required non-function requirement, requires knowledge of a typical user. As mentioned above, the user is a different role from the "intended reader," as given in Section 1.5. As in Section 1.5, the user characteristics should be specific an unambiguous. For instance, "The end user of Software Engineering should have an understanding of undergraduate Level 1 Calculus and Physics." —TPLT]

2.5 System Constraints

[System constraints differ from other type of requirements because they limit the developers' options in the system design and they identify how the eventual system must fit into the world. This is the only place in the SRS where design decisions can be specified. That is, the quality requirement for abstraction is relaxed here. However, system constraints should only be included if they are truly required. —TPLT]

[This is where you would mention platform constrains, and licensing restrictions. —TPLT]

3 Stakeholder Requirements

[Technology-independent requirements. These come from statements made by the stakeholders. You will find these through interviews and surveys. They are often expressed in natural language. They are not necessarily testable, but they should be verifiable. —TPLT]

[The stakeholder requirements are numbered so that you can have traceability to other parts of your document. —TPLT]

SR1 TODO

SR2 TODO

SR3 TODO

[You should give your SRs meaningful labels, so that you can refer to them in other parts of the SRS. The label names should be meaningful mnemonics, not numbers. —TPLT]

4 User Personas

4.1 Persona 1

- Name: Bob M. Builder (CAS Administrator)
- Description: Bob is responsible for collecting and reviewing CAS course outlines to help ensure they align with McMaster University and CAS department policies, as well as CEAB accreditation requirements. Bob needs an efficient way to carry out his administrative duties while reducing the amount of redundant back and forth communication with instructors to ensure that outlines are aligned with the required policies and accreditation requirements.
- Goals:
  - To collect and review course outlines in one centralized location.
  - To identify missing information and potential policy or accreditation issues.
  - To reduce the time spent manually reviewing multiple course outlines.
  - To reduce unproductive communication time with course instructors.
- Frustrations:
  - Course outlines may use different formats or organize information differently.
  - Manually locating relevant information across many documents can be time-consuming.
  - Missing or unclear information can make it difficult to assess compliance.
- Technical Ability: Moderate (experience with administrative software, document management tools, spreadsheets)

4.2 Persona 2

- Name: Dora Sanchez Explora (Software Engineering Professor)
- Description: Dora teaches Software Engineering Design courses and plans assignments and two midterms for the semester. She wants to provide students with a workload that is easy to manage and deadlines that allow them to learn and adequately prepare for their midterms without overwhelming them in their other courses.
- Goals:
  - To submit and maintain tentative assessment dates efficiently.
  - To identify potential conflicts with assessments in other courses.

  - To receive practical recommendations for distributing assessment deadlines more evenly.
  - To retain final authority over assessment dates for her course.
- Frustrations:
  - Coordinating assessment dates across courses can be difficult.
  - Several courses may schedule major assessments around the same time.
  - Changing an assessment date may create conflicts with other course activities or require additional coordination.
- Technical Ability: Moderate (experience with administrative management systems, online course and university tools)

4.3 Persona 3

- Name: Homer Simpson (4th Year Software Engineering Student)
- Description: Homer is an undergraduate Software Engineering student taking six courses for the Fall term. He is feeling overwhelmed by the workload and is struggling to manage his time between getting his work done and studying for his upcoming back-to-back midterms.
- Goals:
  - To have a more balanced distribution of assessments throughout the term.
  - To avoid periods when multiple major deadlines occur close together.
  - To have sufficient time to prepare for major assessments across different courses.
- Frustrations:
  - Multiple assignments and midterms may fall within the same few days.
  - Heavy assessment periods can make it difficult to allocate study/work time effectively.
  - Assessment dates across different courses may be difficult to coordinate.
- Technical Ability: High (experience with online learning platforms, digital calendars, student productivity tools and software)

5 Use Cases

[Use cases are a way to describe the interactions between users and the system. They are typically written in natural language and describe the steps that a user takes to achieve a specific goal. Use cases can be used to identify functional requirements and to create test cases. —TPLT] [Typically 8-15 substantial use cases. —TPLT]

5.1 UC1: Example Use Case

Primary Actor

TODO

Preconditions

- TODO

Main Success Scenario

1. TODO
2. TODO
3. TODO

Alternative Flows

- TODO

Postconditions

- TODO

6 Functional Requirements

vanessa [Functional requirements describe what the system should do. They are typically expressed as a set of conditions or capabilities that the system must have. These requirements are usually derived from the stakeholder requirements and use cases. —TPLT]

[Use SHALL statements. Requirements must be atomic, testable, and traceable. —TPLT]

FR1: The system shall ...

FR2: The system shall ...

FR3: The system shall ...

[The requirements are given labels so that they can be referenced in other parts of the SRS. The label names should be meaningful mnemonics, not numbers. —TPLT]

7 Data Requirements

vanessa

[The Data Requirements section describes what information the system must manage. It includes the major data entities, their attributes, and the relationships between them. It also includes a data dictionary that defines the meaning of each attribute. —TPLT]

7.1 Major Data Entities

[What information must exist for the system to accomplish its goals? —TPLT]

[For each entity, provide a short explanation. —TPLT]

- User
- Song
- Session
- Report

7.2 Data Dictionary

[For each entity, define all important attributes. —TPLT]

Attribute	Type	Description
user_id	UUID	Unique identifier
email	String	User email address

Table 2: Data Dictionary

7.3 Privacy and Data Retention

[Discuss storage, retention, deletion, privacy controls, consent, encryption, and compliance requirements. —TPLT]

TODO

8 Non-Functional Requirements

[You may have to add other NFRs. —TPLT]

[List your nonfunctional requirements. You may consider using a fit criterion to make them verifiable. —TPLT]

[The goal is for the nonfunctional requirements to be unambiguous, abstract and verifiable. This isn't easy to show succinctly, so a good strategy may be to give a "high level" view of the requirement, but allow for the details to be covered in the Verification and Validation document. —TPLT]

[An absolute requirement on a quality of the system is rarely needed. For instance, an accuracy of 0.0101 % is likely fine, even if the requirement is for 0.01 % accuracy. Therefore, the emphasis will often be more on describing now well the quality is achieved, through experimentation, and possibly theory, rather than meeting some bar that was defined a priori. —TPLT]

[You do not need an entry for correctness in your NFRs. The purpose of the SRS is to record the requirements that need to be satisfied for correctness. Any statement of correctness would just be redundant. Rather than discuss correctness, you can characterize how far away from the correct (true) solution you are allowed to be. This is discussed under accuracy. —TPLT]

NFR1: **Accuracy** [Characterize the accuracy by giving the context/use for the software. Maybe something like, "The accuracy of the computed solutions should meet the level needed for <engineering or scientific application>. The level of accuracy achieved by Software Engineering shall be described following the procedure given in Section X of the Verification and Validation Plan." If you do this provide a link to the VnV plan. —TPLT]

NFR2: **Usability** [Characterize the usability by giving the context/use for the software. You should likely reference the user characteristics section. The level of usability achieved by the software shall be described following the procedure given in Section X of the Verification and Validation Plan. Include a link to the VnV plan. —TPLT]

NFR3: **Maintainability** [The effort required to make any of the likely changes listed for Software Engineering should be less than FRACTION of the original development time. FRACTION is then a symbolic constant that can be defined at the end of the report. —TPLT]

NFR4: **Portability** [This NFR is easier to write than the others. The systems that Software Engineering should run on should be listed here. When possible the specific versions of the potential operating environments should be given. To make the NFR verifiable a statement could be made that the tests from a given section of the VnV plan can be successfully run on all of the possible operating environments. —TPLT]

- Other NFRs that might be discussed include verifiability, understandability, reusability, performance, reliability and availability, security, and accessibility. You may have to add other NFRs.

9 AI and Machine Learning Requirements

vanessa

[Refer to Dr. Mosser's guest lecture on AI requirements. —TPLT]

[Include only when applicable. —TPLT]

9.1 Model Inputs

TODO

9.2 Model Outputs

TODO

9.3 Evaluation Metrics

[Accuracy, Precision, Recall, F1, BLEU, WER, etc. —TPLT]

TODO

9.4 Known Limitations

[Explicitly document expected failure modes. —TPLT]

TODO

10 Requirements Traceability Matrices

[The Requirements Traceability Matrix (RTM) is a table that shows the relationship between different types of requirements. It is used to ensure that all requirements are traceable and that no requirements are missed. The typical flow is: Stakeholder Need -¿ Use Case -¿ Requirement —TPLT]

[There is also a traceability matrix between functional and nonfunctional requirements. The purpose of some FRs is to satisfy NFRs. Therefore, it is important to show the relationship between the two. —TPLT]

[Further traceability to test cases and modules will be given in other documents. —TPLT]

Stakeholder Req	Use Case	Functional Req
SR1	UC1	FR1

Table 3: Traceability Between Stakeholder Requirements, Use Cases, and Functional Requirements

Functional Req	Nonfunctional Req
FR1	NFR1

Table 4: Traceability Between Functional and Nonfunctional Requirements

11 Rationale

[Provide a rationale for the decisions made in the documentation. Rationale should be provided for scope decisions, functional requirements, nonfunctioanl requirements, data requirements, and AI requirements. You don't need a rationale for everything, ust the major decisions that are not obvious. You should have traceability to the entities in the document that you are referencing. —TPLT]

12 Likely Changes

LC1: [Give the likely changes, with traceability to the entity that is likely to change. —TPLT]

13 Unlikely Changes

LC2: [Give the unlikely changes. The design can assume that the changes listed will not occur. —TPLT]

14 Appendices

14.1 Appendix A: Additional Materials

TODO

14.2 Appendix B: Development Plan

[This section is optional. It is used to explain the plan for developing the software. In particular, this section gives a list of the order in which the requirements will be implemented. In the context of a course this is where you can indicate which requirements will be implemented as part of the course, and which will be "faked" as future work. This section can be organized as a prioritized list of requirements, or it could show the requirements that will be implemented for "phase 1", "phase 2", etc. —TPLT]

14.3 Appendix C: Values of Auxiliary Constants

[Show the values of the symbolic parameters introduced in the report. —TPLT]

[The definition of the requirements will likely call for SYMBOLIC_CONSTANTS. Their values are defined in this section for easy maintenance. —TPLT]

[The value of FRACTION, for the Maintainability NFR would be given here. —TPLT]

TODO

14.4 Appendix D: Generative AI Disclosure

[Provide full transparency on how generative AI was used in the creation of this document. This includes any text, figures, or tables that were generated by AI. If any skills were created for AI agents to review the documentation, those should be disclosed here. —TPLT]

14.5 Appendix E: Reflection

[This isn't part of the SRS, but it is part of the course. —TPLT]

The information in this section will be used to evaluate the team members on the graduate attribute of Lifelong Learning.

The purpose of reflection questions is to give you a chance to assess your own learning and that of your group as a whole, and to find ways to improve in the future. Reflection is an important part of the learning process. Reflection is also an essential component of a successful software development process.

Reflections are most interesting and useful when they're honest, even if the stories they tell are imperfect. You will be marked based on your depth of thought and analysis, and not based on the content of the reflections themselves. Thus, for full marks we encourage you to answer openly and honestly and to avoid simply writing "what you think the evaluator wants to hear."

Please answer the following questions. Some questions can be answered on the team level, but where appropriate, each team member should write their own response:

1. What went well while writing this deliverable?

2. What pain points did you experience during this deliverable, and how did you resolve them?

3. How many of your requirements were inspired by speaking to your client(s) or their proxies (e.g. your peers, stakeholders, potential users)?

4. Which of the courses you have taken, or are currently taking, will help your team to be successful with your capstone project.

5. What knowledge and skills will the team collectively need to acquire to successfully complete this capstone project? Examples of possible knowledge to acquire include domain specific knowledge from the domain of your application, or software engineering knowledge, mechatronics knowledge or computer science knowledge. Skills may be related to technology, or writing, or presentation, or team management, etc. You should look to identify at least one item for each team member.

6. For each of the knowledge areas and skills identified in the previous question, what are at least two approaches to acquiring the knowledge or mastering the skill? Of the identified approaches, which will each team member pursue, and why did they make this choice?