

JARVIS CREATIVE OPERATIONS

GRAPHIC DESIGN FMS

FULL & FINAL SYSTEM DOCUMENTATION

Smart lifecycle from creative request to delivery, with JARVIS intelligence, workflow automation, AI doer recommendation, AI QC, mandatory progress automation, knowledge and reuse libraries, predictive risk, KPI analytics and continuous learning.

System Edition - August 2026
Full Kitting review standard: 10 minutes
Review <-> Rework: up to 3 cycles
AI QC only - no separate manual Self-QC stage

1. Purpose and Product Definition

This document explains the final Graphic Design FMS as a complete operating system for creative work. It is based on the approved lifecycle flowchart supplied for this system and expands each block into system behavior, automation rules, JARVIS responsibilities, workflow-engine logic, library/reuse behavior, KPI measurement and continuous improvement.

Product definition: Graphic Design FMS is an AI-native Creative Operations and Intelligence System. It controls the lifecycle of a creative task from request to closure while JARVIS observes context, recommends actions, automates routine control work, analyzes uploads, predicts risk and captures knowledge for future reuse.

What makes the system different

- The task is not treated as one row with one status; it moves through a controlled lifecycle.
- JARVIS participates at every meaningful stage instead of existing only as a separate chatbot.
- AI recommends the best doer using skill, workload, quality, familiarity, TAT and similar-task success.
- The system has a Knowledge & Reuse Engine that actively feeds approved work, templates, brand rules, assets, references, project history and lessons into the workflow.
- Mandatory progress tasks are created automatically at configured times and become measurable operational events.
- JARVIS AI QC is the only QC gate before review; human reviewers remain responsible for creative judgment and final approval.
- Review and rework are shown as one simple loop but support up to three cycles.
- Completion feeds Creative Memory so the system becomes more useful with every project.


2. Complete Lifecycle Summary



Every lifecycle stage has three layers working together: Workflow Engine controls what is allowed to happen, Automation Engine performs repeatable actions, and JARVIS Intelligence analyzes context and recommends or verifies the next best action.

3. Approved Graphic Design FMS Flowchart

The following is the approved smart lifecycle flow used as the basis for this system documentation.



4. Stage-by-Stage System Working

Stage	System working	JARVIS role	Automation / workflow
1. Request Raised	Graphic Design Form submitted with project/brand, task type, objective, deadline, priority, attachments/assets and special instructions.	Understands request/context, classifies task type, priority and complexity.	Creates task, reference, lifecycle and initial validations.
2. Brief & Full Kitting	System validates brief, content, assets, references and technical inputs. FK review standard is 10 minutes. Incomplete FK goes to FK Rework.	Flags missing information, risks and unclear requirements.	Blocks production until required readiness rules are satisfied.
3. AI Doer Recommendation	Before assignment, JARVIS analyzes the available design team and recommends the best match.	Scores skills, capacity, past quality, TAT, familiarity, availability and similar-task success.	Shows recommended doer and reason; manager can accept or override.
4. Research & Concept	Designer researches references, moodboard/direction and concepts when the task requires ideation.	Suggests similar approved work, references, templates and reusable assets from libraries.	Workflow template can make this stage required, optional or skipped.
5. Design & Production	Designer creates the graphic, applies brand rules, uses approved assets/templates, iterates and prepares review candidate.	Monitors progress, predicts delay, suggests reusable components and next actions.	Tracks exact productive TAT and mandatory progress requirements.
6. AI QC	Latest review candidate is analyzed automatically. No separate manual Self-QC stage.	Checks completeness, brand/technical rules, file/size/resolution, content, spelling/text, quality indicators and unresolved items.	Returns Ready, Ready with Warning or Blocked.
7. Review <-> Rework	Human reviewer reviews; designer reworks if required. The loop can repeat up to three cycles.	Analyzes remarks, compares versions, verifies corrections and recommends next action.	Tracks each review/rework cycle, TAT, cause and unresolved corrections.
8. Final Review & Approval	Team Leader/final approver reviews the accepted creative and records the decision.	Provides decision support and summarizes unresolved warnings; does not replace human final approval.	Approval/rejection/return decision is logged.
9. Final Check & Delivery	System performs a simple final file check, final upload/delivery and source-file archive.	Checks final files, formats, links, latest version and delivery completeness.	Only approved/latest version can be delivered.
10. Closure & Learning	Task is completed; KPI, TAT, feedback, lessons and outcome are captured.	Summarizes learning and updates Creative Memory and libraries.	Closes lifecycle while preserving full history.

5. AI Doer Recommendation - How JARVIS Suggests the Best Designer

The recommendation engine helps the assignee/manager choose the most suitable designer before work begins. It is advisory by default: the system explains why a designer is recommended, while the manager can accept the suggestion, choose another designer or manually reassign.

Signals used in the recommendation

Signal	Example interpretation
Skills & expertise match	Task type requires presentation design, video editing, image retouching, branding or another specialist skill.
Workload & capacity	Current active TAT, urgent work, blocked work and available capacity.
Past quality & accuracy	First-pass approval, rework rate, defect/reopen history and reviewer outcomes.
TAT performance	Historical actual TAT versus standard/expected TAT for similar work.
Task familiarity	Previous work for the same task family, brand, project or client.
Availability	Whether the designer can realistically start and finish within the required window.
Success on similar tasks	Historical outcomes on comparable task type, complexity and deliverable.
Feedback trend	Recurring strengths or correction patterns from prior reviews.

Recommendation output

JARVIS should return: recommended doer, match score, top reasons, workload warning if any, expected TAT and alternatives. Example: 'Recommended: Riya Gala - 92% match. Strong quality on similar presentation tasks, available capacity, fast historical TAT and positive feedback. Alternative: Designer B - 84%.'

The recommendation must not become a hidden black-box performance score. The reasons should be visible and the human assignment decision should be auditable.

6. Workflow Engine

The Workflow Engine is the control layer of the FMS. It knows the current stage, allowed next stages, prerequisites, timers, required actors, conditional branches and what should happen when a business event occurs.

Workflow responsibility	How it works
Stage control	Keeps one current actionable stage or an explicitly permitted parallel activity.
Transition rules	Example: Production cannot move to Review until the review candidate is uploaded and AI QC allows progression.
Conditional stages	Research/Concept can be required for branding work but skipped for a simple image correction.
Review loop	Review -> Rework -> Review can repeat up to three cycles without creating a confusing main flow.
Dependency control	Missing copy/assets can block or hold the relevant stage.
Role/action control	Even without a complex role-access model, the workflow knows whether the current action belongs to assignee, doer, reviewer or approver.
TAT control	Starts/stops the correct time bucket as stage and work-session events occur.
Exception routes	Cancellation, hold, reassignment, scope change, revision and reopen follow defined paths.
Automation trigger	Emits events used by JARVIS, notifications, mandatory uploads, analytics and archive.

Example transition




7. Automation Engine - How Tasks Are Automated

The Automation Engine converts recurring operational rules into system actions. It reduces manual follow-up and ensures the same process happens consistently for every applicable task.

Automation	Trigger	Automatic action
Task creation	Graphic Design Form submitted	Create lifecycle, reference, initial stage and required checks.
AI doer recommendation	Brief/FK sufficiently ready	Score designers and show recommended assignment.
Mandatory progress task	Configured slot becomes due	Create progress action in doer's workspace and notify.
AI QC	Review candidate uploaded / Complete attempted	Analyze latest upload and return gate decision.
Next-stage routing	Stage accepted/completed	Activate correct next stage automatically.
Review-to-rework	Reviewer chooses Rework	Open correct rework cycle with remarks attached.
Rework verification	New rework version uploaded	Compare against correction list and summarize unresolved items.
Reminder	Due/mandatory/review event approaches	Send configured reminder.
Escalation	Missed, critical or delayed condition	Alert configured recipient and update risk.
Pause on waiting	Waiting reason recorded	Stop accountable productive timer where policy permits.
Resume on condition met	Dependency becomes available	Make work actionable and restart when doer continues.
Archive	Final delivery completed	Archive source/final files and capture delivery outcome.
KPI calculation	Any lifecycle event	Recalculate TAT, compliance, quality and workload measures.
Learning capture	Task closed	Summarize lessons and update Creative Memory / libraries.

8. Automatic Mandatory Progress Tasks

Mandatory progress uploads are system-created tasks, not reminders to manually remember a form. The approved flow uses 10:30 AM, 02:30 PM and 05:30 PM as default slots. These timings should remain configurable.



Applicability logic

- Create a slot only when the task is in an applicable active production state.
- Short tasks that finish before the next slot can be excluded by policy.
- Paused/blocked tasks can follow a configurable rule depending on the pause reason.
- A missed slot remains recorded even if the designer uploads later.
- Mandatory progress is an administrative/compliance activity and should not distort productive design TAT.

Result	System behavior
ON TIME	Valid progress uploaded within the configured window.
LATE	Valid progress uploaded after the window; history remains visible.
MISSED	No valid progress received; escalation/risk rule may trigger.
NOT APPLICABLE	Rule engine determined the slot was not required.

9. JARVIS Intelligence at Every Step

Lifecycle point	What JARVIS does
Request	Understands context; classifies task type, priority and complexity.
Brief / FK	Checks completeness; flags missing information, assets and risk.
Assignment	Recommends best doer and explains the match.
Research	Searches libraries for approved work, references and project knowledge.
Concept	Suggests reusable directions/assets and warns against previously rejected patterns.
Production	Monitors progress, predicts delay, recommends reuse and next actions.
Mandatory upload	Analyzes timing and progress evidence; updates risk.
AI QC	Performs objective/structured quality and completeness checks.
Review	Structures remarks, identifies duplicate/conflicting feedback.
Rework	Compares new version with prior remarks and verifies corrections.
Approval	Summarizes remaining warnings and decision context.
Delivery	Checks files, formats, links, latest version and completeness.
Closure	Captures lessons, KPI outcome and reusable knowledge.

AI action levels

Level	Authority	Example
Observe	Analyze only	Read context, detect risk.
Suggest	Recommend to human	Doer recommendation, next-best action.
Prepare	Prepare structured work	Correction checklist, summary.
Execute with approval	Human confirms	Reassign/reschedule/override.
Auto-execute	Safe configured automation	Create mandatory task, trigger AI QC, send reminder.

10. JARVIS AI QC

AI QC is the only QC gate in the final workflow. It runs against the actual latest upload before human review. The purpose is to remove repetitive objective checking from reviewers while preserving human creative judgment.

QC dimension	Examples
Completeness	Required output/content present.
Brand	Configured logo/font/color/brand rules where machine-checkable.
Technical	File type, size, dimensions, resolution, aspect ratio and integrity.
Content	Required copy, project/client naming and obvious mismatch.
Text quality	Spelling and basic text checks.
Version	Latest file, stale/duplicate warning.
Review compliance	Previously unresolved correction items.
Risk	Quality or completeness issues likely to cause rework/delay.

Gate	Meaning
READY	Configured checks pass; proceed.
READY WITH WARNING	Proceed with visible warnings for reviewer awareness.
BLOCKED	Fix/re-upload is required, unless a permitted human override with reason is used.

JARVIS should always explain why a file is blocked or warned. AI should not make final subjective aesthetic approval decisions.

11. Review and Rework - Up to Three Cycles

The system intentionally presents Review <-> Rework as one lifecycle stage. Internally, each cycle is still recorded independently so management can measure iteration, quality and rework causes.



Structured review intelligence

- Reviewer remarks are converted into individual correction items.
- JARVIS groups duplicate comments and can flag conflicting instructions.
- Each correction can be categorized: brand, content, layout, typography, technical, client change, scope change, etc.
- After rework upload, JARVIS compares the new version against the correction list.
- The system shows resolved/unresolved percentage before the next review.
- Third rework is supported when the third review requires further correction.

Fair rework attribution

Cause	Treatment
Designer execution issue	Counts as designer rework.
Brief/FK error	Attributed to input/readiness cause.
Client change	Tracked separately from designer quality.
Reviewer preference change	Tracked as direction change.
New scope	Should create linked revision/new scope rather than unfair normal rework.
Technical/brand/content issue	Tracked by root-cause category.

12. Knowledge & Reuse Engine - Libraries

The Knowledge & Reuse Engine is a major product layer. It turns completed work and organizational knowledge into reusable inputs for future work. JARVIS searches these libraries before and during execution, and completion feeds new learning back into them.

Library	Contains	How JARVIS uses it
Approved Creatives	High-quality approved work, final visuals, successful directions.	Suggest similar approved examples before work starts.
Rejected Concepts	Rejected directions and the reasons they failed.	Prevent repeating known mistakes.
Templates Library	Editable templates, layouts and repeatable structures.	Speed up production and standardize output.
Brand & Style Guide	Brand rules, logos, fonts, colors, spacing and visual guidance.	Support production and AI QC consistency.
Assets Library	Images, icons, illustrations, 3D assets, mockups and reusable files.	Recommend approved assets instead of recreating work.
Reference Library	Past references, inspiration and research material.	Accelerate research and concept stages.
Project History	Past projects, versions, outcomes, TAT and review history.	Improve context, TAT prediction and assignment.
Client Preferences	Known likes/dislikes and previous approval/rejection patterns.	Improve direction and reduce avoidable rework.
Reusable Components	Design elements, layouts, patterns and components.	Enable component-level reuse.
Creative Memory	AI-generated lessons from project, review, outcome and feedback.	Make future recommendations smarter.

Reuse cycle



Reuse should always respect version, brand/project scope, access and asset-rights rules. JARVIS should recommend reusable material, not silently copy unsuitable or unapproved assets.

13. Core Intelligence Engines

Engine	Responsibility
Automation Engine	Creates tasks, reminders, escalations, deadlines and automatic operational actions.
Recommendation Engine	AI doer recommendation, template suggestions and next-best action.
Quality Intelligence Engine	AI QC, brand/technical checks and quality signals.
Predictive Intelligence Engine	Predicts delay, rework probability, expected TAT and completion time.
Workflow Intelligence Engine	Manages lifecycle, transitions, conditions, dependencies and business rules.
Notification Engine	Smart reminders, alerts, escalation and event notifications.
Analytics Engine	Tracks KPI, trends, productivity, workload, quality and business insights.
Learning Engine	Learns from task, review, outcome and feedback.
Continuous Improvement Engine	Suggests workflow/process/standard improvements from accumulated evidence.

How the engines cooperate

Example: a mandatory upload is missed. The Automation Engine marks the event, the Notification Engine alerts the doer, the Predictive Engine increases delay risk, the Analytics Engine updates mandatory compliance, the Workflow Engine preserves the current stage, and JARVIS explains the recommended corrective action.

14. TAT, Timing and Delay Intelligence

The timing model must separate real creative effort from waiting and administrative activity. Every Start, Pause, Continue and Complete action creates an auditable work-session history.

Time bucket	Meaning
Productive TAT	Active designer work time.
Review TAT	Reviewer working time.
Rework TAT	Active correction time.
Waiting / Blocked	Waiting for assets, content, approval, client or another dependency.
Mandatory/Admin	Required progress reporting or system administration.
Elapsed Time	Full wall-clock duration.

Predictive risk

Risk	Interpretation
Healthy	Expected to complete normally.
Watch	Early deviation.
At Risk	Meaningful delay probability; action recommended.
Critical	High delay probability; escalation/correction required.
Delayed	Committed TAT/deadline already breached.

JARVIS can use progress versus TAT consumed, mandatory upload compliance, missing dependencies, complexity, workload, unresolved review items and historical similar-task behavior to estimate delay risk.

15. KPI & Analytics Dashboard

KPI group	Core measures
Delivery KPI	On-Time Delivery %, Average Delivery Time, Task Completion Rate.
Quality KPI	First-Pass Approval %, Review Cycle per Task, Rework Count/Rate, Reopen/defect rate.
Productivity KPI	Designer productivity, output per day/week, utilization rate.
TAT KPI	Average TAT vs Standard, TAT variance, stage-wise TAT, expected vs actual.
Mandatory KPI	On-time upload %, late upload %, missed upload %.
Workload KPI	Workload vs capacity, overloaded designers, task distribution.
Business KPI	Client satisfaction, repeat requests, cost efficiency.
AI KPI	Doer recommendation acceptance, AI QC usefulness/override, risk prediction accuracy.
Knowledge KPI	Reuse rate, template/asset reuse, repeated-issue reduction.

Balanced performance principle

Designer performance should not be based on speed alone. A balanced view combines delivery reliability, first-pass approval, quality, rework, TAT efficiency, complexity and workload. This prevents the system from rewarding rushed work.

16. Notifications, Escalations and Management Control


Trigger	System response
Mandatory slot opens	Create progress task + notify doer.
Mandatory slot nearing due	Reminder.
Mandatory slot missed	Mark MISSED + alert + risk update.
At Risk	Visible warning and recommendation.
Critical	Escalation and corrective action recommendation.
Delayed	Escalation with root-cause visibility.
AI QC Blocked	Show failed checks and prevent normal transition.
Review submitted	Notify doer of rework items.
Rework verified	Notify reviewer / next stage.
Final approval required	Notify approver.
Dependency resolved	Make task actionable and notify responsible user.

Management Control Tower

- Active, blocked, at-risk, critical and delayed creatives.
- Today's mandatory uploads: upcoming, on-time, late and missed.
- Doer workload/capacity and urgent conflicts.
- Review/approval queue aging.
- First-pass approval and review-cycle trends.
- Rework root causes.
- Standard vs expected vs actual TAT.
- AI recommendations, QC warnings and overrides.
- Library reuse and recurring lessons.

17. Closure, Learning and Continuous Improvement

Task Complete is not the end of the intelligence lifecycle. Closure creates structured learning that improves the next request, assignment, design, QC and review.



What JARVIS captures

- What was approved and why.
- What was rejected and why.
- Which review remarks repeated.
- Which full-kitting gaps caused delay.
- Which templates/assets were successfully reused.
- Actual TAT and where time was lost.
- Who performed strongly on the task type.
- What client/project preferences emerged.
- What should be changed in workflow, checklist or standard.

This closes the R&D/knowledge loop: Find existing knowledge -> reuse -> execute -> capture lessons -> store -> use it for the next project.

18. Business Exceptions and System Behavior

Situation	Expected system behavior
Incomplete FK	Return to FK Rework; production remains blocked.
Doer unavailable	Re-run recommendation or manually reassign; preserve history.
Client changes requirement	Record client-change reason and recalculate scope/TAT if needed.
New scope	Create linked revision/new task rather than hiding as ordinary rework.
Waiting for asset/content	Pause/hold with classified reason; waiting remains visible.
Reviewer delay	Track separately from designer productive TAT.
AI QC false positive	Authorized override with reason; use outcome to measure AI.
Task cancelled	Close as cancelled without deleting history.
Completed task reopened	Create reopen/revision event so original completion remains auditable.
Third review needs correction	Open Rework 3 and return for final review.

19. AI and Design Tools the Designer Can Use

JARVIS is the workflow intelligence layer; designers can still use specialist creative tools for execution. The system should record/standardize approved tools where necessary, while JARVIS focuses on context, reuse, workflow, QC, risk and learning.

Tool category	Examples of use
Adobe Photoshop	Image editing, compositing, retouching, graphics.
Adobe Illustrator	Vector graphics, logos, illustrations.
Adobe InDesign	Brochures, publications and layout-heavy documents.
Figma	Collaborative interface/layout design and prototyping.
Canva	Fast template-based social/marketing graphics where appropriate.
Generative image AI	Concept exploration, visual ideation and approved generative workflows.
ChatGPT / JARVIS	Brief understanding, ideation support, copy assistance, research/reuse, workflow intelligence and QC support.

Use of generative AI should follow company policy, client confidentiality, brand requirements and asset-rights/provenance rules.

20. AI Governance and Trust

- Final creative approval remains human-controlled.
- JARVIS recommendations must include reasons rather than only a score.
- AI QC blocks should be tied to configured, explainable checks.
- Authorized overrides should record who overrode, why and what happened afterward.
- AI model/version and important decision outputs should be auditable.
- The system should measure AI accuracy, recommendation acceptance and false-positive/override trends.
- Client/project confidentiality and library access rules must be respected.
- Knowledge reuse must not bypass asset-rights, licensing or brand restrictions.

21. Recommended Implementation Roadmap

Phase	Capability delivered
1 - Core Lifecycle	Request, FK, assignment, production, review/rework, approval, delivery.
2 - Timing & Automation	Exact timers, mandatory progress tasks, reminders, escalations.
3 - JARVIS Foundations	Brief/FK intelligence, AI doer recommendation and basic knowledge retrieval.
4 - AI QC & Review Intelligence	AI QC, structured review items and rework verification.
5 - Libraries & Reuse	Approved/rejected/template/brand/asset/reference/project/client libraries.
6 - Predictive Operations	Delay prediction, workload/capacity and next-best action.
7 - Analytics & Control Tower	KPI dashboards, root causes, AI metrics and management insights.
8 - Creative Memory	Learning capture and continuous improvement recommendations.

22. Final System Acceptance Criteria

- Every request enters a defined lifecycle through the Graphic Design Form.
- Full Kitting review standard is 10 minutes and incomplete FK returns to rework.
- JARVIS recommends a doer using transparent, explainable factors.
- Workflow Engine controls stages, conditions, dependencies and transitions.
- Mandatory progress tasks are created automatically at applicable configured slots.
- Late and missed mandatory events remain historically accurate.
- AI QC analyzes the latest actual upload before review; there is no separate manual Self-QC.
- Review <-> Rework supports up to three cycles, including Rework 3.
- JARVIS verifies correction items against rework versions.
- Final approval remains a human decision.
- Final delivery uses the approved/latest version and passes a simple file/delivery check.
- Knowledge & Reuse Engine actively supports research, production, QC and future work.
- Core intelligence engines update workflow, risk, notifications, analytics and learning automatically.
- KPI dashboards balance speed, quality, workload, compliance and business impact.
- Closure captures lessons into Creative Memory and libraries for continuous improvement.

23. Final Operating Model

**REQUEST -> VALIDATE -> RECOMMEND -> RESEARCH -> PRODUCE -> AI QC ->
REVIEW/REWORK -> APPROVE -> DELIVER -> LEARN**

The strategic advantage is the closed loop. JARVIS does not only help create content: it understands the request, finds reusable knowledge, recommends the right doer, watches execution, automates mandatory work, checks quality, predicts risk, verifies corrections, measures outcomes and learns from the completed task. The result is a creative FMS that becomes more standardized, faster and more intelligent as the organization uses it.