

Ostivarene Film-Coated Tablets

Module 3 Quality Documentation — Formulation F-244/A

Regional Information

No excipients of human or animal origin are used in the drug product with the exception of lactose monohydrate, for which a TSE/BSE compliance declaration is provided in Module 3.2.A.2. Certificates of suitability are maintained where applicable.

No changes to the approved analytical procedures are proposed in this submission. Statistical evaluation of batch release data demonstrates process capability well within specification limits. Training records for personnel involved in manufacturing and testing are maintained under the site quality system. Deviations observed during the campaign were investigated and closed with no impact to product quality. Change control procedures ensure that any modification to materials, methods, or equipment is assessed for regulatory impact prior to implementation.

Process Validation Summary

Process performance qualification was executed on three consecutive commercial-scale batches. All predefined acceptance criteria for critical process parameters and critical quality attributes were met, supporting a conclusion of a validated state of control.

The finished product is stored and distributed under controlled ambient conditions consistent with the approved label storage statement. The control strategy links critical quality attributes to critical process parameters identified during development. Statistical evaluation of batch release data demonstrates process capability well within specification limits. Data supporting these conclusions are maintained at the manufacturing site and are available for inspection. Annual product quality reviews evaluate batch trends, deviations, complaints, and stability data to confirm the continued state of control. Deviations observed during the campaign were investigated and closed with no impact to product quality.

Analytical results are trended electronically, and out-of-trend results trigger a documented laboratory investigation. Statistical evaluation of batch release data demonstrates process capability well within specification limits. Supplier qualification includes periodic audits, review of certificates of analysis, and trending of incoming material test results. Change control procedures ensure that any modification to materials, methods, or equipment is assessed for regulatory impact prior to implementation. Risk assessments were performed in accordance with ICH Q9 principles, and residual risks were judged acceptable. Annual product quality reviews evaluate batch trends, deviations, complaints, and stability data to confirm the continued state of control.

3.2.P.4 Excipient Control Strategy

For the commercial formulation F-244/A, Aerosil 200 Pharma (Colloidal silicon dioxide, glidant) is used.

Formulation Development Rationale

Aerosil 200 Pharma was selected as the commercial grade of colloidal silicon dioxide on the basis of lower moisture content mitigating hydrolytic degradation of the drug substance.

The excipient control strategy was developed in accordance with USP-NF, IPEC Excipient Qualification Guide and Ph. Eur. general monograph 2034.

Commercial Control Strategy — Excipients

Component	Function	Grade per current specification
Colloidal silicon dioxide	glidant	Cab-O-Sil M-5P
Reference		SPEC-EX-2636 Rev 09

Container Closure System

The commercial packaging configuration consists of high-density polyethylene bottles with child-resistant polypropylene closures and induction seal liners. Container closure integrity was demonstrated by dye ingress testing. The packaging components comply with applicable food-contact regulations and compendial requirements for plastic packaging systems.

Deviations observed during the campaign were investigated and closed with no impact to product quality. Change control procedures ensure that any modification to materials, methods, or equipment is assessed for regulatory impact prior to implementation. The finished product is stored and distributed under controlled ambient conditions consistent with the approved label storage statement. Hold-time studies established acceptable storage durations for intermediate blends and cores under defined conditions. Environmental monitoring of the manufacturing areas is performed per the site monitoring program, with alert and action limits established from historical data.

Regional Information

No excipients of human or animal origin are used in the drug product with the exception of lactose monohydrate, for which a TSE/BSE compliance declaration is provided in Module 3.2.A.2. Certificates of suitability are maintained where applicable.

Hold-time studies established acceptable storage durations for intermediate blends and cores under defined conditions. Annual product quality reviews evaluate batch trends, deviations, complaints, and stability data to confirm the continued state of control. Risk assessments were performed in accordance with ICH Q9 principles, and residual risks were judged acceptable. The control strategy links critical quality attributes to critical process parameters identified during development. Training records for personnel involved in manufacturing and testing are maintained under the site quality system. Cleaning verification swab results were below the health-based exposure limits derived for the product.

Process Validation Summary

Process performance qualification was executed on three consecutive commercial-scale batches. All predefined acceptance criteria for critical process parameters and critical quality attributes were met, supporting a conclusion of a validated state of control.

Annual product quality reviews evaluate batch trends, deviations, complaints, and stability data to confirm the continued state of control. Comparability of pilot- and commercial-scale batches was demonstrated with respect to dissolution and impurity profiles. Supplier qualification includes periodic audits, review of certificates of analysis, and trending of incoming material test results. The control strategy links critical quality attributes to critical process parameters identified during development. Environmental monitoring of the manufacturing areas is performed per the site monitoring program, with alert and action limits established from historical data. Analytical results are trended electronically, and out-of-trend results trigger a documented laboratory investigation.

Change control procedures ensure that any modification to materials, methods, or equipment is assessed for regulatory impact prior to implementation. Annual product quality reviews evaluate batch trends, deviations, complaints, and stability data to confirm the continued state of control. Data supporting these conclusions are

maintained at the manufacturing site and are available for inspection. Statistical evaluation of batch release data demonstrates process capability well within specification limits.