

# Cindrapect Film-Coated Tablets

## Module 3 Quality Documentation — Formulation F-632/B

### Regional Information

No excipients of human or animal origin are used in the drug product with the exception of lactose monohydrate, for which a TSE/BSE compliance declaration is provided in Module 3.2.A.2. Certificates of suitability are maintained where applicable.

Risk assessments were performed in accordance with ICH Q9 principles, and residual risks were judged acceptable. Environmental monitoring of the manufacturing areas is performed per the site monitoring program, with alert and action limits established from historical data. Training records for personnel involved in manufacturing and testing are maintained under the site quality system. Supplier qualification includes periodic audits, review of certificates of analysis, and trending of incoming material test results.

Analytical results are trended electronically, and out-of-trend results trigger a documented laboratory investigation. No changes to the approved analytical procedures are proposed in this submission. Risk assessments were performed in accordance with ICH Q9 principles, and residual risks were judged acceptable. Data supporting these conclusions are maintained at the manufacturing site and are available for inspection. Training records for personnel involved in manufacturing and testing are maintained under the site quality system. Environmental monitoring of the manufacturing areas is performed per the site monitoring program, with alert and action limits established from historical data.

### Container Closure System

The commercial packaging configuration consists of high-density polyethylene bottles with child-resistant polypropylene closures and induction seal liners. Container closure integrity was demonstrated by dye ingress testing. The packaging components comply with applicable food-contact regulations and compendial requirements for plastic packaging systems.

Cleaning verification swab results were below the health-based exposure limits derived for the product. Risk assessments were performed in accordance with ICH Q9 principles, and residual risks were judged acceptable. Change control procedures ensure that any modification to materials, methods, or equipment is assessed for regulatory impact prior to implementation. No changes to the approved analytical procedures are proposed in this submission.

No changes to the approved analytical procedures are proposed in this submission. Statistical evaluation of batch release data demonstrates process capability well within specification limits. The control strategy links critical quality attributes to critical process parameters identified during development. Data supporting these conclusions are maintained at the manufacturing site and are available for inspection. Risk assessments were performed in accordance with ICH Q9 principles, and residual risks were judged acceptable.

## Analytical Method Validation Summary

The assay and related-substances procedures employ reversed-phase high performance liquid chromatography with ultraviolet detection. Validation demonstrated acceptable specificity, linearity, accuracy, precision, and robustness. Forced degradation studies confirmed the stability-indicating capability of the related-substances method.

Change control procedures ensure that any modification to materials, methods, or equipment is assessed for regulatory impact prior to implementation. Statistical evaluation of batch release data demonstrates process capability well within specification limits. The control strategy links critical quality attributes to critical process parameters identified during development. Supplier qualification includes periodic audits, review of certificates of analysis, and trending of incoming material test results. No changes to the approved analytical procedures are proposed in this submission.

## Section 3.2.P.4 — Excipients

For the commercial formulation F-632/B, Tablettose 80 (Lactose monohydrate, diluent) is used.

Grade selection and control follow the principles of ICH Q3D and USP-NF.

### Justification of Material Grade

The selection of Tablettose 80 is justified by reduced sticking and picking observed during tableting trials observed during development studies.

### Commercial Control Strategy — Excipients

| Component           | Function | Grade per current specification |
|---------------------|----------|---------------------------------|
| Lactose monohydrate | diluent  | Tablettose 80                   |
| Reference           |          | SPEC-EX-7118 Rev 08             |

## **Manufacturing Process Overview**

The drug product is manufactured by a conventional wet granulation process comprising dispensing, high-shear granulation, fluid-bed drying, milling, blending, compression, and film coating. In-process controls are applied at each unit operation, including loss on drying after fluid-bed drying and blend uniformity prior to compression. Process parameters were established during process performance qualification and are maintained under the site quality system.

The finished product is stored and distributed under controlled ambient conditions consistent with the approved label storage statement. Training records for personnel involved in manufacturing and testing are maintained under the site quality system. No changes to the approved analytical procedures are proposed in this submission. The control strategy links critical quality attributes to critical process parameters identified during development. Comparability of pilot- and commercial-scale batches was demonstrated with respect to dissolution and impurity profiles. Deviations observed during the campaign were investigated and closed with no impact to product quality.

## **Analytical Method Validation Summary**

The assay and related-substances procedures employ reversed-phase high performance liquid chromatography with ultraviolet detection. Validation demonstrated acceptable specificity, linearity, accuracy, precision, and robustness. Forced degradation studies confirmed the stability-indicating capability of the related-substances method.

Hold-time studies established acceptable storage durations for intermediate blends and cores under defined conditions. Supplier qualification includes periodic audits, review of certificates of analysis, and trending of incoming material test results. The control strategy links critical quality attributes to critical process parameters identified during development. Deviations observed during the campaign were investigated and closed with no impact to product quality. Risk assessments were performed in accordance with ICH Q9 principles, and residual risks were judged acceptable. Comparability of pilot- and commercial-scale batches was demonstrated with respect to dissolution and impurity profiles.