

Nexavorin — Stability Study Design

Protocol STAB-P-2019-12

Data Evaluation and Reporting

Stability data are evaluated per ICH Q1E. Regression analysis is applied to quantitative attributes exhibiting change over time; poolability across batches is assessed at the 0.25 significance level. Annual reports summarize all data generated in the reporting interval.

Sample Inventory and Pull Windows

Sample inventory per condition and timepoint is defined in the pull schedule appendix. Scheduled pulls are performed within ± 7 days of the nominal date; pull records are maintained in the site stability management system.

Study Storage Conditions

The primary (refrigerated condition) storage condition for this protocol is $5^{\circ}\text{C} \pm 3^{\circ}\text{C}$. Accelerated studies at $40^{\circ}\text{C} \pm 2^{\circ}\text{C}$ / $75\% \text{ RH} \pm 5\% \text{ RH}$ were completed through six months during development and are not part of this protocol.

Pull Schedule

Long-term samples are tested at 0, 3, 6, 12, 18, 24, 36 and 48 months.

Protocol Deviations

The 18-month timepoint for batch 002 was tested 20 days outside the ± 7 -day protocol window; a quality assessment concluded no impact on data validity.

Acceptance Criteria

The stability acceptance criterion applied at each interval is — Water content: not more than 5.0% w/w. All other registered specification tests apply unchanged.

Bracketing and Matrixing

In accordance with ICH Q1D, bracketing is applied: the 10 mg and 100 mg strengths are tested, and the intermediate 20 mg strength is covered because all strengths are direct scale-equivalents of a common blend in the same container closure system.

Stability Commitments

A post-approval commitment is made to enrol one commercial batch of Nexavorin per year into the ongoing stability program and to report confirmed out-of-specification results within 30 days.

Sample Inventory and Pull Windows

Sample inventory per condition and timepoint is defined in the pull schedule appendix. Scheduled pulls are performed within ± 7 days of the nominal date; pull records are maintained in the site stability management system.

Photostability

Confirmatory photostability testing per ICH Q1B was completed during development and is not repeated in this protocol. The product is labeled for storage in the original container to protect from light.