

# Tolzepram — Stability Protocol

Protocol STAB-P-2021-88

## Sample Inventory and Pull Windows

Sample inventory per condition and timepoint is defined in the pull schedule appendix. Scheduled pulls are performed within  $\pm 7$  days of the nominal date; pull records are maintained in the site stability management system.

## Storage Conditions

The primary (long-term ICH condition) storage condition for this protocol is  $25^{\circ}\text{C} \pm 2^{\circ}\text{C}$  /  $60\% \text{ RH} \pm 5\% \text{ RH}$ . Accelerated studies at  $40^{\circ}\text{C} \pm 2^{\circ}\text{C}$  /  $75\% \text{ RH} \pm 5\% \text{ RH}$  were completed through six months during development and are not part of this protocol.

## Pull Schedule

| Interval (months) | 0 | 3 | 6 | 9 | 12 | 18 | 24 |
|-------------------|---|---|---|---|----|----|----|
| Long-term testing | X | X | X | X | X  | X  | X  |

## Protocol Deviations

No deviations from this protocol have been recorded to date.

## Post-Approval Commitments

The first three commercial-scale batches of Tolzepram will be placed on the long-term stability program, with at least one production batch added annually thereafter.

## **Photostability**

Confirmatory photostability testing per ICH Q1B was completed during development and is not repeated in this protocol. The product is labeled for storage in the original container to protect from light.

## **Container Closure and Orientation**

Samples are stored in the commercial container closure system. Bottles are stored upright; a subset of inverted samples is included at the initial and final timepoints to assess closure-liner interaction. Induction seal integrity is verified at each pull.

## **Acceptance Criteria**

The stability acceptance criterion applied at each interval is — Total degradation products: not more than 2.0%. All other registered specification tests apply unchanged.

## **Bracketing Justification**

A bracketing design per ICH Q1D tests the extremes of the strength range (20 mg and 75 mg); the 25 mg strength shares identical formulation composition and packaging and is therefore not tested.

## **Container Closure and Orientation**

Samples are stored in the commercial container closure system. Bottles are stored upright; a subset of inverted samples is included at the initial and final timepoints to assess closure-liner interaction. Induction seal integrity is verified at each pull.

## **Batch Selection**

The protocol covers three primary batches manufactured at commercial scale using the approved process. Batch genealogy, manufacturing dates, and packaging lots are recorded in the batch appendix. All batches were released against the approved specification prior to set-down.

## **Sample Inventory and Pull Windows**

Sample inventory per condition and timepoint is defined in the pull schedule appendix. Scheduled pulls are performed within  $\pm 7$  days of the nominal date; pull records are maintained in the site stability management system.