Practical No. 10

Aim: Programming with Multi-Media.

activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com"
    xmlns:tools="http://schemas.android.com"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical"
    android:gravity="center"
    tools:context=".MainActivity">

    <Button
        android:id="@+id/btnPlay"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Play" />

    <Button
        android:id="@+id/btnPause"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Pause" />

    <Button
        android:id="@+id/btnStop"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Stop" />

</LinearLayout>
```

MainActivity.kt

```
package com.example.test

import android.media.MediaPlayer
import android.os.Bundle
import androidx.appcompat.app.AppCompatActivity
import android.widget.Button
```

```
class MainActivity : AppCompatActivity() {

    private var mediaPlayer: MediaPlayer? = null

    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_main)

        val playButton: Button = findViewById(R.id.btnPlay)
        val pauseButton: Button = findViewById(R.id.btnPause)
        val stopButton: Button = findViewById(R.id.btnStop)

        // Initialize the MediaPlayer
        // MediaPlayer.create handles the prepare() step for local raw resources
        mediaPlayer = MediaPlayer.create(this, R.raw.sound_file)

        playButton.setOnClickListener {
            // Start playback from the current position
            mediaPlayer?.start()
        }

        pauseButton.setOnClickListener {
            // Pause playback
            mediaPlayer?.pause()
        }

        stopButton.setOnClickListener {
            // Stop and release the MediaPlayer object, then re-initialize for next play
            mediaPlayer?.stop()
            mediaPlayer?.release()
            mediaPlayer = MediaPlayer.create(this, R.raw.sound_file)
        }
    }

    override fun onDestroy() {
        super.onDestroy()
        // Release the media player resources when the activity is destroyed
        mediaPlayer?.release()
    }
}
```

Output