Program 1: Write a program to demonstrate ListBox.

```
Public Class Form1
    Private Sub Form1_Load(sender As Object, e As EventArgs) Handles MyBase.Load
        lstItems.Items.Add("Item 1")
        lstItems.Items.Add("Item 2")
        lstItems.Items.Add("Item 3")
    End Sub

    Private Sub btnAdd_Click(sender As Object, e As EventArgs) Handles btnAdd.Click
        If txtNewItem.Text = "" Then
            MessageBox.Show("Please enter a new item.")
        Else
            lstItems.Items.Add(txtNewItem.Text)
            txtNewItem.Text = ""
        End If
    End Sub

    Private Sub btnRemove_Click(sender As Object, e As EventArgs) Handles btnRemove.Click
        If lstItems.SelectedIndex = -1 Then
            MessageBox.Show("Please select an item to remove.")
        Else
            lstItems.Items.RemoveAt(lstItems.SelectedIndex)
        End If
    End Sub

    Private Sub btnClear_Click(sender As Object, e As EventArgs) Handles btnClear.Click
        lstItems.Items.Clear()
    End Sub

    Private Sub btnShowSelected_Click(sender As Object, e As EventArgs) Handles
btnShowSelected.Click
        If lstItems.SelectedIndex = -1 Then
            MessageBox.Show("Please select an item.")
        Else
            lblResult.Text = "Selected Item: " & lstItems.SelectedItem
        End If
    End Sub

    Private Sub btnTotal_Click(sender As Object, e As EventArgs) Handles btnTotal.Click
        lblTotal.Text = "Total: " & lstItems.Items.Count.ToString()
    End Sub
End Class
```

Output:




Fig 6.1 — Initial state with default items loaded




Fig 6.2 — Adding a new item and displaying selected item & total count




Fig 6.3 — Remove Selected validation when no item is selected




Fig 6.4 — Add Item validation when text field is empty

Program 2: Write a program to demonstrate ComboBox.

```
Public Class Form1
    Private Sub Form1_Load(sender As Object, e As EventArgs) Handles MyBase.Load
        cboItems.Items.Add("Item 1")
        cboItems.Items.Add("Item 2")
        cboItems.Items.Add("Item 3")
        cboItems.Items.Add("Item 4")
    End Sub

    Private Sub btnShowChoice_Click(sender As Object, e As EventArgs) Handles btnShowChoice.Click
        If cboItems.SelectedIndex = -1 Then
            MessageBox.Show("Please select an item.")
        Else
            lblChosen.Text = "Chosen Item: " & cboItems.SelectedItem.ToString()
        End If
    End Sub
End Class
```

Output:




Fig 6.5 — ComboBox with default items loaded




Fig 6.6 — Selecting Item 4 and displaying the chosen item

Program 3: Write a program to demonstrate CheckBox.

```
Imports System.Collections.Generic

Public Class Form1
    Private Sub btnShowHobbies_Click(sender As Object, e As EventArgs) Handles
btnShowHobbies.Click
        Dim hobbies As New List(Of String)

        If chkReading.Checked Then hobbies.Add("Reading")
        If chkMusic.Checked Then hobbies.Add("Music")
        If chkSports.Checked Then hobbies.Add("Sports")
        If chkGaming.Checked Then hobbies.Add("Gaming")

        If hobbies.Count = 0 Then
            lblResult.Text = "No hobbies selected."
        Else
            lblResult.Text = $"Selected hobbies: {String.Join(", ", hobbies)}"
        End If
    End Sub
End Class
```

Output:




Fig 6.7 — CheckBox with "Sports" selected at default




Fig 6.8 — Multiple selections: Music and Sports checked



Fig 6.9 — No hobbies selected — validation message displayed

Program 4: Write a program to demonstrate RadioButton.

```
Public Class Form1
    Dim result As String

    Private Sub rdbEasy_CheckedChanged(sender As Object, e As EventArgs) Handles
rdbEasy.CheckedChanged
        If rdbEasy.Checked Then
            result = "Easy"
            lblSelected.Text = $"Selected: {result}"
        End If
    End Sub

    Private Sub rdbMedium_CheckedChanged(sender As Object, e As EventArgs) Handles
rdbMedium.CheckedChanged
        If rdbMedium.Checked Then
            result = "Medium"
            lblSelected.Text = $"Selected: {result}"
        End If
    End Sub

    Private Sub rdbHard_CheckedChanged(sender As Object, e As EventArgs) Handles
rdbHard.CheckedChanged
        If rdbHard.Checked Then
            result = "Hard"
            lblSelected.Text = $"Selected: {result}"
        End If
    End Sub
End Class
```

Output:




Fig 6.10 — RadioButton with "Hard" difficulty selected