

Knowledge-Graph-Gated Multi-Agent Embodied Conflict Realignment for Anti-Hallucination in Multimodal EHR Synthesis

Honglei Shi

v1.1.0 Compiled at 2026-06-09T06:09:00+08:00 (MVP Draft)

Abstract

Multimodal electronic health record synthesis must reconcile unstructured symptom narratives, visual findings, knowledge-graph evidence, and structured interoperability constraints. We propose a knowledge-graph-gated multi-agent embodied closed-loop method for conflict realignment and anti-hallucination. Built on the existing `franka_ros2` edge API and embodied skill surface, the prototype connects a Symptom Agent, Vision Agent, KG Conflict Agent, Action Agent, and EMR/FHIR Agent through a shared state object. In a synthetic MVP with 24 trials and five baselines, B0 linear generation obtains a conflict-detection F1 of 0.7500 and a hallucination rate of 0.6250, while B2 KG-gated routing reaches an F1 of 1.0000 and reduces hallucination rate to 0.0000. The B4 tool-enhanced closed loop improves FHIR valid rate to 0.6250. We also add a license-aware dataset registry, no-PHI CSV/JSONL replay bridge, and trainable graph-attention-lite baseline for later controlled-data and GNN/GAT integration. These results demonstrate an executable and auditable research pipeline, not clinical validation.

1 Introduction

Multimodal EHR synthesis is vulnerable to unsupported clinical statements when text, vision, and structured outputs disagree. Paper II extends the Paper I edge-quality routing loop into semantic conflict routing: when evidence is incomplete or contradictory, the system routes to resampling, follow-up questioning, KG query, FHIR repair, or human review.

2 Methods

The system has three layers: the `doctor/paper2` cognition layer, the `franka_api_server` edge API layer, and the existing ROS 2 embodied execution layer. The shared `Paper2State` records symptom entities, image quality, visual tags, KG matches, conflict confidence, tool calls, EMR drafts, FHIR document Bundles, validator mode, and latency. A readiness probe checks whether the edge API exposes joint status and skill endpoints without making the synthetic MVP depend on live ROS services.

The KG gate is:

$$\gamma = 0.28C_e + 0.24Q_v + 0.36K_c - 0.22P_c, \quad (1)$$

where C_e is entity completeness, Q_v is vision quality, K_c is KG consistency, and P_c is contradiction penalty. The local KG is also exported as `kg_edges.csv`. Deterministic signed-edge propagation, message-passing embedding, and trainable graph-attention-lite ablations provide graph baselines for later GAT/GNN experiments. A placeholder-only `entity_map.csv` records project-local codes, FHIR targets, and ICD/SNOMED placeholder fields without restricted ontology text.

The dataset bridge records access level, license, source type, and local derived-path metadata in `datasets/registry.json`. It supports CSV, JSONL, and JSON case files and rejects controlled placeholders unless explicitly enabled with a local derived file. The repository tracks only no-PHI synthetic fixtures.

3 Experiments

Eight synthetic case templates are expanded into 24 trials. Five baselines are evaluated: B0 linear generation, B1 self-reflection, B2 KG-gated routing, B3 embodied closed loop, and B4 tool-enhanced closed loop. The lightweight FHIR checker requires a document Bundle, a first Composition entry, Patient and Observation resources, and Patient subject references; an external validator command can be injected through an environment variable. A batch FHIR replay exports Bundle JSON files and validates the same artifacts. A separate official-validator audit records the validator command, artifact SHA-256, external passes on locally valid Bundles, and unexpected rejects. A separate no-PHI sample replay verifies the dataset registry and file-loader path without claiming real public-dataset validity.

4 Results

Table 1: Paper II MVP results from `paper2_summary.csv`.

Baseline	F1	Halluc.	FHIR valid	Tool rate
B0	0.7500	0.6250	0.7500	0.0000
B1	1.0000	0.2500	0.5000	0.1250
B2	1.0000	0.0000	0.2500	0.3750
B3	1.0000	0.2500	0.3750	0.6250
B4	1.0000	0.2500	0.6250	0.6250

Signed-edge KG propagation, message-passing embedding, and graph-attention-lite over 24 synthetic trials each obtain precision, recall, and F1 of 1.0000 for conflict detection. The trainable graph-attention-lite run learns support attention -7.7959, contradiction attention 6.1827, and low-quality attention 14.9607. The large-GNN evidence audit now writes a template and remains blocked until a licensed large-ontology GNN/GAT run supplies graph scale, model, split, metric, evidence URI, and artifact-hash fields. The entity-map coverage report shows 10/10 KG entities mapped to project-local codes and FHIR targets; all ICD/SNOMED fields remain placeholder-only. A licensed-ontology identifier audit now writes a template and remains blocked until all KG entities have license-approved identifier evidence, approval URI, source release, and artifact hash without restricted ontology text in the repository. FHIR validator replay exports 120 Bundle JSON artifacts. In local-structural mode, B0-B3 each obtain a Bundle valid rate of 0.7500, while B4 obtains 1.0000. The official-validator audit is reproducible but blocked in the default offline run because no official validator command or jar artifact is configured. The no-PHI sample dataset replay produces `dataset_replay.csv`: in a 24-trial run, B0 has F1 0.8000 and hallucination rate 0.5000, while B4 has F1 1.0000 and hallucination rate 0.1667. This is an engineering replay check only. The dataset compliance audit checks registry metadata, derived case schemas, controlled-data path placement, lightweight PHI patterns, and approval-evidence pointers. The current audit has two ready software fixtures and two blocked controlled placeholders; no required real dataset is ready. The expert

review protocol packet contains 40 review items and 80 synthetic placeholder annotations. Cohen kappa is 1.0000 for factual support and FHIR acceptability, and 0.8961 for human-review routing. This validates the review schema only. The real-review adapter writes a blank annotation template and validates completed expert labels against the review packet. It requires at least two non-synthetic reviewers, two reviewers per item, valid boolean labels, and 1–5 scores before producing real agreement evidence. The Franka closed-loop collector requires an online API, probes joints and skills endpoints, executes named skills, and validates online probe status, skill success, and nonnegative latency before accepting robot evidence. The `bilingual_sync_audit` checks Chinese/English Markdown, LaTeX, and PDF artifacts for the same key evidence and limitations before readiness accepts synchronized manuscript content. The `closed_loop_summary` reports the synthetic local closed-loop timing profile: across 120 trials, latency p50 is 0.0420 ms, p95 is 0.0771 ms, and the tool-call rate is 0.3500. This is a software-path summary, not Gazebo/FR3 RTT evidence. The `phase_completion_audit` maps 35 planned phase tasks to repository evidence; 23 tasks are ready, 11 are partial, 1 is blocked, and no submission-required phase task is blocked. A readiness audit records submission-critical gates for real datasets, licensed ontology identifiers, official FHIR validation, API/Gazebo/FR3 closed-loop evidence, large-graph GNN/GAT evidence, real expert review, bilingual manuscript synchronization, and phase completion. In the default offline audit, 7 of 18 gates are ready, 1 is partial, and 10 are blocked; 3 of 13 submission-required gates are ready, and submission-ready = no. This explicitly marks the current manuscript as a reproducible MVP draft rather than submission-ready clinical evidence.

5 Conclusion

The MVP shows that explicit KG gating and tool invocation convert missed conflicts in linear generation into auditable routing decisions. Future work must run the registry bridge on approved public or controlled datasets, replace ontology placeholders with licensed identifiers, replay the exported Bundles with an official FHIR validator, extend the KG with licensed ontologies and real GNN/GAT training, replace synthetic review with real expert review, and run the loop against Gazebo or FR3 hardware.

References

- [1] Duane Bender and Kamran Sartipi. HL7 fhir: An agile and restful approach to healthcare information exchange. In *Proceedings of the 26th IEEE International Symposium on Computer-Based Medical Systems*, pages 326–331, 2013.
- [2] Ary L. Goldberger, Luis A. N. Amaral, Leon Glass, Jeffrey M. Hausdorff, Plamen Ch. Ivanov, Roger G. Mark, Joseph E. Mietus, George B. Moody, Chung-Kang Peng, and H. Eugene Stanley. Physiobank, physiotoolkit, and physionet: components of a new research resource for complex physiologic signals. *Circulation*, 101(23):e215–e220, 2000.
- [3] Alistair E. W. Johnson, Lucas Bulgarelli, Lu Shen, Alvin Gayles, Ayad Shammout, Steven Horng, Tom J. Pollard, Sicheng Hao, and Roger G. Mark. Mimic-iv, a freely accessible electronic health record dataset. *Scientific Data*, 10(1):1, 2023.
- [4] Alistair E. W. Johnson, Tom J. Pollard, Seth J. Berkowitz, Nathaniel R. Greenbaum, Matthew P. Lungren, Chih-ying Deng, Roger G. Mark, and Steven Horng. Mimic-cxr, a de-

- identified publicly available database of chest radiographs with free-text reports. *Scientific Data*, 6(1):317, 2019.
- [5] Dongwen Lee, Nicolette F. de Keizer, Francis Lau, and Ronald Cornet. Literature review of snomed ct use. *Journal of the American Medical Informatics Association*, 21(e1):e11–e19, 2014.
- [6] Oguzhan Topsakal and T. C. Akinici. Creating large language model applications utilizing langchain: A primer on developing llm apps fast. In *International Conference on Applied Engineering and Natural Sciences*, 2023.