
Brim baseline

An original voice-first notch assistant with a generative card kit.
Gap analysis · working baseline · roadmap

Prepared for Shahzeb Makhdoom · Oct 13, 2026 · "Brim" is a placeholder name. The palette, sounds, copy and code are original, not Agently's.




Approval dropping from the notch (browser build, headless Chromium)


1. What you get and what was verified

Item	Status (checked Oct 13, 2026 ET)
Unit tests (contract, migration, store/undo/history, policy, mock stream, notch placement)	14/14 pass (`npm test`)
TypeScript types + generated JSON Schema v1	tsc --strict OK; schema snapshot test
Electron overlay (transparent, click-through, Alt+Space hotkey, IPC + ajv validation)	Launched under Xvfb on Linux; mock agent over IPC rendered a needs-you card (`npm run smoke`). **Not run on macOS** (no Mac available here)
Browser build, plus single-file `dist/brim.html` (395 KB, sounds inlined)	No page errors; all 13 sounds decoded
Screenshots of 18 states	Captured with Playwright; no console errors
`demo.mp4`	35.7 s, 1280×800 H.264 30 fps + AAC 48 kHz stereo, -17.5 LUFS integrated; 24 sound events synced from the event log
Claude Agent SDK adapter	Stub only, not executed. The SDK (0.3.296) exports `query`, `tool` and `createSdkMcpServer`


2. Demo in motion (frames from demo.mp4, 10 fps)




Alert drops out of the notch: DROP spring (180/14), slight overshoot




Wake → listen → the island springs open (ARRIVE 140/15) → shimmering skeleton guessed from the words




Reshape in place: the list shortens, a number block arrives, $ counts up over 820 ms, the sparkline draws



Edit in place, then the approval drops in (needs-you sound)




Allow once → card blurs out → receipt bar with Undo and a countdown line




Later alert → card opens → auto-dismiss


3. Key states




rest




alert




listening




skeleton




todo




reshape




approval




receipt




jobs




history




error




offline




permission



source




floating-dark



light-floating

4. Block catalog (19 = 13 core + 6 for the gaps)



All renderers. New ones: undo, error, offline, history, permission, source

5. Gap analysis

Gap analysis — what the Jarvis concept (as shown publicly) lacks, and what you need to ship your own

Basis: the public promo videos, the v0.1.38 app bundle and the docs we read. "Not seen" means we did not see it in the videos or the bundle code we read. It does not prove the feature is absent. Status in baseline: ✅ done in baseline · 🟡 partial/stub · ⬜ not started.

Must-have before shipping (P0)

#	Gap	Why it matters	Baseline
1	**Prompt injection from emails/docs/web**	Agent reads untrusted mail and can send mail — classic exfiltration path	🟡 `quarantine()`, `flagInjection()`, taint → always ask, `source` block with trust labels
2	**Action safety: granular approvals + undo**	"Always allow" per action kind is coarse; sends are irreversible	✅ once / this recipient / this kind / edit / deny; undo window on sends; high-risk always asks
3	**Error, offline, auth-expired, permission-denied states**	The demos show only happy paths	✅ `error`, `offline`, `permission` blocks + error/offline orb states
4	**History / recall of dismissed cards**	Auto-dismiss (≈8 s) loses information; users need "what did it just do?"	✅ store history + `history` block + recall (⌘Y); 🟡 persistence
5	**Schema versioning & validation of model output**	Model/server drift breaks clients silently	✅ `v:1`, `rev`, v0→v1 migration, ajv validation in main, future versions rejected
6	**Latency handling**	Videos look instant; real voice→LLM→tools is seconds	✅ instant local skeleton + step lines + streaming patches; ⬜ timeouts/budgets (M2)
7	**Accessibility** (VoiceOver, keyboard-only, contrast, reduced motion)	Legal (EAA/ADA) + usability; notch UI never takes focus	🟡 aria roles/live regions, focus rings, reduced motion, high-contrast tokens; ⬜ full keyboard path, axe tests
8	**Code signing, notarization, hardened runtime, entitlements**	Unsigned overlay + mic access won't run for users	⬜ (M8) — document NSMicrophoneUsageDescription, Developer ID
9	**Privacy & data handling** (what is recorded, retained, sent to which subprocessor)	Mic + mail + calendar = sensitive; SOC 2 / DPA asks from B2B buyers	⬜ privacy policy, retention settings, data map; baseline keeps data local
10	**Legal: original brand/trade dress, licenses**	Copying name, orb, palette, copy or code invites claims; RareUI = Commons Clause + attribution; boring.notch = GPL-3.0	✅ original name placeholder, palette, sounds; REPOS.md flags licenses

Should-have (P1)

- Onboarding: permission walk-through (mic, accessibility, calendar), first-run demo, wake-word training — 🟡 `permission` block
- Non-notched Macs, external displays, multi-monitor, display hot-plug — ✅ floating pill mode + `homeDisplay()`; ⬜ settings UI
- Interruptions & notification fatigue: quiet hours, Focus-mode awareness, batching alerts, priority threshold — ⬜
- Privacy indicators: explicit listening state (orb + caption) and visible "recording" while mic open — 🟡
- Barge-in / stop-speaking (⌘.) and a visible stop control — ⬜ (M3)
- Light mode — ✅ for floating pill (notch island intentionally stays black)
- Auto-update with signed updates, rollback — ⬜ (M8)
- Secrets in Keychain, token refresh, `error{kind:'auth'}` → Reconnect — 🟡 block exists
- Observability: per-request spans, cost per request, budgets, crash reports (opt-in) — ⬜ (M10)
- Streaming partial JSON robustness: coalescing, out-of-order patches (rev) — ✅ rev ordering; ⬜ coalescing

Nice-to-have (P2)

- Multi-language STT/TTS, custom wake word, voice selection
- Shareable cards / export to doc
- Team/enterprise: admin policies for grants, audit log export, SSO
- Native SwiftUI shell (NSPanel) for lower memory than Electron

- Card theming per integration; widgets pinned to the notch

Product/legal checklist

- Data processing: list subprocessors (LLM, STT, TTS, OAuth broker, hosting) and regions; DPA template; retention defaults.
- SOC 2 Type I → II roadmap if selling to companies; pen test before GA.
- Trademark search for the final name (Brim is a placeholder).
- Attribution page for open-source and RareUI (visible rareui.com link if used).
- Don't imitate the competitor's promo style closely (script, characters, captions) — write your own storyboards.

6. Architecture and contract

```
utterance ─► agent (mock | Claude SDK) ─► v1 messages: upsert | patch{rev} | remove{receipt}
          ─► main: ajv validate + migrate ─► IPC ─► renderer store (history, undo) ─► stage (island +
FLIP + reveals + sounds)
actions ◄─ renderer: dismiss | approve/deny/edit | undo | retry/open/done/primary/connect/recall ─►
main validates
```

Card: `v`, `id`, `rev`, `utterance` ≤600, `status` (working | ready | needs-you | error | offline), `step` ≤120, `say` ≤400, `receipt` ≤80, `blocks` ≤12, total ≤64,000 chars. Unknown fields and block types are rejected. A v0 payload (`screen.blocks`) migrates; v2+ is refused.

7. Motion and sound

Motion	Value
ARRIVE / MORPH / DROP springs	(140,15) 760 ms · (230,27) 520 ms · (180,14) 680 ms, sampled to CSS linear()
Reveals	phrase 140 ms apart, 280 ms blur-fade · count 820 ms ease-out cubic · rows 95 ms stagger · spark draw 760 ms · ghost 170 ms
Lifecycle	receipt 3.4 s · ready hold 9 s · undo window 10 s · island sizes rest 270 / bar 420 / open 460, bottom radius 14/22/26

Sound	ms	LUFS	Peak dBFS
wake	1622	-17.9	-7.5
listen-on	1035	-18.0	-6.9
listen-off	991	-18.0	-6.4
tick	892	-24.5	-2.2
appear	1218	-18.0	-5.2
reshape	976	-21.0	-3.9
ready	1268	-20.0	-10.9
needs-you	1308	-18.0	-10.4
approve	1081	-18.0	-5.8
sent	1594	-18.0	-8.9
dismiss	991	-22.0	-6.1
error	1155	-18.0	-9.9
undo	1023	-18.0	-7.5

8. Roadmap

Version	Scope
v0 (this baseline)	Overlay, contract v1, 19 blocks, motion, sounds, mock agent, approvals and undo, history, error/offline/permission states, floating mode, tests, demo
v1 (shippable beta, about 6–8 weeks)	M1 Claude adapter · M2 latency budgets · M3 wake word, STT, TTS and barge-in · M4 persisted grants · M5 encrypted history · M6 accessibility and displays · M7 security · M8 signing, notarization and auto-update · first 2 integrations (calendar, mail)

v2	CRM and other connectors, observability and cost budgets (M10), team policies and audit log, SOC 2 Type I, native SwiftUI shell option, multi-language voice

9. Files for Claude Code

`CLAUDE.md` · `claude/MASTER_PROMPT.md` · `claude/prompts/01–10` (one per milestone) · `claude/.mcp.json` (shadcn 4.21.4, @playwright/mcp 0.0.83, @upstash/context7-mcp 4.4.1, @magicuidesign/mcp 2.0.0, versions checked on npm) · `claude/REPOS.md` (32 repos with verified URLs, stars and licenses).

Limits: Electron was verified on Linux only. Web Speech availability varies by browser. The sounds are original but were judged by synthesis parameters and loudness, not by listening tests. "Not seen" in the gap analysis means not seen in the public material.