Jarvis Generative UI Replication Spec

Reverse-engineered from Agently's public promo videos (28 downloaded), agently.dev docs, X posts, and the public Agently for Mac v0.1.38 release bundle.

Prepared for Shahzeb Makhdoom · Oct 13, 2026 (rev 2, 8:45 PM ET) · now includes the Oct 13 7:37 PM ET notch post (id 2110152973741654405)

Legend: CONFIRMED = read directly from the shipping app, docs or founders' posts. INFERRED = our reconstruction or estimate.


Their source code isn't reproduced here. This document gives specs, values and short identifiers only.

A. Overview

Jarvis is the voice assistant in **Agently**, an "AI chief of staff" from Agently, Inc., a 4-person team led by Omar Ghandour (CEO) and Ahmad Hajj (CTO). Jarvis lives in the MacBook notch. Each request gets a **card** built from a fixed kit of 13 block types. The model fills the card with structured data and never writes UI code. CONFIRMED

- "We don't generate code on the fly! That wouldn't be practical." Ahmad, x.com/ahmadafterhours/status/2109811057309175853 CONFIRMED
- The full-screen disappearing UI "is very experimental… won't be released on v1 which will have a stable screen and some pop up widgets". Omar, Oct 7 CONFIRMED
- The promo videos are motion pieces, not screen captures: same fictional cast in every video, zero wait time, captions timed to each beat INFERRED, high confidence.

B. Architecture



Latency budget INFERRED

Stage	Estimate	Basis
Wake word	~0 s (local)	on-device helper
Speech end → transcript or first audio	0.5–1.2 s	Realtime benchmarks: 494 ms p50 (Speko), ~1.15 s median (voicebenchmark.ai)
Skeleton visible	≈0.1 s + 700 ms arrival spring	keyword guesser, no model call
First real block	1–3 s (simple) / 5–30 s+ (tool-heavy)	Claude time to first token and tool round-trips
Block reveal	0.3–1 s	phrase 150 ms/step, count 750 ms

C. Tech stack and tools

Layer	Choice	Status
Desktop shell	Electron + electron-updater (zip/dmg/pkg, blockmaps), arm64, macOS 13+	CONFIRMED
Native helpers	Swift: agently-native (Accessibility windows), jarvis-speech (wake word), peekaboo (UI driving)	CONFIRMED
UI	Web app at beta.agently.dev loaded in the island; overlay kit is plain DOM + Web Animations API (no React in the overlay)	CONFIRMED
Web	Next.js behind Cloudflare; hosted on Railway	CONFIRMED
Data / auth	Supabase	CONFIRMED
Integrations	Nango	CONFIRMED
LLM	Anthropic Claude (Opus/Sonnet/Haiku "Smart"); bring your own key, or your own Claude Code / Codex plan	CONFIRMED
Voice, embeddings, triage	OpenAI	CONFIRMED
Observability	Langfuse, OpenTelemetry, winston	CONFIRMED

Analytics	Mixpanel, Google Analytics	CONFIRMED
Email	Resend	CONFIRMED

D. Design tokens CONFIRMED

Color

Token	Value
--bg	#0e0e11
--panel	#0e0e11eb
--raised	#121215
--sur	#141418
--sur3	#222229
--notch	#000000
--tx	#f5f4f1
--tx2	#d0cec9
--tx3	#8d8b86
--tx4	#62605c
--inv	#f7f5f1
--on-inv	#111111
--ok	#8fbf9f
--fail	#d8886a
--fill	rgba(255,255,255,.05)
--fill2	rgba(255,255,255,.09)
--fill3	rgba(255,255,255,.14)
--line	rgba(255,255,255,.07)

Shape and spacing

Element	Value
Primary/secondary button	32 px tall, radius 16, padding 0 16, 13 px/500; primary uses --inv background and --on-inv text
Mini button / pill	26 px tall, radius 13, padding 0 11–12, 12 px/500
Tag (source chip)	22 px, radius 11, padding 0 9, 11.5 px/500, --fill background, --tx3 text
Icon button	26×26, radius 13, --tx4
Avatar	32 px circle, --fill2, initials 600 11.5 px
Count badge	18 px, radius 9, 600 11 px
Card header	gap 10, margin-bottom 14, min-height 26; status dot 6–8 px
Panel	padding 0 18 18, hidden scrollbar
Skeleton	lines 10 px, radius 5; big block 36 px, 44% wide, radius 8; row icon 32 px circle
Common gaps	2 / 4 / 6 / 8 / 10 / 12 px
Radii in use	2, 5, 6, 8, 9, 10, 11, 12, 13, 14, 16 px, 50%

Glass and blur: the shipping overlay CSS has **no backdrop-filter**. The panel is a near-opaque #0e0e11 at 92% alpha on a black notch. CONFIRMED The frosted glass in the v3 "agentic economy" video is video-only. INFERRED

E. Typography CONFIRMED

Role	Stack / size

Sans	-apple-system, SF Pro Text, Inter (the web build lists Inter first)
Display	SF Pro Display, Inter
Mono	ui-monospace, SF Mono, Geist Mono, Menlo
Sizes	11, 11.5, 12, 12.5, 13, 13.5, 14 (most common), 14.5 px
Weights	500, 590, 600
Titles	letter-spacing −0.2 px
Figures	font-variant-numeric: tabular-nums


No font files are bundled; the app uses system fonts. Video captions are SF Pro, white on a dark pill. INFERRED

F. Card types CONFIRMED (field names come from the shipping kit; example values are ours)

answer

Fields: text, detail?, sources[≤4]
Motion: phrase text; source tags pop

```
{"id":"a1","type":"answer","text":"Up 18% this month.","sources":["HubSpot"]}
```




Matching video frame

list

Fields: label, columns[≤4], rows[≤6], highlight?, action{label,ask}?
Motion: 2 columns render as a comparison: center rule grows, rows draw in

```
{"id":"l1","type":"list","label":"Deals","columns":["Deal","Stage","ARR"],"rows":
[["Halcyon","Negotiation","$26K"]],"highlight":0}
```




Matching video frame

number

Fields: label, value, delta?, up?, series[{v}], source?
Motion: count-up 750 ms; sparkline path draws

```
{"id":"n1","type":"number","label":"Revenue · Q3","value":"$1.84M","delta":"+24% vs
Q2","up":true,"series":[{"v":1.2},{"v":1.84}]}
```




Matching video frame

brief

Fields: title?, label?, bullets[], people[{name,role,note}], sources?
Motion: bullets phrase in

```
{"id":"b1","type":"brief","title":"Northwind renewal","bullets":["$36,000 a year, renews Oct 30","Asked for 10% on two years"]}
```



Matching video frame

note


Fields: label?, text, missing?
Motion: phrase

```
{"id":"no1","type":"note","text":"No call with Northwind in 41 days"}
```

todo

Fields: label?, total?, empty?, items ≤6. Two shapes: if any item has a string title → numbered Needs-you list {id,title,detail?,action?} (Done + primary); else people rows {who,text,org?,source?,person?,age?,unit?,state?,replyable?} (Reply / Done). CORRECTED: the v1 PDF mixed the two.
Motion: numbered rows; item buttons: done / primary (or reply / done)

```
{"id":"t1","type":"todo","label":"Needs you","total":3,"items":[{"id":"i1","title":"Marco wants to move your 4 PM","detail":"Slack · 2h","action":"Reply"}]}
```




Matching video frame

agenda

Fields: label?, items ≤8 [{id?, time, title, meta?, state?: done|next|conflict|moved|new}] (no person field — CORRECTED)
Motion: rows draw in

```
{"id":"g1","type":"agenda","items":[{"id":"m1","time":"10:00","title":"Security call with Raj"}]}
```




Matching video frame

person

Fields: name, role?, org?, note?, facts[{l,v}]
Motion: avatar initials; facts fade in

```
{"id":"p1","type":"person","name":"Tomás Rivera","role":"CFO","org":"Northwind","facts":
[{"l":"Decides","v":"This renewal"}]}
```



Matching video frame

created

Fields: kind, title, detail?, path?
Motion: pop

```
{"id":"c1","type":"created","kind":"page","title":"Q4 board update"}
```

progress

Fields: steps[{text,state}]
Motion: steps advance in place


```
{"id":"pr1","type":"progress","steps":[{"text":"Reading the contract","state":"done"}]}
```


connect


Fields: provider, label?, state: idle|connecting|connected|error, error?
Motion: button state swaps


```
{"id":"cn1","type":"connect","provider":"hubspot","state":"idle"}
```


email

Fields: to, subject, body, state?, error?
Motion: body types in phrase by phrase; edits extend the existing prefix


```
{"id":"e1","type":"email","to":"Tomás Rivera","subject":"Two-year renewal","body":"Hi Tomás, …12% off…"}
```





Matching video frame

approval

Fields: kind, title, detail?, state?, error?
Motion: approve / decline buttons

```
{"id":"ap1","type":"approval","kind":"email","title":"Jarvis wants to send 2 emails"}
```



Matching video frame

G. Stage contract CONFIRMED

```
StageCard { id: [A-Za-z0-9_-]{1,100}; utterance ≤600; status: working | ready | needs-you | error;
  pinned?; step? ≤120; say? ≤400; receipt? ≤80; screen?: { title?, blocks ≤12 } }  // ≤64,000 chars
StageAction: dismiss | open(blockId?, itemId?) | connect/send/approve/decline/ask(blockId)
  | reply/done/primary(blockId, itemId)
```

Text is drawn with textContent only (safe by construction). The connect block's state is whitelisted. Unknown block types are dropped.

Skeleton keyword rules CONFIRMED

Skeleton	Triggers (first match wins)
todo	waiting, owe, need(s) me, to-do, inbox, follow up
email	draft, write, reply, email, message
brief	prep, brief
person	who is, who's
number	how much, how many, mrr, arr, revenue, churn, growth, conversion
list	list, which, overdue, invoices, deals, tickets, issues, compare
agenda	today, my day, schedule, calendar, agenda, meeting, week, move, weekdays, tomorrow, book
answer	fallback

H. Motion spec CONFIRMED

Constant	Value
ARRIVE	spring(stiffness 120, damping 17), 700 ms, sampled to CSS linear() with 48 points
MORPH	spring(210, 26), 560 ms
REVEAL / STAGGER / TAP	300 / 60 / 150 ms
Easing	EASE (.4,0,.2,1) · OUT (.2,.7,.2,1) · IN (.5,0,.75,0)
Phrase reveal	split at punctuation or every 4 words; each fades in 260 ms, 150 ms apart

Count-up	750 ms, ease-out cubic, from the previous value
Row draw	rule scaleX 380 ms, cells +120 ms, 110 ms per row
Grow	scaleY 520 ms
Ghost out	160 ms fade, IN easing
Island	resize 220 ms; hover in 160 / out 320 ms
Holds	ready card 8 s, receipt 3.2 s, failed receipt 6 s; ≤4 jobs in the peek
Spinner	0.9 s linear; listening dots pulse 1.4 s
Cursor overlay	anticipation 0.08 s / 4 pt, outline fade 0.3 s, trail 0.12 s

Reshape-in-place rules: blocks are keyed by id and parts by data-u. Before an update, record every part's rectangle. After rendering, parts with the same signature hold still. Moved parts animate with MORPH. New parts reveal in order with stagger, and changed text that extends the old text types only the new tail. Removed parts stay as absolutely-positioned ghosts and fade out. Text never slides (subpixel blur), it only fades. Nothing starts hidden. Reduced motion means instant end state.

I. Sound spec


The shipping bundle has **no audio files**: no wav/mp3/caf, and no NSSound or Audio calls in the overlay. CONFIRMED The promo videos DO carry audio: a music bed plus a spoken user ↔ Jarvis dialogue (see section Q). CORRECTED: v1 implied silence. For a replica, design three cues under 250 ms: wake chime, ready tick, needs-you double tick. INFERRED

J. Voice and notch states CONFIRMED


Item	Value
Voice phases	off → waiting (wake armed) → starting → listening → thinking → speaking; error
Session limits	CODE: voice.js ends a session after 10 min. DOCS: no time limit; ends after 4 min of silence. These conflict (CORRECTED; v1 merged them). 2 concurrent voice/Slack jobs (docs).
Island window	640×600, centered on the notch
Notch geometry	native probe; else 185 px if menu bar ≥30 px; non-notch displays get a drawn 96 px pill, 24–32 px tall
Island parts	orb 18 px, wing 36 px, bar 400 px, open 440 px, margin 16, caption line 20 px, captions ≤400 chars, titles ≤60
Meter	bars 2.5×3 px, radius 2, height transition 90 ms
Focus	never takes focus, so approvals need a click

K. Storyboards (from the videos)


"Interfaces, built the moment you ask" — Oct 8, 42 s




0:02 "What's on today?" gives an agenda




0:04 "Talk, and it reshapes": week view




0:14 number block: $1.84M count-up




0:20 Northwind account card




0:24 Find-time calendar



0:28 empty skeleton card




0:30 email + 10% slider




0:32 "Make it twelve" edits in place


"Every screen, built the moment you ask" — Oct 12, 50 s




0:08 blurred skeleton




0:10 transcript resolves




0:14 4 views built from the call




0:18 sent receipt




0:26 deal + Slack cards



0:30 Needs you (todo)




0:38 receipts stack




0:46 end card


Notch — Oct 13, 45 s




0:00 alert drops from the notch



0:08 at-risk card




0:12 person card




0:16 agenda + email


Other references




Oct 10: Needs you over real apps



Oct 7: 16 parallel jobs



Sep 25: real web-app screen recording (older product)



Sep 28: approval dialog

L. Approval and receipt patterns CONFIRMED

- Anything that would send, delete or archive asks first, unless you asked for it in your own words. Options: Allow once / Always allow (per action kind) / Deny. Available in chat, Slack and the notch.
- The approval block, plus a needs-you status dot (inverse color).
- The receipt string (≤80 chars) shows as a chip for 3.2 s, or 6 s if failed, e.g. "Sent to Dana · report attached".
- Hold rules: set a line once (refunds over $200, anything to investors).

M. Promo video production workflow


Finding	Status
Ahmad: "one shot on Opus 5.5 x-high + Agently, motion designers are cooked" (a 15 s motion reel from a single prompt), Sep 26	CONFIRMED
Omar built his own Higgsfield-like video generator ("pay about 10% of what higgs is charging"), Oct 8	CONFIRMED
Critics: "simulation shown; some parts sped up", "can we get a real demo and not a polished motion vid", "the speed of the video is such a scam"	CONFIRMED
No posts mention Remotion, Screen Studio, After Effects, fonts or sound tools	searched; none found
Oct videos: 1920×1248 at 60 fps (a 16:10.4 macOS frame), consistent caption pill, identical cast, so most likely HTML/CSS scenes generated by Claude and captured headless	INFERRED (high)
Sep 24–25 videos: 1080p zoom-and-pan screen recordings of the real web app (Screen Studio-like)	INFERRED (medium)

Recipe to reproduce INFERRED**:** (1) Write a beat script of spoken line → card change → caption. (2) Have Claude build one HTML page per scene using the real card kit and a timeline (WAAPI or GSAP). (3) Render with headless Chrome or Puppeteer frame capture, or Remotion, at 1920×1248, 60 fps. (4) Composite over a macOS wallpaper with a Dock and menu bar. (5) Add a soft pad soundtrack and UI ticks. (6) End card: "Every screen, built the moment you ask."

P. Filmstrips: every appear / reshape / dismiss moment (8 fps, 2 s each)


Times are video seconds, drawn on each tile. "Rule" maps the visible motion to the shipping constant it most likely uses INFERRED; constants themselves are CONFIRMED.

s01 · Arrive · starts 7.4 s — Oct12: card emerges from the pill as an empty dark shape (~8.5–8.8 s), content fades in ~8.9–9.1 s



What changes: Pill → empty dark shape grows toward centre (~8.5–8.8 s) → content fades in where it lands (~8.9–9.1 s) → lines appear in order
Rule: ARRIVE spring 700 ms on the shape; content fade 240 ms +90 ms; phrase reveal 150 ms apart

s02 · Reshape · starts 10.8 s — Oct12: card reshapes into 4 views ("Built from the call")




What changes: One card becomes 4 views; existing parts hold, moved parts glide, new parts fade
Rule: MORPH spring 560 ms (FLIP); STAGGER 60 ms

s03 · Act · starts 16.6 s — Oct12: "Attach it and send" -> PDF chip -> sent toast




What changes: "Attach it and send" → file chip → sent toast
Rule: approval / send action; receipt string ≤80

s04 · Dismiss + receipt · starts 21.6 s — Oct12: cards collapse; receipt chips stack under pill



What changes: "Sent to Dana · report attached"; at ~22.6 s cards empty and fly up into stacked receipt chips (22.7–23.0); new shape resolves into Acme deal card by ~23.5
Rule: ghost-out 160 ms IN ease; RECEIPT 3.2 s; arrive spring for the next card

s05 · Arrive · starts 26.8 s — Oct12: "What else needs me today?" -> Needs-you list arrives




What changes: Needs-you list appears
Rule: todo (Needs-you shape), row draw 110 ms/row

s06 · Update · starts 31.0 s — Oct12: row action -> calendar card opens beside list



What changes: Row action opens calendar beside the list
Rule: MORPH; new block reveal

s07 · Dismiss · starts 39.6 s — Oct12: everything folds back to the pill



What changes: Everything folds back into the pill
Rule: panel null → shape closes with MORPH, panel empties after 560 ms

s08 · Arrive · starts 1.0 s — Oct8: prompt bar -> agenda card




What changes: Prompt bar → agenda card
Rule: ARRIVE; agenda rows draw

s09 · Reshape · starts 3.6 s — Oct8: agenda reshapes into week calendar




What changes: Agenda reshapes into week view
Rule: MORPH 560 ms

s10 · Dismiss + receipt · starts 5.4 s — Oct8: "Done. It disappears" -> receipt pill




What changes: Week card shrinks to a bar (6.5–6.65 s) → receipt pill "Moved · Fri 3:00 PM" (6.78–7.0) → blurs and flies to the Jarvis pill (7.15–7.3)
Rule: receipt lifecycle; blur/fly is video-only (no blur/filters in app CSS)

s11 · Arrive · starts 10.0 s — Oct8: empty shape -> number card count-up




What changes: Empty shape → number card; $1.61M → $1.84M count-up
Rule: COUNT 750 ms ease-out cubic

s12 · Update in place · starts 30.4 s — Oct8: "Make it twelve" in-place edit (10% -> 12%)




What changes: "Make it twelve" → 10% → 12%
Rule: count from previous value; email body keeps prefix

s13 · Dismiss · starts 33.6 s — Oct8: send -> card exits -> "Sent" receipt




What changes: Send → card exits → "Sent"
Rule: receipt 3.2 s

s14 · Alert · starts 0.0 s — Oct13: alert drops out of the notch




What changes: Alert drops out of the notch
Rule: notch bar with title + "Needs you"

s15 · Fill · starts 5.6 s — Oct13: notch expands into at-risk card, sources fill in




What changes: Source rows fade in one by one (5.7–6.0 s); new row "New CFO…" fades in place (~7.2–7.4)
Rule: STAGGER 60 ms; text fades, never slides

s16 · Voice · starts 9.0 s — Oct13: listening meter while user asks; card swaps to person



What changes: Listening meter while user speaks; card swaps to person
Rule: meter bars 2.5 px, 90 ms height transition

s17 · Arrive · starts 1.0 s — Oct10: "what needs me?" -> Needs-you panel over apps



What changes: "What needs me?" → Needs-you panel over apps
Rule: ARRIVE

s18 · Parallel jobs · starts 21.2 s — Oct7: "On it" -> 16 parallel job tiles



What changes: "On it" → 16 job tiles
Rule: video shows 16; app peek lists ≤4 jobs (PEEK_JOBS)

Q. Jarvis voice: how it sounds, listens and talks

What the videos show CONFIRMED


- Every video has stereo AAC 48 kHz audio (mean ≈ −16 dB, peak ≈ −1 dB): a music bed plus a spoken dialogue. The user voice and the Jarvis voice are both clean studio/TTS-like; Jarvis answers in very short sentences ("Four things." "Sent." "Make it twelve." → "Want me to send it?").
- While the user speaks, the notch/pill shows a live caption and a 5-bar meter at the right; while Jarvis speaks, a caption pill at the bottom of the screen shows its line.
- Jarvis talks while it works: "On it" is followed by job tiles, and the answer is read back when ready.

How the app does it CONFIRMED (voice.js, voice-plan.js, island-frame.js, orb.js)

Item	Value
Phases	off → waiting (wake armed) → starting → listening → thinking → speaking; error
Wake	“Hey, Jarvis” on-device via Swift helper jarvis-speech (SFSpeechRecognizer + AVAudioEngine); on by default
Live voice	OpenAI “live voice” is listed as a subprocessor; barge-in (interrupting Jarvis) is documented
Pacing	FLUSH 300 ms: answer sentences batched (≤200 chars); tool steps sent at once; heartbeat every 20 s (backend closes after 75 s silence)
Limits	code: session ends after 10 min; docs: no limit, ends after 4 min silence (conflict); 2 concurrent voice/Slack jobs
Caption priority	error > live caption (user / Jarvis tone) > “Connecting…” > nothing if a card or consent shows > receipt > job step
Indicator	meter while listening/speaking; dots when live; job count if >1 job
Orb	18 px canvas “glass pearl”: cyan / blue / violet currents; speed & energy per phase (thinking fastest, listening slow, off/error still and grey)
Shortcuts	⌘⇧Space voice; ⌥Space opens the notch


Spectrograms (0–8 kHz, 16 kHz mono) and Whisper transcripts CONFIRMED

faster-whisper base.en; known mis-hearings: "pre as often" = "Priya's offer", "Mars" ≈ "Tomás", "Crap me" ≈ "Draft me/brief me".




frames

```
[  0.0-  3.7] nospeech=0.10 You won't need these.
[  3.7-  8.3] nospeech=0.10 Follow up on6666 my call with Dana.
[  8.3- 16.5] nospeech=0.10 Legal needs the SOC 2 report before Friday.
[ 16.5- 17.5] nospeech=0.10 Attach it and send.
[ 17.5- 18.5] nospeech=0.10 Send it.
[ 18.5- 20.5] nospeech=0.10 Done.
[ 20.5- 22.5] nospeech=0.10 Raj is invited for Thursday.
[ 22.5- 24.5] nospeech=0.10 Update HubSpot and tell the team.
[ 24.5- 27.9] nospeech=0.10 What else needs me today?
[ 27.9- 29.9] nospeech=0.10 Three things.
[ 29.9- 31.9] nospeech=0.10 Marco wants to move your four o'clock.
[ 31.9- 32.9] nospeech=0.10 Alright, it works.
[ 32.9- 34.9] nospeech=0.10 And sign pre as often.
[ 34.9- 38.5] nospeech=0.10 Jen's post can wait.
[ 38.5- 40.5] nospeech=0.10 I'll remind you at 9 tomorrow.
```




v1-oct08-genui

```
[  0.0-  4.5] nospeech=0.03 What's on today? Move my 3 p.m. to fry.
[  6.1- 12.8] nospeech=0.03 Perfect. Hey Jarvis, how's this quarter working?
[ 12.8- 17.6] nospeech=0.03 Up 24%, but one renewal is at risk. Which one?
[ 22.2- 25.8] nospeech=0.03 Get me time with them. Crap me.
[ 28.5- 30.7] nospeech=0.03 They asked for 10% on two years.
[ 30.7- 35.6] nospeech=0.62 Draft it, make it 12. Send it. Send it to Mars.
```




v5-oct13-notch

```
[  0.2-  3.2] nospeech=0.06 Sam Northwind might not renew.
[  3.2-  4.2] nospeech=0.06 What happened?
[  4.2-  6.2] nospeech=0.06 Their champion left.
[  6.2-  9.2] nospeech=0.06 And the new CFO wants it cheaper.
[  9.2- 11.2] nospeech=0.06 Who's the new CFO?
[ 11.2- 13.2] nospeech=0.06 Tomas Rivera, you've never met.
[ 13.2- 16.2] nospeech=0.06 Get me time with him and draft an offer.
[ 16.2- 21.5] nospeech=0.06 Ten percent for two years?
[ 21.5- 22.5] nospeech=0.06 Make it twelve.
[ 22.5- 23.5] nospeech=0.06 Want me to send it?
[ 23.5- 25.9] nospeech=0.06 Sent.
[ 25.9- 31.9] nospeech=0.06 You're on for Thursday at ten.
[ 31.9- 32.9] nospeech=0.06 Tomas just signed.
[ 32.9- 33.9] nospeech=0.06 Two years.
```



v2-oct10-recreated

```
[  0.0-  3.0] nospeech=0.09 Hey Jarvis, what needs me?
[  4.0-  5.0] nospeech=0.09 Four things.
[  5.0-  7.0] nospeech=0.09 Northwind first.
[  7.0-  9.0] nospeech=0.09 Tomás wants 15%.
[  9.0- 13.9] nospeech=0.09 Can we do that?
[ 13.9- 15.9] nospeech=0.09 The contract caps at 10.
[ 15.9- 17.9] nospeech=0.09 12 works with a two-year term.
[ 17.9- 20.9] nospeech=0.09 Show me 12 for two years.
[ 20.9- 21.9] nospeech=0.09 Perfect.
[ 21.9- 23.9] nospeech=0.09 Reply to Tomás.
[ 23.9- 28.1] nospeech=0.09 Want me to send it?
[ 28.1- 29.1] nospeech=0.09 Send.
[ 29.1- 30.1] nospeech=0.09 It's sent.
[ 30.1- 32.0] nospeech=0.09 For the call Thursday,
[ 32.0- 39.0] nospeech=0.09 tell Leo and draft the order form.
[ 39.0- 41.0] nospeech=0.05 Tomás, just sign.
[ 41.0- 43.0] nospeech=0.05 Do this for every renewal.
[ 43.0- 44.0] nospeech=0.05 Done.
[ 44.0- 46.0] nospeech=0.05 I'll bring each one to you.
```



o-oct07-reinvented

```
[  0.1-  5.1] nospeech=0.14 Hey Jarvis, show me my day.
[  5.1- 11.7] nospeech=0.14 Hey Jarvis, who's still waiting on me?
[ 11.7- 12.7] nospeech=0.14 Four people.
[ 12.7- 14.7] nospeech=0.14 Tomás has waited nine days.
[ 14.7- 16.7] nospeech=0.14 Just the customers.
[ 16.7- 17.7] nospeech=0.14 And draft each one.
[ 17.7- 18.7] nospeech=0.14 Send them.
[ 18.7- 19.7] nospeech=0.14 Both sit.
[ 19.7- 21.7] nospeech=0.14 Now, handle the rest of my morning.
[ 21.7- 22.7] nospeech=0.14 On it.
[ 22.7- 24.7] nospeech=0.14 Sifting things all at once.
[ 24.7- 26.7] nospeech=0.14 And build the board.
[ 26.7- 31.3] nospeech=0.14 Cancel the tools nobody.
[ 31.3- 32.3] nospeech=0.14 One catch.
[ 32.3- 35.3] nospeech=0.14 Priya books her calls through Calendly.
[ 35.3- 36.3] nospeech=0.14 Keep it.
[ 36.3- 37.3] nospeech=0.14 Keep it.
[ 37.3- 38.3] nospeech=0.04 How do my friends get you?
[ 38.3- 39.3] nospeech=0.04 Join the wait list.
[ 39.3- 41.3] nospeech=0.04 I'm letting people in a few at a time.
```

Oct 13 7:37 PM ET post (2110152973741654405) transcript

```
[  0.0-  3.0] Sam, Northwind, might not renew.
[  3.0-  4.0] What happened?
[  4.0-  6.0] Their champion left.
[  6.0-  9.0] And the new CFO wants a cheaper.
```

```
[  9.0- 11.0] Who's the new CFO?
[ 11.0- 12.0] Tomás Rivera.
[ 12.0- 13.0] You've never met.
[ 13.0- 16.0] Get me time with him and draft an offer.
[ 19.0- 21.0] Ten percent for two years?
[ 21.0- 22.0] Make it twelve.
[ 22.0- 24.0] Want me to send it?
[ 25.0- 26.0] Sent.
[ 26.0- 29.0] You're on for Thursday at ten.
[ 31.0- 33.0] Tomás just signed.
[ 33.0- 34.0] Two years.
```

R. How things pop up and go away (lifecycle)

Moment	What you see	Mechanism / timing	Status
Alert	bar drops out of the notch with title + "Needs you"	frame size → bar (400 px, radius 20); MORPH/ARRIVE spring	CONFIRMED numbers; look from video
Arrive	empty black shape grows from notch/pill, then content fades in	clip-path grows with ARRIVE spring 700 ms; content fade 240 ms after 90 ms; skeleton chosen by keyword	CONFIRMED
Working	skeleton rows + step line + spinner dot	status working; step ≤120 chars; spinner 0.9 s	CONFIRMED
Fill / update	rows/phrases appear in order; numbers count	STAGGER 60, PHRASE 150 (fade 260), COUNT 750, ROW 110, grow 520	CONFIRMED
Reshape	same card changes layout	FLIP keyed by data-u; MORPH 560; ghosts fade 160 ms	CONFIRMED
Needs you	white dot, approval buttons Allow once / Always allow / Deny	consent outranks every other panel; window never takes focus → click required	CONFIRMED
Collapse	card folds back into notch	panel null → shape closes (MORPH), panel emptied after 560 ms	CONFIRMED
Ready hold	finished card stays, then folds	READY_HOLD 8 s; hover keeps it open	CONFIRMED
Receipt	"Sent to Tomás · Thursday 10:00 held ✓" in the notch bar	RECEIPT 3.2 s (failed 6 s, with orange dot); ≤80 chars	CONFIRMED
Fly-away / blur / droplets	receipt blurs and flies to pill; liquid droplets out of notch	not present in app CSS/JS (no filter/blur/goo) → promo-video motion design	INFERRED



s04: dismiss → receipt chips → next card



s10: shrink → receipt pill → fly to pill

S. The notch, in detail

Sources: the Oct 13 posts (v5 earlier that day and the 7:37 PM ET post 2110152973741654405 — **the same 45.056 s edit re-encoded**: identical transcript, per-frame mean pixel difference <0.5/255), plus notch.js, island.js, island-frame.js, orb.js and island.css from v0.1.38. Reply on the new post: @boardyai "the notch finally pulling its weight" (1 reply, 0 quotes at 8:27 PM ET).

Geometry CONFIRMED

Item	Value
Window	640×600 transparent panel centred on the notch; it never resizes — only the black shape's clip-path changes
Notch size	native probe (screen insets) → real; else 185 px wide if menu bar ≥30 px; non-notched displays draw a 96 px gap, 24–32 px tall, mid menu bar
Island sizes	rest = notch + 2×36 px wings (e.g. 257 px); bar 400; open 440; margin 16; max height window −16
Corner radius	bottom only: rest 12, bar 20, open 24 (top corners square, continuing the hardware notch)
Parts	orb 18 px left wing; meter / dots / job count right wing; caption row LINE_PX 20 (≤400 chars); panel below
Display	stays on the display with a notch, else primary; never follows the pointer

States and transitions CONFIRMED

From → to	Easing
rest → bar/open (first arrival)	ARRIVE spring(120,17) 700 ms on clip-path
bar ↔ open, width change	MORPH spring(210,26) 560 ms
height-only change	220 ms OUT (.2,.7,.2,1)
content	opacity 240 ms, +90 ms delay (0 when switching)
hover	peek opens after 160 ms; closes 320 ms after leave; hovered card stays open
clicks	pass through everywhere except the shape (setIgnoreMouseEvents toggled by pointer-inside)

Panel priority CONFIRMED


consent > shortcut peek > front card (needs-you > opened > current) > hover peek. "Work in progress stays a dot unless the person is talking to Jarvis."

z01




Notch zoom 2.6–4.5 s: alert shrinks into notch bar ("Northwind · Needs you"), live caption "What happened?" with meter, then the bar flashes blue (thinking) and shows a step

n01




0–2 s: alert card under the notch (close-up camera)

n02




2.6–4.5 s: camera pulls out; bar caption + meter

n03




8.4–10.3 s: open card (Northwind) with source rows and action pills; meter appears at the notch while the user asks "Who's the new CFO?"

n04




14.4–16.3 s: person card dissolves into a glowing shape, retracts into the notch, then liquid droplets stretch out of the notch and fall

n05




21.8–23.7 s: slider 10→11→12 %; camera out: 3 job droplets at the notch → absorbed → bar shows "3 jobs"; the notch opens and drops the consent "Send this to Tomás Rivera? Allow once / Always allow / Deny"

z02




Notch zoom 21.8–23.7 s: job droplets merge into the notch bar

n06




25.6–27.5 s: receipt in the notch bar "Sent to Tomás · Thursday 10:00 held ✓"

n07




27.0–28.9 s: receipt holds ~2.5 s on screen (edited; app RECEIPT_MS = 3.2 s), notch returns to rest; time-skip to "Tuesday"

n08



30.4–32.3 s: time-skip "Thursday" → new alert drops: "Tomás signed · 2 years / Northwind renewed at 12% off"

n09



32.0–33.9 s: alert glows, retracts; a droplet stretches out of the notch (33.0), detaches as a rounded square (33.25), scales into an empty card (33.4–33.5), content fades in (33.6–33.9): Order form

What the new post shows vs the app INFERRED

- New relative to earlier breakdowns: dense notch-level views of (a) alert→bar shrink, (b) live caption + meter inside the bar, (c) blue "thinking" flash of the bar, (d) "3 jobs" count, (e) consent dropping from the notch, (f) notch receipt with check, (g) droplet-to-card birth.
- (a)–(f) match app constants and logic. (g), glows, camera zooms, time-skip overlays and separate floating windows are not in the island code (single 440 px panel; no filters) → motion design for the video.


Replicate in Electron INFERRED (settings CONFIRMED)

```
new BrowserWindow({ type:"panel", transparent:true, frame:false, focusable:false, hasShadow:false,
  resizable:false, movable:false, skipTaskbar:true, acceptFirstMouse:true, enableLargerThanScreen:true
})
win.setAlwaysOnTop(true, "status"); win.setVisibleOnAllWorkspaces(true,{visibleOnFullScreen:true})
win.setIgnoreMouseEvents(true,{forward:true})   // renderer toggles when pointer is over the shape
// renderer: one black .shape layer; animate clip-path: inset(0 R B L round 0 0 r r) with WAAPI
```

Replicate in SwiftUI (boring.notch-style) INFERRED

```
NSPanel(styleMask:[.borderless,.nonactivatingPanel]); level = .statusBar (+1)
collectionBehavior = [.canJoinAllSpaces,.fullScreenAuxiliary,.stationary]; isOpaque=false;
backgroundColor=.clear
notch rect: screen.safeAreaInsets.top, auxiliaryTopLeftArea / auxiliaryTopRightArea
NotchShape(bottomRadius: 12/20/24).fill(.black);
withAnimation(.spring(response:0.45,dampingFraction:0.8))
hover: .onHover + 160/320 ms debounce; droplets (optional): Canvas + blur + alphaThreshold "goo"
```

Kit demo notch CONFIRMED (our code)



kit/demo.html notch close-ups at real times (Playwright): alert bar → rest → listening meter → open card → needs-you → receipt ✓ → 3-job count → rest

T. RareUI MCP and similar component MCPs

Finding	Status
Post: x.com/SwamiMalode/status/2109973447397031991 (Oct 13, 7:44 AM ET; 96 likes, 21 replies); link → rareui.com/mcp	CONFIRMED
rareui.com returns HTTP 402 DEPLOYMENT_DISABLED (a reply also says the deployment is paused) — the MCP page could not be read live	checked 13 Oct
Repo github.com/swamimalode07/rare-ui (≈1.7K stars). lib/mcp.ts: RareUI MCP = the shadcn MCP + a registry entry "@rare-ui" → raw.githubusercontent.com/swamimalode07/rare-ui/main/public/r/{name}.json	CONFIRMED
Install: Claude Code `npx shadcn@latest mcp init --client claude` (also cursor / vscode; Codex via ~/.codex/config.toml); prompt "add @rare-ui/fluid-orb"; CLI `npx shadcn@latest add swamimalode07/rare-ui/fluid-orb`	CONFIRMED
Exact MCP tool names: not listed in the repo; they are the shadcn MCP's tools	UNVERIFIED
License: MIT + Commons Clause + Attribution: visible link to rareui.com; may not sell/sublicense/redistribute the components themselves	CONFIRMED
Registry: animated-counter, bounce-sidebar, code-block, delete-button, duration-picker, emoji-reaction, family-drawer, faq, fluid-orb, folder-component, github-activity, gooey-nav, gravity-letters, grid-reveal, hook-sidebar, matrix-orb, notification-bell, otp-input, proximity-sidebar, rail-toc, scroll-progress, step-player, task-list, utils, voice-note, web-search	CONFIRMED
Most relevant to the Jarvis look: fluid-orb / matrix-orb (orb), animated-counter (number), task-list (todo), voice-note (meter), step-player (progress), notification-bell (alert), gooey-nav (droplet idea)	INFERRED
Different project with the same name: Codewithswappy/RareUI (rareui.in, MIT, npm "rareui" CLI) — not the MCP	CONFIRMED
shadcn 4.21.4 (docs ui.shadcn.com/docs/mcp); @magicuidesign/mcp 2.0.0; @21st-dev/magic 0.2.3 (needs an API key); motion 14.2.0 — all on npm	CONFIRMED
motion.dev AI MCP page (404) and an Aceternity MCP package (404 on npm): not found	NOT FOUND


Config: kit/mcp.json and kit/components.json.example.

U. Starter kit and demo (kit/)

All files are our own; numbers come from the app. Validated: all 14 example cards pass the JSON Schema (ajv, draft 2020-12); stage.ts compiles with tsc --strict; demo.html runs with no console errors in headless Chromium (Playwright, real-time waits).



demo.html timeline, captured at real times 0.1–19.7 s



demo.html?gallery: all 13 block renderers

Sound (ORIGINAL)	Use
wake-chime 250 ms	wake heard
listen-start 120 ms	listening
ready-tick 60 ms	card ready
needs-you 200 ms	approval
receipt-sent 250 ms	receipt
error 260 ms	failure

V. Verification log

Claim	Source
Card limits (id regex, 600/120/400/80, 12 blocks, 64,000 chars)	dist/stage-contract.js
13 block types and fields; todo two shapes; agenda title/meta/state	dist/overlay/kit.js (KIT, needsYou, agenda)
Skeleton routes and shapes	overlay/kit.js
ARRIVE/MORPH springs, 48 samples, REVEAL/STAGGER/TAP, easings	overlay/motion.js
PHRASE 150 / fade 260, COUNT 750, ROW 110, grow 520, ghost 160	overlay/kit.js
WING 36, ORB 18, BAR 400, OPEN 440, MARGIN 16, LINE 20, CAPTION 400, RADIUS 12/20/24, RESIZE 220, HOVER 160/320	overlay/island.js
Window 640×600, notch 185 / ≥30 px, drawn 96 px 24–32 px	dist/notch.js
Panel type, focusable:false, alwaysOnTop "status", all workspaces	dist/island.js
READY_HOLD 8 s, RECEIPT 3.2 s, FAILED 6 s, PEEK_JOBS 4, priorities	dist/island-frame.js
10-minute session end	dist/voice.js line 111
4-minute silence / no limit	agently.dev/help/use-jarvis
FLUSH 300, BATCH 200, BEAT 20 s	dist/voice-plan.js
Orb colors and per-phase motion	overlay/orb.js
Colors, sizes, meter 2.5 px / 90 ms	overlay/island.css
Video timings	strips (8 fps) and notch strips, timestamps burned in
Transcripts	faster-whisper base.en on extracted audio
RareUI install/license	rare-ui repo: lib/mcp.ts, LICENSE
npm versions	registry.npmjs.org, Oct 13

W. Objectivity and limits

Confirmed	Inferred	Unknown
Card contract, block kit, motion constants, notch geometry and window setup, voice phases, priorities, timers (shipping v0.1.38 code); what the videos show frame by frame	That the promo videos are generated HTML/motion scenes rather than screen recordings; mapping of each visible motion to a constant; droplets/glows are video-only; SwiftUI spring values; Realtime as the live-voice model	Server prompts and model routing details; real end-to-end latency; whether videos are sped up (critics say so); RareUI MCP tool names; which TTS voice is used

Corrections vs v1 of this PDF

1. todo has two item shapes (title/detail/action vs who/text…); v1 listed one mixed shape.
2. agenda items have no person field; they take meta and state.
3. Voice limits: 10 min is code, 4-min silence/no-limit is docs — they conflict; v1 merged them.
4. Videos have spoken audio; only the app bundle has no sound files.
5. Oct 12 first card appears at ~8.6 s, not 8 s (strip s01 re-shot at 7.4 s).
6. The 7:37 PM ET notch post is a re-encode of the earlier Oct 13 notch video, not new footage.

N. Prompt for Claude

Also saved as claude-prompt.md.

```
# Prompt for Claude: build a "Jarvis-style" generative-UI notch assistant

You are a senior macOS + web engineer. Build, step by step, a voice-first assistant that lives in the
MacBook notch and answers every request with a *card* assembled from a fixed component kit (never generated
```

code). Work in small, verified milestones; after each milestone run it and show me a screenshot or test output before continuing.

0. Ground rules
- Generative UI = the model emits **validated JSON** that selects from a fixed catalog of blocks. It never emits HTML/JS.
- Everything consequential (send, delete, archive, pay) requires an explicit approval card.
- Respect `prefers-reduced-motion`. Nothing starts hidden: if an animation fails, the end state must still show.

1. Repo layout (monorepo, pnpm)
```
apps/desktop   Electron shell (main, preload, island window, overlay HTML/CSS/JS)
apps/server    Node/TS API: agent runs, tools, SSE stream of cards
packages/shared  zod schemas: StageCard, Block types, StageAction
native/speech  Swift CLI: wake word "Hey, Jarvis" via SFSpeechRecognizer (on-device), JSON lines on stdout
```
(Alternative: replace Electron with a SwiftUI NSPanel notch shell, e.g. based on the patterns in TheBoredTeam/boring.notch, and render the same card kit in a WKWebView, or port blocks to SwiftUI views 1:1.)

2. Notch shell (Electron)
- Transparent, frameless, always-on-top, non-focusable BrowserWindow 640x600, top-centred on the notched display; `setVisibleOnAllWorkspaces`, `setIgnoreMouseEvents(true,{forward:true})` except over the island.
- Notch geometry: use a native probe (NSScreen.safeAreaInsets / auxiliaryTopLeftArea) if possible; else assume notch width 185 px on displays whose menu bar >= 30 px; on non-notched displays draw a 96 px pill 24-32 px tall in the menu bar centre.
- Island states: collapsed (black notch, 18 px orb in a 36 px "wing", optional live meter), bar (400 px wide: caption + controls), open (440 px wide, 16 px margin, scrollable panel of cards). Resize 220 ms; hover-in 160 ms, hover-out 320 ms.
- Window never takes focus; approvals are clicked, never keyboard-answered.
- Shortcuts: Cmd+Shift+Space start/stop voice; Option+Space toggle the panel.

2b. Notch details (from notch.js / island.js / orb.js, v0.1.38)
- Window never resizes (640x600); the visible island is a pure-black layer whose CSS `clip-path: inset(0 R B L round 0 0 r r)` is animated. Content is laid out at final width first and never moves; only the clip grows. Bottom corner radius: rest 12, bar 20, open 24.
- Rest width = notch width + 2 x 36 (wings). Orb (18 px canvas "glass pearl", cyan/blue/violet currents; grey when off/error) hugs the left; meter/dots/job-count hug the right.
- Easing: first arrival from the bare notch uses ARRIVE spring (700 ms); size class or width change uses MORPH spring (560 ms); height-only growth uses 220 ms OUT ease. Panel content fades 240 ms, 90 ms after the shape starts opening.
- Click-through everywhere except the shape (renderer reports pointer-inside → main toggles setIgnoreMouseEvents). Hover opens a peek after 160 ms, closes 320 ms after leaving; the card open when hovering stays open while hovered.
- Electron window: type 'panel', focusable:false, transparent, frameless, hasShadow:false, alwaysOnTop level 'status' (above menu bar), visibleOnAllWorkspaces incl. full-screen.
- The promo videos add effects NOT in the app code: liquid "droplets" that stretch out of the notch and become windows, glows and camera moves. Treat those as motion-design only (optional: SVG goo filter or SwiftUI metaball Canvas).
- SwiftUI alternative: borderless non-activating NSPanel at .statusBar+1 level, collectionBehavior [.canJoinAllSpaces, .fullScreenAuxiliary, .stationary], notch rect from NSScreen.safeAreaInsets.top + auxiliaryTopLeftArea/RightArea; animate a custom NotchShape (bottom radii) with .spring(response:~0.45, dampingFraction:~0.8) (boring.notch pattern).

3. Design tokens (CSS custom properties)
```
--bg:#0e0e11; --panel:#0e0e11eb; --raised:#121215; --sur:#141418; --sur3:#222229; --notch:#000;
--tx:#f5f4f1; --tx2:#d0cec9; --tx3:#8d8b86; --tx4:#62605c; --inv:#f7f5f1; --on-inv:#111;
--fill:rgba(255,255,255,.05); --fill2:rgba(255,255,255,.09); --fill3:rgba(255,255,255,.14); --line:rgba(255,255,255,.07);
--ok:#8fbf9f; --fail:#d8886a; --ease:cubic-bezier(.4,0,.2,1);
--sans:-apple-system,BlinkMacSystemFont,'SF Pro Text',Inter,sans-serif; --display:'SF Pro Display'; --mono:ui-monospace,'SF Mono','Geist Mono',monospace;
```
Type: body 13-14.5 px, labels 12 px/500, tags 11.5 px, weights 500/590/600, letter-spacing -0.2 px on titles, tabular-nums for figures.
Shapes: pill buttons 32 px tall radius 16 (primary = --inv bg, --on-inv text); mini/pill 26 px radius 13; tags 22 px radius 11; avatars 32 px circles; card section radii 10-16 px.

4. Stage contract (packages/shared, zod)
```ts
StageCard = { id: /^[A-Za-z0-9_-]{1,100}$/, utterance: string<=600,
  status: 'working'|'ready'|'needs-you'|'error', pinned?: boolean,
  step?: string<=120, say?: string<=400, receipt?: string<=80,
  screen?: { title?: string, blocks: Block[] /* max 12 */ } }   // whole card <= 64 KB
StageAction = {kind:'dismiss'} | {kind:'open', blockId?, itemId?}
  | {kind:'connect'|'send'|'approve'|'decline'|'ask', blockId}
  | {kind:'reply'|'done'|'primary', blockId, itemId}
```
Blocks (each has `id` and `type`):
- answer {text, detail?, sources?[<=4]}
- list {label?, columns[<=4], rows[<=6][], highlight?: rowIndex, action?: {label, ask}} (2 columns => comparison layout)
- number {label, value, delta?, up?: boolean, series?: [{v}], source?}
- brief {title?, label?, bullets[], people?: [{name, role, note}], sources?}
- note {label?, text, missing?}
- todo {label?, total?, empty?, items[<=6]} — TWO shapes (the shipping kit switches on whether any item has a string `title`):
    a) Needs-you list: items [{id, title, detail?, action?}] → numbered rows with Done + optional primary button

```
    b) People rows: items [{id?, who, text, org?, source?, person?: bool, age?, unit?, state?:
''|done|failed, replyable?}] → avatar, Reply/Done
- agenda {label?, items[<=8]: [{id?, time, title, meta?, state?: done|next|conflict|moved|new}]}
- person {name, role?, org?, note?, facts?: [{l, v}]}
- created {kind, title, detail?, path?}
- progress {steps: [{text, state: 'done'|'active'|'pending'|'failed'}]}
- connect {provider, label?, state: idle|connecting|connected|error, error?}
- email {to, subject, body, state?, error?}
- approval {kind, title, detail?, state?, error?}
Render all text with textContent only. Reject unknown block types.

## 5. Skeleton guesser (instant form before data)
When a card is `working` and has no blocks yet, render a skeleton chosen from the utterance with keyword
regexes, first match wins:
todo: waiting|owe|needs me|to-do|inbox|follow up; email: draft|write|reply|email|message; brief: prep|brief;
person: who is|who's;
number: how much|how many|mrr|arr|revenue|churn|growth|conversion; list:
list|which|overdue|invoices|deals|tickets|issues|compare;
agenda: today|my day|schedule|calendar|agenda|meeting|week|move|weekday names|tomorrow|book; else answer.
Skeleton shapes: number = 1 short line + 36 px block (44% wide) + line; todo/agenda/list = 4 rows of (32 px
circle + 2 lines); email = 6 lines; answer = 3 lines. Lines 10 px high, radius 5, bg --fill.

## 6. Motion system (Web Animations API)
- Springs sampled into CSS `linear()`: ARRIVE = spring(stiffness 120, damping 17) over 700 ms; MORPH =
spring(210, 26) over 560 ms.
- REVEAL 300 ms, STAGGER 60 ms, TAP 150 ms; EASE (.4,0,.2,1), OUT (.2,.7,.2,1), IN (.5,0,.75,0).
- Text never slides, only fades (opacity) where it lands.
- Per-part motions via `data-motion`: phrase (split text at punctuation or every 4 words, each phrase fades
in 260 ms, 150 ms apart; if new text extends old text, keep the old prefix), count (numbers count from
previous value over 750 ms, ease-out cubic), draw (row rule scaleX 0→1 380 ms, cells fade +120 ms; 110 ms
per row), grow (scaleY 0→1 520 ms), pop (tags), slide.
- Reshape in place (FLIP): key every block by id and every part by `data-u`. On update: snapshot rects, re-
render, then unchanged parts hold still, moved parts animate from their old rect with MORPH, new parts
reveal in order with stagger, removed parts become absolutely-positioned "ghosts" that fade out in 160 ms.
- Status dot: working = 8 px spinner (0.9 s), needs-you = --inv dot, error = --fail dot, ready = hidden.
- Lifecycles: ready card holds 8 s then folds into the notch; receipt chip 3.2 s (failed 6 s). Max 4
concurrent jobs shown in the peek.

## 7. Voice
- Native Swift helper: AVAudioEngine + SFSpeechRecognizer (requiresOnDeviceRecognition) listening only for
"Hey, Jarvis"; emits {type:'wake'}.
- Session states: off → waiting (wake word armed) → starting → listening → thinking → speaking → (back to
listening | waiting); error. Turn cap: the shipping code ends a voice session after 10 minutes (voice.js).
The public docs instead say there is no time limit and that a session ends after 4 minutes of silence — pick
one deliberately. Send a heartbeat every 20 s (the reference backend closes after 75 s of silence); batch
answer sentences for 300 ms (≤200 chars) but send tool steps immediately.
- Live conversation: OpenAI Realtime (WebRTC) in the renderer, server VAD, barge-in; show live captions in
the island; audio meter bars 2.5 px wide, 90 ms height transitions.
- A spoken request becomes a background job (2 concurrent); Jarvis reads results back at the next pause.

## 8. Backend (apps/server)
- Claude Agent SDK (`@anthropic-ai/claude-agent-sdk`) with a model router: Haiku for classification/short
answers, Sonnet default, Opus for hard tasks.
- Tools: integrations via Nango (Gmail/Outlook, Calendar, Slack, HubSpot, Stripe, Linear), a company "brain"
(Postgres/Supabase + pgvector; entities resolved on hard ids first; facts timestamped), Mac actions via a
local relay to the desktop app (AppleScript/Accessibility).
- Give the agent a `show_card` tool whose input schema IS StageCard. Instruct: call `show_card` early with
status 'working' and a step, then re-send the same id with blocks as data arrives, finally 'ready' or
'needs-you'. Stream each tool call to the desktop over SSE.
- Every send/delete/archive tool is wrapped: emit an `approval` block, wait for StageAction approve/decline;
support Allow once / Always allow (per action kind) / Deny.

## 9. Sounds (optional; the shipping app bundles no sound files)
Use the ORIGINAL placeholder cues in kit/sounds (wake-chime, listen-start, ready-tick, needs-you, receipt-
sent, error; 60–260 ms). Never play over Jarvis speech; respect mute.

## 9b. UI components via MCP (optional)
- RareUI (github.com/swamimalode07/rare-ui; license MIT + Commons Clause + Attribution — visible credit link
to rareui.com required, components may not be resold) is consumed through the **shadcn MCP**: run `npx
shadcn@latest mcp init --client claude`, add to components.json `"registries": {"@rare-ui":
"https://raw.githubusercontent.com/swamimalode07/rare-ui/main/public/r/{name}.json"}`, then ask e.g. "add
@rare-ui/fluid-orb". Useful: fluid-orb / matrix-orb (notch orb), animated-counter (number block), task-list,
voice-note, step-player, notification-bell.
- Also available (npm-verified): @magicuidesign/mcp, @21st-dev/magic (API key), motion (library). Keep the
13-block catalog as the contract; components are only renderers.

## 10. Milestones
1. Shared zod schemas + unit tests. 2. Card kit page rendering fixture JSON for all 13 blocks. 3. Motion +
reshape-in-place with a fixture "story" that re-sends cards. 4. Electron notch window. 5. Wake-word helper +
Realtime voice. 6. Server with Claude Agent SDK + show_card + one integration. 7. Approvals + receipts. 8.
Record a 45 s demo with real latency.
```

O. Sources

- github.com/AhmadAfterHours/agently-desktop-releases (v0.1.38 bundle: stage-contract.js, overlay/kit.js, motion.js, island.css, notch.js, island-frame.js, voice.js)
- agently.dev/changelog, /subprocessors, /help/use-jarvis, /help/known-issues, /help/grant-permissions, /pricing, /labs

- x.com/ahmadafterhours/status/2109811057309175853, 2103969946778656802; x.com/omarships/status/2107847080458998204, 2107985308419531158, 2108690404304376052
- openui.com/docs/openui-lang/benchmarks; benchmarks.speko.ai; voicebenchmark.ai; github.com/TheBoredTeam/boring.notch; github.com/google/A2UI