

PRODUCT REQUIREMENTS DOCUMENT

Online Food Delivery Web Platform

A responsive web application connecting hungry customers, restaurant partners, and delivery riders into a single, reliable ordering experience.

VERSION

1.0

STATUS

Draft for Review

DOCUMENT OWNER

Product Team

DATE

June 2026

Prepared by 4AM Global Media · Product Management | Confidential — for internal and partner review only

Document Control

Revision History

VERSION	DATE	AUTHOR	SUMMARY OF CHANGES
0.1	05 Jun 2026	Product Team	Initial outline and problem framing.
0.5	14 Jun 2026	Product Team	Added functional requirements, personas, and metrics.
1.0	22 Jun 2026	Product Team	Completed NFRs, roadmap, risks; released for stakeholder review.

Stakeholders & Approvers

ROLE	RESPONSIBILITY	SIGN-OFF
Product Manager	Owns this document, scope, and prioritisation.	Required
Engineering Lead	Feasibility, technical design, estimates.	Required
Design Lead	UX flows, interface, accessibility.	Required
Operations Lead	Rider supply, restaurant onboarding, SLAs.	Required
Business / Founder	Commercial goals, budget, go-to-market.	Required
QA Lead	Test strategy, acceptance verification.	Consulted

How to read this document. Requirements are tagged with a unique ID and a priority. **P0** = required for launch (MVP), **P1** = important, fast-follow, **P2** = desirable, later phase. Every requirement carries an acceptance criterion so it can be independently tested and signed off.

Contents

1	Introduction & Vision
2	Problem Statement & Market Context
3	Goals, Objectives & Non-Goals
4	Success Metrics & KPIs
5	Target Users & Personas
6	User Stories & Jobs To Be Done
7	Scope, Assumptions, Constraints & Dependencies
8	Functional Requirements
	8.1 Customer Web App · 8.2 Restaurant Portal · 8.3 Admin & Ops · 8.4 Delivery Partner
9	Key User Flows
10	Non-Functional Requirements
11	Information Architecture & Key Screens
12	High-Level Data Model
13	Integrations & Third-Party Services
14	Analytics & Instrumentation
15	Release Plan & Roadmap
16	Risks & Mitigations
17	Open Questions
18	Appendix & Glossary

1 Introduction & Vision

1.1 Purpose

This document defines the product requirements for **QuickBite**, an online food delivery web platform. It is the single source of truth for what we are building, for whom, and why. It is written for the cross-functional team — product, engineering, design, operations, QA, and business — and serves as the basis for design, estimation, development, testing, and launch readiness.

1.2 Product Vision

"Make ordering food online effortless and trustworthy — for the customer who wants the right meal fast, for the restaurant that wants more orders without operational chaos, and for the rider who wants fair, predictable work."

QuickBite is delivered as a **responsive web application** (desktop and mobile browsers, installable as a Progressive Web App) rather than a native mobile app. This lowers the barrier to first use — no install required — and lets us ship to all devices from a single codebase, which is well-suited to an early-stage product validating its market.

1.3 Scope of this Document

This PRD covers the customer ordering experience, the restaurant-facing management portal, the internal admin / operations console, and a lightweight delivery-partner interface. It specifies functional and non-functional requirements, success metrics, integrations, a phased release plan, and known risks. It does *not* specify low-level technical design, database schemas, API contracts, or visual design — those live in companion engineering and design documents referenced where relevant.

ONE-LINE SUMMARY

A web-first, three-sided marketplace for food delivery.

Customers discover and order; restaurants receive and fulfil; riders deliver; operations keeps the marketplace healthy.

2 Problem Statement & Market Context

2.1 The Problem

Ordering food online today is often fragmented and unreliable for the people involved:

- **Customers** juggle phone calls, inconsistent menus, unclear delivery times, and no visibility into where their order is once placed.
- **Restaurants**, especially small and independent ones, lack an affordable way to take online orders, manage their menu, and reach nearby customers without ceding margin to a single dominant aggregator.
- **Riders** face unpredictable assignment, poor route information, and opaque earnings.

The result is lost orders, abandoned carts, frustrated customers, and operational waste. There is room for a platform that is fast to use on any device, transparent about timing and cost, and fair to the restaurants and riders who power it.

2.2 Why Now

- Online food ordering continues to grow, with mobile-web and PWA adoption making install-free experiences viable at scale.
- Digital payments (UPI, wallets, cards) are widely adopted, reducing friction at checkout and cash-handling risk.
- Independent restaurants are actively seeking lower-commission alternatives to dominant aggregators.

2.3 Market & Competitive Landscape

Established aggregators have proven the demand and set customer expectations for real-time tracking, ratings, and fast checkout. QuickBite differentiates on three fronts: an **install-free responsive web experience**, **transparent pricing and timing**, and a **restaurant-friendly commercial model**. We must meet the table-stakes expectations users already have while winning on trust and accessibility.

3 Goals, Objectives & Non-Goals

3.1 Business Goals

ID	GOAL	TARGET (FIRST 6 MONTHS POST-LAUNCH)
BG-1	Validate demand in one launch city	10,000+ successfully delivered orders
BG-2	Build a healthy supply side	150+ live restaurants, 200+ active riders
BG-3	Establish unit-economic viability	Positive contribution margin per order by month 6
BG-4	Earn customer trust and repeat usage	≥ 35% of orders from returning customers

3.2 Product Goals

- Let a new customer go from landing page to placed order in under **3 minutes**.
- Give customers **real-time order status** from placement to delivery.
- Make it effortless for a restaurant to **receive, accept, and fulfil** an order with minimal training.
- Keep the experience **fast and usable on low-end devices and patchy networks**.

3.3 Non-Goals (for this release)

- Native iOS / Android apps (web/PWA only for now).
- Grocery, pharmacy, or general courier delivery — food only.
- In-house logistics fleet management beyond basic rider assignment.
- Multi-country / multi-currency operations.
- Table reservation or dine-in features.

4 Success Metrics & KPIs

NORTH STAR METRIC

Weekly successfully delivered orders

The single number that best reflects real value exchanged across all three sides of the marketplace. Every other metric supports or explains this one.

4.1 Primary KPIs

< 35_{min}

AVG. DELIVERY TIME

Order placed → delivered, city-wide median.

> 25%

CART → ORDER CONVERSION

Sessions that reach a completed checkout.

< 5%

ORDER CANCELLATION RATE

Cancelled after placement, all causes.

> 35%

REPEAT ORDER RATE

Orders from returning customers.

> 4.3

AVG. ORDER RATING

Customer rating out of 5.

> 98%

PAYMENT SUCCESS RATE

Successful first-attempt transactions.

4.2 Metric Framework (AARRR)

STAGE	METRIC	WHAT IT TELLS US
Acquisition	New visitors, sign-up conversion	Are we reaching and converting new users?
Activation	First-order completion rate, time-to-first-order	Do new users reach the "aha" of a delivered meal?
Retention	4-week repeat rate, orders per active user	Do they come back?
Revenue	GMV, Average Order Value (AOV), take rate	Is the marketplace generating value?
Referral	Referral sign-ups, NPS	Do users recommend us?

Guardrail metrics. While optimising growth we must not regress on: order accuracy, refund rate, rider earnings per hour, restaurant acceptance rate, and page performance (Largest Contentful Paint). A win on conversion that breaks a guardrail is not a win.

5 Target Users & Personas

QuickBite serves three primary user types and one internal user type. Personas below anchor our prioritisation decisions.



Aarav — The Busy Professional

Customer · 29 · works long hours, orders 3–4× / week

GOALS

Order a reliable meal quickly without thinking too hard; know exactly when it will arrive.

NEEDS

Fast reorder, saved addresses & payment, accurate ETA, real-time status.

FRUSTRATIONS

Slow checkout, surprise fees, no live tracking, items arriving cold or wrong.

DEVICE CONTEXT

Mobile browser during the day; occasionally desktop at work.



Sneha — The Budget-Conscious Student

Customer · 21 · price-sensitive, deal-driven

GOALS

Find the best value meal nearby, maximise offers and free-delivery thresholds.

NEEDS

Clear pricing, working coupons, low/no delivery fee options, UPI & COD.

FRUSTRATIONS

High delivery fees on small orders; coupons that don't apply; minimum order surprises.

DEVICE CONTEXT

Budget Android phone, sometimes on slow networks.



Ramesh — The Restaurant Owner

Merchant · runs a 4-table independent eatery

GOALS

More orders without hiring extra staff or paying heavy commissions.

NEEDS

Simple order alerts, easy menu edits, predictable payouts, fair commission.

FRUSTRATIONS

Complex dashboards, missed orders during rush, slow payouts.

DEVICE CONTEXT

A single shared tablet or phone at the counter.



Deepak — The Delivery Rider

Delivery partner · part-time, owns a two-wheeler

GOALS

Maximise earnings per hour with minimal idle time and clear directions.

NEEDS

Clear assignment, navigation, transparent earnings, easy status updates.

FRUSTRATIONS

Unclear pickup/drop locations, long waits at restaurants, opaque pay.

DEVICE CONTEXT

Mobile browser on the move; needs large tap targets.



Operations Analyst

Internal · monitors marketplace health

GOALS

Keep orders flowing, resolve disputes fast, manage supply and promos.

NEEDS

Live order monitoring, refund tools, restaurant/rider management, reporting.

6 User Stories & Jobs To Be Done

Representative stories that the functional requirements must satisfy. Format: *As a [user], I want [capability], so that [outcome]*.

6.1 Customer

- As a customer, I want to enter my location and see restaurants that deliver to me, so that I only browse relevant options.
- As a customer, I want to filter and search by cuisine, price, and rating, so that I can decide quickly.
- As a customer, I want to see the full menu with prices and customisations, so that I order exactly what I want.
- As a customer, I want to pay with UPI, card, wallet, or cash, so that I can use my preferred method.
- As a customer, I want to track my order in real time, so that I know when to expect it.
- As a customer, I want to reorder a past meal in one tap, so that I save time.
- As a customer, I want to rate my order and raise an issue, so that quality stays high and I'm treated fairly.

6.2 Restaurant

- As a restaurant, I want an instant alert when an order arrives, so that I never miss one.
- As a restaurant, I want to accept or reject and set a preparation time, so that customers get an honest ETA.
- As a restaurant, I want to toggle items or my whole store as unavailable, so that I don't take orders I can't fulfil.
- As a restaurant, I want to see my earnings and payouts clearly, so that I trust the platform.

6.3 Rider & Operations

- As a rider, I want to be assigned nearby orders with clear pickup/drop info, so that I work efficiently.
- As a rider, I want to update status (picked up / delivered), so that everyone has accurate information.
- As an operations analyst, I want to monitor live orders and intervene, so that stuck orders are resolved quickly.
- As an operations analyst, I want to issue refunds and manage disputes, so that customers and restaurants are treated fairly.

7 Scope, Assumptions, Constraints & Dependencies

7.1 In Scope

- Customer responsive web app + PWA
- Restaurant management portal (web)
- Admin / operations console (web)
- Lightweight rider web interface
- Online payments + cash on delivery
- Real-time order status & basic live tracking
- Ratings, reviews, offers, loyalty (phased)
- Single launch city, single currency (INR)

7.2 Out of Scope

- Native mobile apps
- Non-food verticals (grocery, pharmacy)
- Dine-in / reservations
- Multi-country, multi-currency
- Advanced route optimisation / fleet ML
- In-app voice/video support

7.3 Assumptions

- Restaurants have a device with a browser and internet at the counter.
- A third-party payment gateway and maps provider are available and contracted.
- Riders are onboarded operationally (KYC, vehicle) before using the interface.
- Launch is limited to defined serviceable areas with confirmed delivery radius.

7.4 Constraints

- Web-only delivery; no native push — use web push + SMS/email for notifications.
- Must perform acceptably on low-end Android devices and 3G networks.
- Payment handling must comply with PCI-DSS; no card data stored on our servers.
- Personal data handling must comply with applicable data-protection law (e.g., India DPDP Act).

7.5 Dependencies

DEPENDENCY	TYPE	IMPACT IF DELAYED
Payment gateway integration	External	Blocks online checkout (P0).
Maps / geocoding provider	External	Blocks address & tracking (P0).
SMS / OTP provider	External	Blocks phone auth (P0).
Restaurant onboarding pipeline	Internal/Ops	No supply, no marketplace.
Rider supply & logistics ops	Internal/Ops	Orders cannot be fulfilled.

8 Functional Requirements

Requirements are grouped by surface and module. Each has an ID, priority, and acceptance criterion.

8.1 Customer Web App

8.1.1 Authentication & Onboarding

ID	REQUIREMENT	PRIORITY	ACCEPTANCE CRITERIA
FR-AUTH-01	Sign up / log in via mobile number with OTP.	P0	User receives OTP within 30s and is authenticated on correct entry; invalid OTP is rejected with a clear message.
FR-AUTH-02	Browse and add to cart as a guest; authenticate before payment.	P0	Guest can build a cart; checkout prompts login/OTP before payment; cart persists through login.
FR-AUTH-03	Social / email login option.	P2	User can authenticate via at least one social provider; account links to a single profile.
FR-AUTH-04	Persistent session with secure logout on all devices.	P1	Session persists across visits; "log out everywhere" invalidates all tokens.

8.1.2 Location, Discovery & Search

ID	REQUIREMENT	PRIORITY	ACCEPTANCE CRITERIA
FR-DISC-01	Detect or let user set a delivery location.	P0	User can use device geolocation or manually enter/search an address; only serviceable restaurants are shown.
FR-DISC-02	Show a list of restaurants that deliver to the chosen location.	P0	List shows name, cuisine, rating, ETA, and delivery fee; out-of-range restaurants are excluded.
FR-DISC-03	Search restaurants and dishes by keyword.	P0	Typing a query returns relevant restaurants/dishes within 1s for typical queries.
FR-DISC-04	Filter by cuisine, price, rating, veg/non-veg, offers; sort by relevance, rating, delivery time, cost.	P1	Applying filters/sorts updates results correctly and can be combined.
FR-DISC-05	Indicate open/closed status and next opening time.	P0	Closed restaurants are clearly marked and cannot accept orders.
FR-DISC-06	Personalised recommendations & "order again".	P2	Returning users see relevant suggestions based on history.

8.1.3 Restaurant & Menu

ID	REQUIREMENT	PRIORITY	ACCEPTANCE CRITERIA
FR-MENU-01	Display restaurant page with menu organised by category.	P0	Menu shows item name, description, price, image (if any), and veg/non-veg indicator.

ID	REQUIREMENT	PRIORITY	ACCEPTANCE CRITERIA
FR-MENU-02	Support item customisation (size, add-ons, variants) with price changes.	P0	Selecting options updates item price; required choices are enforced before add-to-cart.
FR-MENU-03	Mark unavailable items as sold out and non-orderable.	P0	Sold-out items cannot be added to cart and are visually distinct.
FR-MENU-04	Show ratings, reviews, and key info (timings, address, charges).	P1	Aggregate rating and recent reviews are visible on the restaurant page.

8.1.4 Cart & Checkout

ID	REQUIREMENT	PRIORITY	ACCEPTANCE CRITERIA
FR-CART-01	Add, remove, and change quantity of items in cart.	P0	Cart reflects changes instantly with correct line totals.
FR-CART-02	Enforce single-restaurant carts (or warn before switching).	P0	Adding from a second restaurant prompts the user to clear or keep the current cart.
FR-CART-03	Show a transparent bill: item total, taxes, delivery fee, packaging, discounts, grand total.	P0	Every charge is itemised; the grand total equals the sum of components.
FR-CART-04	Apply and validate coupons / offers.	P1	Valid coupons reduce the total correctly; invalid/expired coupons show a clear reason.
FR-CART-05	Select delivery address and add special instructions.	P0	User can choose a saved address or add a new one and attach notes for the rider/restaurant.
FR-CART-06	Enforce minimum order value where configured.	P1	Checkout is blocked with guidance until minimum is met.

8.1.5 Payments

ID	REQUIREMENT	PRIORITY	ACCEPTANCE CRITERIA
FR-PAY-01	Pay via UPI, debit/credit card, net banking, and wallets through a PCI-DSS-compliant gateway.	P0	Each method completes a test transaction successfully; no raw card data touches our servers.
FR-PAY-02	Support Cash on Delivery (COD) where enabled.	P0	COD orders are placed without online payment and flagged for the rider.
FR-PAY-03	Handle payment failure gracefully with retry.	P0	On failure the order is not confirmed, the user is informed, and can retry or change method; no double charge.
FR-PAY-04	Issue refunds to the original payment method.	P1	An approved refund is initiated to the source method with a trackable status.

8.1.6 Order Placement, Tracking & Notifications

ID	REQUIREMENT	PRIORITY	ACCEPTANCE CRITERIA
FR-ORD-01	Confirm order with a unique ID and estimated delivery time.	P0	A confirmed order shows an order ID and ETA; the restaurant is notified instantly.
FR-ORD-02	Show real-time status: Placed → Accepted → Preparing → Out for delivery → Delivered.	P0	Status updates appear without manual refresh as each stage changes.
FR-ORD-03	Show live rider location on a map once out for delivery.	P1	Rider position updates on the map at a reasonable interval until delivery.
FR-ORD-04	Notify the customer at key stages via web push / SMS / email.	P0	Customer receives a notification on acceptance, dispatch, and delivery.
FR-ORD-05	Allow cancellation within an allowed window with policy-based refund.	P1	Cancellation is permitted before preparation per policy; refund (if any) follows the stated rule.

8.1.7 Post-Order: History, Reorder, Ratings & Support

ID	REQUIREMENT	PRIORITY	ACCEPTANCE CRITERIA
FR-POST-01	View order history with details and invoices.	P1	Past orders list with items, totals, and a downloadable/viewable invoice.
FR-POST-02	Reorder a previous order in one action.	P1	Reorder rebuilds the cart with available items and flags any unavailable ones.
FR-POST-03	Rate and review the order (food + delivery).	P1	User can submit a star rating and optional comment, reflected in aggregates.
FR-POST-04	Raise a support issue / complaint on an order.	P1	User can report a problem and receive a tracked resolution.

8.1.8 Offers, Loyalty & Profile

ID	REQUIREMENT	PRIORITY	ACCEPTANCE CRITERIA
FR-OFF-01	Show available offers and promo codes.	P1	Eligible offers are visible and applicable at checkout.
FR-OFF-02	Loyalty / rewards on repeat orders.	P2	Points or rewards accrue and can be redeemed per rules.
FR-PROF-01	Manage profile, multiple saved addresses, and payment preferences.	P0	User can add/edit/delete addresses and set a default; changes persist.
FR-PROF-02	Manage notification preferences.	P2	User can opt in/out of channels; preferences are respected.

8.2 Restaurant (Merchant) Portal

ID	REQUIREMENT	PRIORITY	ACCEPTANCE CRITERIA
FR-RST-01	Onboard with business details and KYC documents.	P0	Restaurant can submit required details; status is tracked until approved.
FR-RST-02	Receive new orders with an audible/visual alert.	P0	A new order triggers a prominent alert that persists until actioned.
FR-RST-03	Accept or reject an order and set preparation time.	P0	Acceptance updates the customer ETA; rejection releases the order per policy.
FR-RST-04	Manage menu: add/edit items, prices, categories, availability.	P0	Menu changes reflect on the customer app within a short, defined sync window.
FR-RST-05	Toggle store open/closed and set operating hours.	P0	Closed stores stop receiving orders immediately.
FR-RST-06	View orders dashboard and earnings/payout reports.	P1	Restaurant sees order counts, revenue, and payout schedule accurately.
FR-RST-07	Mark order as ready for pickup.	P0	"Ready" status notifies the assigned rider and operations.

8.3 Admin & Operations Console

ID	REQUIREMENT	PRIORITY	ACCEPTANCE CRITERIA
FR-ADM-01	Monitor all live orders with status and SLA flags.	P0	Ops can see every active order and identify stuck/late ones.
FR-ADM-02	Manage restaurants and riders (approve, suspend, edit).	P0	Ops can change supply-side status with an audit trail.
FR-ADM-03	Handle disputes, cancellations, and refunds.	P0	Ops can resolve an issue and trigger refunds with reason codes.
FR-ADM-04	Create and manage coupons, offers, and serviceable zones.	P1	New promos/zones apply correctly to eligible users/areas.
FR-ADM-05	Access operational reports and exports.	P1	Ops can generate and export key reports for a date range.
FR-ADM-06	Role-based access control for internal users.	P0	Permissions restrict actions by role; all sensitive actions are logged.

8.4 Delivery Partner Interface (Companion)

ID	REQUIREMENT	PRIORITY	ACCEPTANCE CRITERIA
FR-RDR-01	Receive order assignment with pickup and drop details.	P0	Assigned rider sees restaurant, customer location, and order summary.
FR-RDR-02	Accept assignment and navigate via maps deep-link.	P0	Rider can accept and open turn-by-turn navigation to pickup/drop.

ID	REQUIREMENT	PRIORITY	ACCEPTANCE CRITERIA
FR-RDR-03	Update status: reached, picked up, delivered.	P0	Each status update propagates to customer and ops in real time.
FR-RDR-04	View earnings and completed-trip history.	P1	Rider sees per-trip and cumulative earnings accurately.

9 Key User Flows

9.1 Customer — Place an Order

Set location → Browse / search restaurants → Open restaurant & build cart (with customisations) → Review bill & apply offer → Choose address & instructions → Authenticate (if guest) → Pay (or COD) → **Order confirmed** → Track status to delivery → Rate & (optionally) reorder later.

9.2 Restaurant — Fulfil an Order

Order alert → Accept & set prep time (or reject) → Prepare items → Mark "Ready for pickup" → Hand over to assigned rider → Order moves to out-for-delivery → Payout recorded.

9.3 Rider — Deliver an Order

Receive assignment → Accept → Navigate to restaurant → Mark "Reached" & "Picked up" → Navigate to customer → Mark "Delivered" (collect cash if COD) → Earnings updated.

9.4 Operations — Resolve a Stuck Order

SLA flag raised on live board → Investigate (restaurant delay / no rider / payment issue) → Take action (reassign rider, contact parties, cancel) → Issue refund if needed → Close with reason code.

Detailed flow diagrams and wireframes are maintained in the companion design specification.

10 Non-Functional Requirements

ID	CATEGORY	REQUIREMENT	TARGET / ACCEPTANCE
NFR-PERF-01	Performance	Fast initial load on mobile web.	Largest Contentful Paint < 2.5s on a mid-range device / 4G; key pages interactive quickly.
NFR-PERF-02	Performance	Responsive search and menu rendering.	Search results < 1s; menu open < 1.5s for typical restaurants.
NFR-SCAL-01	Scalability	Handle peak meal-time concurrency.	Sustain defined peak concurrent users and order throughput without degradation; horizontally scalable.
NFR-AVL-01	Availability	High uptime for core ordering.	≥ 99.9% monthly uptime for order placement and payment paths.
NFR-REL-01	Reliability	No lost orders or double charges.	Idempotent order/payment handling; failures never create duplicate charges or silent order loss.
NFR-SEC-01	Security	Protect accounts and data.	Encryption in transit (TLS) and at rest for sensitive data; OWASP Top-10 protections; rate limiting on auth.
NFR-SEC-02	Security	Compliant payment handling.	PCI-DSS scope minimised via gateway tokenisation; no card data stored locally.
NFR-PRIV-01	Privacy	Lawful personal-data handling.	Consent, purpose limitation, and deletion honoured per applicable law (e.g., DPDP Act / GDPR where relevant).
NFR-ACC-01	Accessibility	Usable by people with disabilities.	Meets WCAG 2.1 AA for core flows; keyboard navigable; sufficient contrast.
NFR-LOC-01	Localisation	Locale-ready content & formats.	Currency (INR), date/time, and number formats correct; copy externalised for future languages.
NFR-COMP-01	Compatibility	Cross-browser & device support.	Works on latest 2 versions of major browsers; responsive from 320px width upward.
NFR-OBS-01	Observability	Monitor health and errors.	Centralised logging, metrics, alerting; key business and system events traceable.
NFR-OFF-01	Resilience	Graceful degradation offline / slow net.	PWA caches shell; clear messaging and retry on connectivity loss.

11 Information Architecture & Key Screens

Customer App

- Landing / location selection
- Restaurant listing (with filters & search)
- Restaurant & menu detail
- Cart & checkout
- Payment
- Order confirmation & live tracking
- Order history & reorder
- Profile, addresses, offers, support

Restaurant Portal

- Login & onboarding
- Live orders board
- Menu management
- Store hours & availability
- Earnings & payouts

Admin / Ops Console

- Live order monitoring
- Restaurant & rider management
- Disputes & refunds
- Promotions & zones
- Reports

High-fidelity wireframes are maintained separately by the design team; this section defines the screen inventory only.

12 High-Level Data Model

Core entities and their key relationships (logical, not physical schema):

ENTITY	KEY ATTRIBUTES	RELATIONSHIPS
User	id, name, phone, email, role	Has many Addresses, Orders, Reviews
Address	id, label, geo, line, city, pincode	Belongs to User
Restaurant	id, name, cuisines, location, hours, status, rating	Has many MenuItems, Orders
MenuItem	id, name, price, category, options, availability	Belongs to Restaurant; in many OrderItems
Cart / Order	id, status, items, totals, address, payment, timestamps	Belongs to User & Restaurant; has OrderItems
OrderItem	id, menu_item, qty, options, line_total	Belongs to Order
Payment	id, method, amount, status, gateway_ref	Belongs to Order
DeliveryAssignment	id, rider, status, pickup/drop, timestamps	Belongs to Order & Rider
Rider	id, name, phone, vehicle, status, location	Has many DeliveryAssignments
Review	id, rating, comment, food/delivery split	Belongs to Order, User, Restaurant
Coupon / Offer	id, code, type, value, conditions, validity	Applied to Orders

13 Integrations & Third-Party Services

CAPABILITY	PURPOSE	EXAMPLE PROVIDERS	PRIORITY
Payment gateway	UPI, cards, net banking, wallets; tokenisation; refunds	Razorpay, Stripe, Cashfree	P0
Maps & geocoding	Address search, distance/ETA, live tracking	Google Maps, Mapbox	P0
SMS / OTP	Phone verification, transactional alerts	MSG91, Twilio	P0
Email	Receipts, account, marketing	SendGrid, Amazon SES	P1
Web push notifications	Status updates without SMS cost	Firebase Cloud Messaging	P1
Product analytics	Funnels, retention, events	GA4, Mixpanel, PostHog	P1
Error & performance monitoring	Crash/error tracking, APM	Sentry, Datadog	P1

Integration principle. All third-party providers are abstracted behind internal interfaces so a provider can be swapped without rewriting business logic. Secrets are managed centrally and never exposed to the browser.

14 Analytics & Instrumentation

To measure the KPIs in Section 4, the following events must be instrumented from day one. Events should carry consistent properties (user id/anon id, timestamp, restaurant id, order id where relevant).

EVENT	TRIGGER	PRIMARY METRIC SERVED
location_set	User sets/changes delivery location	Activation funnel
restaurant_viewed	Opens a restaurant page	Discovery engagement
item_added_to_cart	Adds an item	Cart build rate
checkout_started	Begins checkout	Conversion funnel
payment_attempted / payment_succeeded / payment_failed	Payment lifecycle	Payment success rate
order_placed	Order confirmed	North Star (orders)
order_delivered	Order marked delivered	Delivery time, completion
order_cancelled	Cancellation by any party	Cancellation rate (guardrail)
rating_submitted	User rates order	Quality / CSAT
reorder_clicked	User reorders	Retention

15 Release Plan & Roadmap

Delivery is phased to get a working marketplace live quickly, then layer on growth and delight features.

PHASE	THEME	KEY SCOPE	EXIT CRITERIA
Phase 0 Foundations	Plumbing	Accounts & auth, restaurant onboarding, payment + maps + SMS integrations, core data model.	A test order can flow end-to-end internally.
Phase 1 MVP	Order & fulfil	Location & discovery, menu, cart, checkout, payments + COD, order confirmation & status, restaurant order management, basic ops console, rider assignment. Single city.	Real customers complete paid, delivered orders; guardrail metrics within target.
Phase 2 Trust & Growth	Engagement	Live map tracking, ratings & reviews, offers & coupons, order history & one-tap reorder, web push, richer ops reporting.	Repeat-order rate $\geq$ target; conversion improving.
Phase 3 Scale & Delight	Optimise	Loyalty/rewards, personalised recommendations, multi-city, advanced promos, performance hardening.	Multi-city operations stable; unit economics positive.

MVP DEFINITION

A customer can discover a restaurant, order, pay, and receive food — and the restaurant and rider can fulfil it.

Everything not required for that single sentence is deferred to a later phase.

16 Risks & Mitigations

RISK	LIKELIHOOD / IMPACT	MITIGATION
Insufficient rider supply at peak, causing late/undelivered orders.	High / High	Phase by serviceable zones; incentivise peak hours; cap orders to available supply; surge ETAs honestly.
Payment failures or double charges erode trust.	Medium / High	Idempotent payments, robust retry, reconciliation, clear refund flow, monitoring on payment success rate.
Restaurant menu/price data inaccurate.	Medium / Medium	Easy self-serve menu tools, validation, periodic audits, customer-reported corrections.
Peak-time load degrades performance.	Medium / High	Load testing, horizontal scaling, caching, graceful degradation, observability + alerting.
Weak unit economics (delivery cost > revenue).	Medium / High	Minimum order values, dynamic delivery fees, batching, commission tuning, monitor contribution margin.
Fraud (fake orders, coupon abuse).	Medium / Medium	Rate limits, device/risk checks, coupon usage caps, COD limits for new users.
Regulatory / data-protection non-compliance.	Low / High	Privacy-by-design, consent management, legal review before launch.

17 Open Questions

#	QUESTION	OWNER	NEEDED BY
1	Which launch city and serviceable zones, and what is the delivery radius?	Operations	Before Phase 1
2	What is the commission model and delivery-fee structure?	Business	Before Phase 1
3	Self-operated riders, third-party logistics, or hybrid?	Operations	Phase 0
4	Cancellation & refund policy specifics (windows, charges)?	Product + Business	Before Phase 1
5	Which payment gateway and maps provider are contracted?	Engineering + Business	Phase 0
6	Data-residency and compliance requirements for the launch market?	Legal	Phase 0

18 Appendix & Glossary

PRD	Product Requirements Document — this document.
MVP	Minimum Viable Product — the smallest release that delivers core value.
PWA	Progressive Web App — a website that can be installed and works offline-capable.
GMV	Gross Merchandise Value — total value of orders transacted.
AOV	Average Order Value — GMV divided by number of orders.
ETA	Estimated Time of Arrival for an order.
COD	Cash on Delivery.
SLA	Service-Level Agreement — a measurable commitment (e.g., uptime, delivery time).
KPI	Key Performance Indicator.
NPS / CSAT	Net Promoter Score / Customer Satisfaction — loyalty & satisfaction measures.
P0 / P1 / P2	Priority: launch-critical / important fast-follow / desirable later.
WCAG	Web Content Accessibility Guidelines.
PCI-DSS	Payment Card Industry Data Security Standard.
DPDP Act	India's Digital Personal Data Protection Act.

— End of Document — · QuickBite PRD v1.0 · Prepared by 4AM Global Media