

```
name = "Shobana"
print(name)
```

Shobana

```
a = 10
b = 20
a, b = b, a
print(a, b)
```

20 10

```
x, y, z = 1, 2, 3
print(x + y + z)
```

6

```
num = 100
print("Before:", num)
num = 200
print("After:", num)
```

Before: 100
After: 200

```
val = 50
del val
# print(val) # Uncomment to see error
```

```
i = 10
f = 3.5
s = "Hello"
b = True

print(i, type(i))
print(f, type(f))
print(s, type(s))
print(b, type(b))
```

10 <class 'int'>
3.5 <class 'float'>
Hello <class 'str'>
True <class 'bool'>

```
print(type(3.14))
print(type("Hello"))
print(type(True))
print(type(0))
```

<class 'float'>
<class 'str'>
<class 'bool'>
<class 'int'>

```
x = 9
print(isinstance(x, int))
```

True

```
print(type(None))
```

<class 'NoneType'>

```
big_int = 12345678901234567890
small_float = 0.000000000123
print(big_int)
print(small_float)
```

12345678901234567890
1.23e-10

```
num = int("123")
print(num + 7)
```

130

```
print(int(9.99))
```

9

```
print(bool(0))
print(bool(1))
```

False
True

```
print(int(True))
print(int(False))
```

1
0

```
num = float(input("Enter number: "))
print(num * 2)
```

Enter number: 50
100.0

```
# int("hello") # Uncomment to see ValueError
```

```
s = "Hello, World!"
print(s.upper())
print(s.lower())
```

HELLO, WORLD!
hello, world!

```
print(len("Python Programming"))
```

18

```
s = "Hello, World!"
print(s[7:12])
```

World

```
print("abcdef"[::-1])
```

fedcba

```
print("nan" in "banana")
```

True

```
print("This is a bad day".replace("bad", "good"))
```

This is a good day

```
print(" hello ".strip())
```

hello

```
print("apple,banana,cherry".split(","))
```

['apple', 'banana', 'cherry']

```
print("banana".count("a"))
```

3

```
print("Python123".isalnum())
```

```
True
```

```
name = "John"
age = 25
print(f"My name is {name} and I am {age} years old")
```

```
My name is John and I am 25 years old
```

```
print("The price is {} dollars".format(49.99))
```

```
The price is 49.99 dollars
```

```
print(f"{3.14159:.2f}")
```

```
3.14
```

```
print(f"{7:03}")
```

```
007
```

```
print(f"5 x 3 = {5*3}")
```

```
5 x 3 = 15
```

```
names = ["Alice", "Bob", "Charlie"]
scores = [85, 90, 78]
```

```
for n, s in zip(names, scores):
    print(f"{n:<10} {s:>5}")
```

```
Alice      85
Bob        90
Charlie    78
```

```
fruits = ["apple", "banana", "cherry", "mango", "orange"]
print(fruits)
```

```
['apple', 'banana', 'cherry', 'mango', 'orange']
```

```
lst = [10, 20, 30, 40, 50]
print(lst[0], lst[-1])
```

```
10 50
```

```
lst = [10, 20, 30]
lst.append(40)
print(lst)
```

```
[10, 20, 30, 40]
```

```
lst = [10, 20, 30, 40]
lst.insert(2, 99)
print(lst)
```

```
[10, 20, 99, 30, 40]
```

```
fruits = ["apple", "banana", "cherry"]
fruits.remove("banana")
print(fruits)
```

```
['apple', 'cherry']
```

```
nums = [5, 2, 8, 1, 9]
print(sorted(nums))
print(sorted(nums, reverse=True))
```

```
[1, 2, 5, 8, 9]
[9, 8, 5, 2, 1]
```

```
nums = [3, 7, 1, 9, 4]
print(len(nums))
```

```
print(max(nums))  
print(min(nums))
```

```
5  
9  
1
```

```
lst = [0, 1, 2, 3, 4, 5, 6]  
print(lst[2:5])
```

```
[2, 3, 4]
```

```
original = [1, 2, 3]  
copy_list = original.copy()  
copy_list.append(4)  
  
print("Original:", original)  
print("Copy:", copy_list)
```

```
Original: [1, 2, 3]  
Copy: [1, 2, 3, 4]
```

```
list1 = [1, 2, 3]  
list2 = [4, 5, 6]  
print(list1 + list2)
```

```
[1, 2, 3, 4, 5, 6]
```

Start coding or [generate](#) with AI.