Rajalakshmi Engineering College

Name: shobbika T

Email: 240701502@rajalakshmi.edu.in

Roll no: 240701502 Phone: 7305423247

Branch: REC

Department: I CSE FE

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 2_CY

Attempt : 1 Total Mark : 40

Marks Obtained: 32.5

Section 1: Coding

1. Problem Statement

Taylor is tasked with a mathematical challenge that requires finding the smallest positive number divisible by all integers from 1 to n.

Help Taylor to determine the smallest positive number that is divisible by all integers from 1 to n. Make sure to employ the break statement to ensure efficiency in the program.

Input Format

The input consists of a single integer, n.

Output Format

The output displays the smallest positive number that is divisible by all integers from 1 to n.

Refer to the sample output for the formatting specifications.

Sample Test Case

```
Input: 10
Output: 2520
Answer
# You are using Python
n=int(input())
 anv = True
for i in range(1,n+1):
if num%i!=0:
div-r
num=n
while True:
       break
  if div:
     print(num)
     break
  num +=n
```

Status: Partially correct Marks: 7.5/10

2. Problem Statement

Max is fascinated by prime numbers and the Fibonacci sequence. He wants to combine these two interests by creating a program that outputs the first n prime numbers within the Fibonacci sequence.

Your task is to help Max by writing a program that prints the first n prime numbers in the Fibonacci sequence using a while loop along with the break statement to achieve the desired functionality.

Input Format

The input consists of an integer n, representing the number of prime Fibonacci

numbers to generate.

Output Format

The output displays space-separated first n prime numbers found in the Fibonacci sequence.

240101502

Refer to the sample output for the formatting specifications.

Sample Test Case

```
Input: 5
 Output: 2 3 5 13 89
Answer
 # You are using Python
 n=int(input().strip())
 a,b=0,1
 c=0
 while c<n:
   fib=a
    a,b=b,a+b
   if fib<2:
      continue
   is_prime = True
   for i in range(2,fib):
      if fib%i==0:
        is_prime=False
        break
    if is_prime:
      print(fib,end=" ")
      c+=1
```

Status: Partially correct Marks: 7.5/10

3. Problem Statement

Nisha is a mathematics enthusiast, eager to explore the realm of twin prime numbers. The objective is to develop a program that enables the

The program should take an integer 'n' as input and generate 'n' pairs of twin primes, displaying the pairs with a difference of 2 between the 2 between the

Input Format

The input consists of a single integer, n.

Output Format

The output displays the 'n' pairs of twin primes, the pairs with a difference of 2 between them.

Refer to the sample output for the formatting specifications.

Sample Test Case

p2= False break

```
Input: 5
    Output: 3 5
    57
    11 13
    17 19
    29 31
   Answer
   # You are using Python
n=int(input().strip())
    c=0
    num=3
    while c<n:
      p1=True
      p2=True
      for i in range(2, int(num**0.5)+1):
        if num%i==0:
          p1=False
           break
      for i in range(2, int((num+2)**0.5)+1):
       \text{if (num+2)\text{%i==0:}}
```

```
if p1 and p2:
print(num,num+2)
c+=1
num+=2
```

Status: Correct Marks: 10/10

4. Problem Statement

Rohith is a data analyst who needs to categorize countries based on their population growth rates. Each country is assigned a unique code. Rohith will receive a code and corresponding data based on the code. If the data falls within specific thresholds, he needs to classify the country's priority level.

Your task is to write a program that reads a country code and its associated data, and then determines if the priority is "High" or "Low."

Thresholds:France: Priority is "High" if the percentage < 50, else "Low".Japan: Priority is "High" if life expectancy > 80, else "Low".Brazil: Priority is "High" if the urban population > 80, else "Low".

Input Format

The first line of input consists of an integer, representing the country code (1 for France, 2 for Japan, 3 for Brazil).

If the country code is 1,

- The second line consists of a floating-point value N, representing the percentage of the English-speaking population.

If the country code is 2,

- The second line consists of a floating-point value A, representing the average life expectancy in years.

If the country code is 3,

- The second line consists of a floating-point value P, representing the percentage of the urban population.

Output Format

The first line of output displays "Priority: High" or "Priority: Low" based on the input data.

If the country code is invalid, print "Invalid".

Refer to the sample output for formatting specifications.

Sample Test Case

```
Input: 1
30.0
Output: Priority: High
Answer
```

```
# You are using Python
cc=int(input().strip())
dv=float(input().strip())
if cc==1:
  if dv<50:
   print("priority: High")
  else:
   print("priority: Low")
elif cc==2:
 if dv>80:
   print("priority: High")
   print("priority: Low")
elif cc==3:
  if dv>80:
   print("priority: High")
  else:
   print("priority: Low")
else:
   print("Invalid")
```

Status: Partially correct

Marks: 7.5/10