```
CREATE DATABASE StudentDB;
USE StudentDB;
CREATE TABLE Student (
   Student_ID INT PRIMARY KEY,
   Student_Name VARCHAR(100) NOT NULL,
   Class VARCHAR(100) NOT NULL,
   Marks VARCHAR(100) NOT NULL,
   Fee_Paid VARCHAR(100) NOT NULL,
   D_O_B VARCHAR(100) NOT NULL,
   Admission_Date VARCHAR(100) NOT NULL
);
INSERT INTO Student
(Student_ID, Student_Name, Class, Marks, Fee_Paid, D_O_B, Admission_Date)
VALUES
(100, 'Pranjul Shukla', '10B', '80', '50000', '2009-02-10', '2023-06-10'),
(101, 'Mayur Gowda', '10A', '79', '50000', '2010-05-31', '2023-06-12'),
(102, 'Sanjana Gowda', '10B', '43', '50000', '2007-04-02', '2023-06-11'),
(103, 'Sudhanva YS', '10A', '89', '50000', '2008-05-15', '2023-06-15'),
(104, 'Sivesh Kumar', '10B', '32', '50000', '2009-01-30', '2023-06-13');
SELECT * FROM Student;
SELECT YEAR(D_O_B) AS Birth_Year
FROM Student;
SELECT MONTH(D_O_B) AS Birth_Month
FROM Student;
SELECT DAY(D_O_B) AS Birth_Day
FROM Student;
SELECT TIMESTAMPDIFF(YEAR,D_O_B ,CURDATE()) AS Age
FROM Student;
SELECT CURDATE() AS Today;
SELECT UPPER(Student_Name) AS Upper_Name
FROM Student;
SELECT LOWER(Class) AS Lower_Name
FROM Student;
SELECT Student_Name, LENGTH(Student_Name) AS Name_Length
FROM Student;
SELECT CONCAT(Student_Name, ' - ', Class, ' - ', Marks) AS Student_Details
FROM Student;
SELECT Student_Name, SUBSTRING(Student_Name, 1, 3) AS Short_Name
```

FROM Student;

SELECT ROUND(Marks*3) AS Bonus

FROM Student;

SELECT CEIL(Marks/10.0) AS Valued

FROM Student;


SELECT FLOOR(Marks/10.0) AS Down

FROM Student;


SELECT MOD(Marks, 5) AS Remainder


FROM Student;


SELECT ABS(Marks-10) AS Difference





FROM Student;






Query 1
Limit to 1000 rows
22 SELECT YEAR(D_O_B) AS Birth_Year
23 FROM Student;
24
25 SELECT MONTH(D_O_B) AS Birth_Month
26 FROM Student;
27
28 SELECT DAY(D_O_B) AS Birth_Day
29 FROM Student;
30
31 SELECT TIMESTAMPDIFF(YEAR,D_O_B ,CURDATE()) AS Age
32 FROM Student;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Birth_Day
10
31
2
15
30
Age
17
16
19
18
17
Student 1 Result 2 Result 3 Result 4 Result 5 Result 6 Result 7 Result 8 Result 9 Result 10 Result 11
Output
Action Output
Time Action Message
11 19:12:07 SELECT CURDATE() AS Today LIMIT 0, 1000 1 row(s) returned
12 19:12:07 SELECT UPPER(Student_Name) AS Upper_Name FROM Student LIMIT 0, 1000 5 row(s) returned
13 19:12:07 SELECT LOWER(Class) AS Lower_Name FROM Student LIMIT 0, 1000 5 row(s) returned
14 19:12:07 SELECT Student_Name, LENGTH(Student_Name) AS Name_Length FROM Student LIMIT 0, 1000 5 row(s) returned
15 19:12:07 SELECT CONCAT(Student_Name, ' - ', Class, ' - ', Marks) AS Student_Details FROM Student LIMIT 0, 1000 5 row(s) returned
16 19:12:07 SELECT Student_Name, SUBSTRING(Student_Name, 1, 3) AS Short_Name FROM Student LIMIT 0, 1000 5 row(s) returned


Query 1
Limit to 1000 rows
34 SELECT CURDATE() AS Today;
35 SELECT UPPER(Student_Name) AS Upper_Name
36 FROM Student;
37
38 SELECT LOWER(Class) AS Lower_Name
39 FROM Student;
40
41 SELECT Student_Name, LENGTH(Student_Name) AS Name_Length
42 FROM Student;
43
44 SELECT CONCAT(Student_Name, ' - ', Class, ' - ', Marks) AS Student_Details
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Today
2026-10-02
Result Grid
Form Editor
Student 1 Result 2 Result 3 Result 4 Result 5 Result 6 Result 7 Result 8 Result 9 Result 10 Result 11
Read Only
Output
Action Output
Time Action Message
11 19:12:07 SELECT CURDATE() AS Today LIMIT 0, 1000 1 row(s) returned
12 19:12:07 SELECT UPPER(Student_Name) AS Upper_Name FROM Student LIMIT 0, 1000 5 row(s) returned
13 19:12:07 SELECT LOWER(Class) AS Lower_Name FROM Student LIMIT 0, 1000 5 row(s) returned
14 19:12:07 SELECT Student_Name, LENGTH(Student_Name) AS Name_Length FROM Student LIMIT 0, 1000 5 row(s) returned
15 19:12:07 SELECT CONCAT(Student_Name, ' - ', Class, ' - ', Marks) AS Student_Details FROM Student LIMIT 0, 1000 5 row(s) returned
16 19:12:07 SELECT Student_Name, SUBSTRING(Student_Name, 1, 3) AS Short_Name FROM Student LIMIT 0, 1000 5 row(s) returned



```
SELECT CURDATE() AS Today;
SELECT UPPER(Student_Name) AS Upper_Name
FROM Student;

SELECT LOWER(Class) AS Lower_Name
FROM Student;

SELECT Student_Name, LENGTH(Student_Name) AS Name_Length
FROM Student;


SELECT CONCAT(Student_Name, ' - ', Class, ' - ', Marks) AS Student_Details
```

Upper_Name
PRANJUL SHUKLA
MAYUR GOWDA
SANJANA GOWDA
SUDHANVA YS
SIVESH KUMAR

Lower_Name
10b
10a
10b
10a
10b

Output

#	Time	Action	Message
11	19:12:07	SELECT CURDATE() AS Today LIMIT 0, 1000	1 row(s) returned
12	19:12:07	SELECT UPPER(Student_Name) AS Upper_Name FROM Student LIMIT 0, 1000	5 row(s) returned
13	19:12:07	SELECT LOWER(Class) AS Lower_Name FROM Student LIMIT 0, 1000	5 row(s) returned
14	19:12:07	SELECT Student_Name, LENGTH(Student_Name) AS Name_Length FROM Student LIMIT 0, 1000	5 row(s) returned
15	19:12:07	SELECT CONCAT(Student_Name, ' - ', Class, ' - ', Marks) AS Student_Details FROM Student LIMIT 0, 1000	5 row(s) returned
16	19:12:07	SELECT Student_Name, SUBSTRING(Student_Name, 1, 3) AS Short_Name FROM Student LIMIT 0, 1000	5 row(s) returned



```
SELECT CURDATE() AS Today;
SELECT UPPER(Student_Name) AS Upper_Name
FROM Student;

SELECT LOWER(Class) AS Lower_Name
FROM Student;


SELECT Student_Name, LENGTH(Student_Name) AS Name_Length
FROM Student;

SELECT CONCAT(Student_Name, ' - ', Class, ' - ', Marks) AS Student_Details
```

Student_Name	Name_Length
Pranjul Shukla	14
Mayur Gowda	11
Sanjana Gowda	13
Sudhanva YS	11
Sivesh Kumar	12

Output

#	Time	Action	Message
11	19:12:07	SELECT CURDATE() AS Today LIMIT 0, 1000	1 row(s) returned
12	19:12:07	SELECT UPPER(Student_Name) AS Upper_Name FROM Student LIMIT 0, 1000	5 row(s) returned
13	19:12:07	SELECT LOWER(Class) AS Lower_Name FROM Student LIMIT 0, 1000	5 row(s) returned
14	19:12:07	SELECT Student_Name, LENGTH(Student_Name) AS Name_Length FROM Student LIMIT 0, 1000	5 row(s) returned
15	19:12:07	SELECT CONCAT(Student_Name, ' - ', Class, ' - ', Marks) AS Student_Details FROM Student LIMIT 0, 1000	5 row(s) returned
16	19:12:07	SELECT Student_Name, SUBSTRING(Student_Name, 1, 3) AS Short_Name FROM Student LIMIT 0, 1000	5 row(s) returned



```
FROM Student;

SELECT Student_Name, LENGTH(Student_Name) AS Name_Length
FROM Student;

SELECT CONCAT(Student_Name, ' - ', Class, ' - ', Marks) AS Student_Details
FROM Student;


SELECT Student_Name, SUBSTRING(Student_Name, 1, 3) AS Short_Name
FROM Student;
```

Student_Details
Pranjul Shukla - 10B - 80
Mayur Gowda - 10A - 79
Sanjana Gowda - 10B - 43
Sudhanva YS - 10A - 89
Sivesh Kumar - 10B - 32

Student_Name	Short_Name
Pranjul Shukla	Pra
Mayur Gowda	May
Sanjana Gowda	San
Sudhanva YS	Sud
Sivesh Kumar	Siv

Output

#	Time	Action	Message
11	19:12:07	SELECT CURDATE() AS Today LIMIT 0, 1000	1 row(s) returned
12	19:12:07	SELECT UPPER(Student_Name) AS Upper_Name FROM Student LIMIT 0, 1000	5 row(s) returned
13	19:12:07	SELECT LOWER(Class) AS Lower_Name FROM Student LIMIT 0, 1000	5 row(s) returned
14	19:12:07	SELECT Student_Name, LENGTH(Student_Name) AS Name_Length FROM Student LIMIT 0, 1000	5 row(s) returned
15	19:12:07	SELECT CONCAT(Student_Name, ' - ', Class, ' - ', Marks) AS Student_Details FROM Student LIMIT 0, 1000	5 row(s) returned
16	19:12:07	SELECT Student_Name, SUBSTRING(Student_Name, 1, 3) AS Short_Name FROM Student LIMIT 0, 1000	5 row(s) returned



```
FROM Student;

SELECT ROUND(Marks*3) AS Bonus
FROM Student;


SELECT CEIL(Marks/10.0) AS Valued
FROM Student;


SELECT FLOOR(Marks/10.0) AS Down
FROM Student;
```


Bonus
240
237
129
267
96

Output

#	Time	Action	Message
16	19:12:07	SELECT Student_Name, SUBSTRING(Student_Name, 1, 3) AS Short_Name FROM Student LIMIT 0, 1000	5 row(s) returned
17	19:20:49	SELECT ROUND(Marks*3) AS Bonus FROM Student LIMIT 0, 1000	5 row(s) returned
18	19:20:49	SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000	5 row(s) returned
19	19:20:49	SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000	5 row(s) returned
20	19:20:49	SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000	5 row(s) returned
21	19:20:49	SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000	5 row(s) returned


Query 1
Limit to 1000 rows
48 FROM Student;
49
50 SELECT ROUND(Marks*3) AS Bonus
51 FROM Student;
52
53 SELECT CEIL(Marks/10.0) AS Valued
54 FROM Student;
55
56 SELECT FLOOR(Marks/10.0) AS Down
57 FROM Student;
58
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Valued
8
8
5
9
4
Result Grid
Form Editor
Result 12
Result 13
Result 14
Result 15
Result 16
Read Only
Output
Action Output
Time Action Message
16 19:12:07 SELECT Student_Name, SUBSTRING(Student_Name, 1, 3) AS Short_Name FROM Student LIMIT 0, 1000 5 row(s) returned
17 19:20:49 SELECT ROUND(Marks*3) AS Bonus FROM Student LIMIT 0, 1000 5 row(s) returned
18 19:20:49 SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000 5 row(s) returned
19 19:20:49 SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000 5 row(s) returned
20 19:20:49 SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000 5 row(s) returned
21 19:20:49 SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000 5 row(s) returned


Query 1
Limit to 1000 rows
48 FROM Student;
49
50 SELECT ROUND(Marks*3) AS Bonus
51 FROM Student;
52
53 SELECT CEIL(Marks/10.0) AS Valued
54 FROM Student;
55
56 SELECT FLOOR(Marks/10.0) AS Down
57 FROM Student;
58
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Valued
8
8
5
9
4
Result Grid
Form Editor
Result 12
Result 13
Result 14
Result 15
Result 16
Read Only
Output
Action Output
Time Action Message
16 19:12:07 SELECT Student_Name, SUBSTRING(Student_Name, 1, 3) AS Short_Name FROM Student LIMIT 0, 1000 5 row(s) returned
17 19:20:49 SELECT ROUND(Marks*3) AS Bonus FROM Student LIMIT 0, 1000 5 row(s) returned
18 19:20:49 SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000 5 row(s) returned
19 19:20:49 SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000 5 row(s) returned
20 19:20:49 SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000 5 row(s) returned
21 19:20:49 SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000 5 row(s) returned



```
Query 1
Limit to 1000 rows
48      FROM Student;
49
50 •    SELECT ROUND(Marks*3) AS Bonus
51      FROM Student;
52
53 •    SELECT CEIL(Marks/10.0) AS Valued
54      FROM Student;
55
56 •    SELECT FLOOR(Marks/10.0) AS Down
57      FROM Student;
58
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:


Down
8
7
4
8
3

Result 12 | Result 13 | Result 14 | Result 15 | Result 16 — Read Only

Output

Action Output

#	Time	Action	Message
16	19:12:07	SELECT Student_Name, SUBSTRING(Student_Name, 1, 3) AS Short_Name FROM Student LIMIT 0, 1000	5 row(s) returned
17	19:20:49	SELECT ROUND(Marks*3) AS Bonus FROM Student LIMIT 0, 1000	5 row(s) returned
18	19:20:49	SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000	5 row(s) returned
19	19:20:49	SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000	5 row(s) returned
20	19:20:49	SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000	5 row(s) returned
21	19:20:49	SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000	5 row(s) returned



```
Query 1
Limit to 1000 rows
54      FROM Student;
55
56 •    SELECT FLOOR(Marks/10.0) AS Down
57      FROM Student;
58
59 •    SELECT MOD(Marks, 5) AS Remainder
60      FROM Student;
61
62 •    SELECT ABS(Marks-10) AS Difference
63      FROM Student;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Remainder
0
4
3
4
2

Result 12 | Result 13 | Result 14 | Result 15 | Result 16 — Read Only

Output

Action Output

#	Time	Action	Message
16	19:12:07	SELECT Student_Name, SUBSTRING(Student_Name, 1, 3) AS Short_Name FROM Student LIMIT 0, 1000	5 row(s) returned
17	19:20:49	SELECT ROUND(Marks*3) AS Bonus FROM Student LIMIT 0, 1000	5 row(s) returned
18	19:20:49	SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000	5 row(s) returned
19	19:20:49	SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000	5 row(s) returned
20	19:20:49	SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000	5 row(s) returned
21	19:20:49	SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000	5 row(s) returned

Query 1

```
54    FROM Student;
55
56 •  SELECT FLOOR(Marks/10.0) AS Down
57    FROM Student;
58
59 •  SELECT MOD(Marks, 5) AS Remainder
60    FROM Student;
61
62 •  SELECT ABS(Marks-10) AS Difference
63    FROM Student;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Difference
70
69
33
79
22

Result 12 | Result 13 | Result 14 | Result 15 | Result 16 | Read Only

Output

Action Output

#	Time	Action	Message
16	19:12:07	SELECT Student_Name, SUBSTRING(Student_Name, 1, 3) AS Short_Name FROM Student LIMIT 0, 1000	5 row(s) returned
17	19:20:49	SELECT ROUND(Marks*3) AS Bonus FROM Student LIMIT 0, 1000	5 row(s) returned
18	19:20:49	SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000	5 row(s) returned
19	19:20:49	SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000	5 row(s) returned
20	19:20:49	SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000	5 row(s) returned
21	19:20:49	SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000	5 row(s) returned

4-6ASSIGNMENT*

```
64
65 •  SELECT Student_Name, Class
66    FROM Student
67    WHERE Class = '10A'
68
69    UNION
70
71    SELECT Student_Name, Class
72    FROM Student
73    WHERE Class = '10B';
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Student_Name	Class
Mayur Gowda	10A
Sudhanva YS	10A
Pranjul Shukla	10B
Sanjana Gowda	10B
Sivesh Kumar	10B

Result 17 | Read Only

Output

Action Output

#	Time	Action	Message
17	19:20:49	SELECT ROUND(Marks*3) AS Bonus FROM Student LIMIT 0, 1000	5 row(s) returned
18	19:20:49	SELECT CEIL(Marks/10.0) AS Valued FROM Student LIMIT 0, 1000	5 row(s) returned
19	19:20:49	SELECT FLOOR(Marks/10.0) AS Down FROM Student LIMIT 0, 1000	5 row(s) returned
20	19:20:49	SELECT MOD(Marks, 5) AS Remainder FROM Student LIMIT 0, 1000	5 row(s) returned
21	19:20:49	SELECT ABS(Marks-10) AS Difference FROM Student LIMIT 0, 1000	5 row(s) returned
22	19:26:50	SELECT Student_Name, Class FROM Student WHERE Class = '10A' UNION SELECT Student_Name, Class...	5 row(s) returned