



FUTURE ONWARD OPC

Reg. No. C-193816



Pragoti



BRTC



Ministry of Industries



BSEC

— EXPRESSION OF INTEREST

Integrated Electric Bus Ecosystem for Bangladesh

Bus + Charging + Depot for BRTC through Pragoti Industries Limited — with warranty, model specifications, and a long-term KD / assembly investment pathway.

Presented to: Pragoti Industries Ltd

In presence of: BRTC · Ministry of Industries · Chairman, BSEC

KINWIN


HTK6121 / HTK6901 buses

Huawei

High-power charging

WIETC

Depot EPC & upgrade



AGENDA

What we will cover today

- 01 Strategic context & Future Onward / partner framework
- 02 KINWIN strengths, global cases & company video
- 03 HTK6121GBEV & HTK6901GBEV – photos and key specifications
- 04 Warranty / aftersales framework
- 05 Integrated charging (Huawei video) & depot EPC (WIETC)
- 06 Long-term KD / assembly investment interest & next steps



THE OPPORTUNITY

Electrification succeeds only as a complete operating system

Bus specification drives battery and charging demand; charging drives depot electrical design; depots determine reliability and expansion. We propose one coordinated framework for BRTC through Pragoti.

≥220–250 km

Model cruise range class

CCS2

Dual-gun DC charging

LFP / CATL

Water-cooled packs

Project framing

- End user: BRTC
- Procuring entity: Pragoti Industries Limited
- Oversight: BSEC & Ministry of Industries
- Scope: buses + Huawei charging + depot works



WHO WE ARE

Future Onward OPC — Bangladesh system integrator

We coordinate international technology partners into one accountable delivery framework for Pragoti and BRTC — vehicles, charging, depots, commissioning, training and lifecycle support.

Authorizations

- Authorized local partner — CHTC KINWIN
- Sales partner — Huawei International Pte. Ltd.
- Depot EPC coordination — WIETC, China

Our role

- Single Bangladesh point of contact
- Technical & commercial coordination
- After-sales / spares / training bridge



Shaikh Firdous Mahmood, Director
director@futureonward.com



PARTNER ECOSYSTEM

World-class partners, one coordinated delivery



ELECTRIC BUSES
CHTC KINWIN

Self-developed motors, MCU, VCU and integrated powertrain – full-scenario commercial EV platforms.



CHARGING
Huawei

High-power DC charging, intelligent power allocation and fleet charging management.



DEPOT EPC
WIETC

International EPC with Bangladesh BRT corridor experience and EV depot capability.



CORPORATE & PRODUCT ADVANTAGES

Why KINWIN — technology depth and product strengths

Technical advantages

- Among the few Chinese enterprises with full independent R&D of motors, MCU, VCU and four-in-one integrated powertrain
- Core EV components self-developed — faster fault diagnosis and resolution
- Full-scenario commercial vehicle coverage with strong three-electric performance
- High-Tech Enterprise & national-level Specialized, Refined, Differential and Innovative enterprise
- Eco-friendly body pretreatment (Chemetall silane) and PPG electrophoretic coating

Application footprint

- Domestic deployments across southern, central, northern and southwestern China (e.g. Lishui, Changning, Leshan PT)
- Exports to 50+ countries/regions incl. Saudi Arabia, India, Korea, Japan and EU
- 12 m buses/coaches exported to India as KD kits for local assembly
- Leading electric commercial-vehicle export volume to South Korea
- Nanjing campus: ~RMB 5 bn investment, ~50 ha industrial base



Video presented during live session || still reference shown in PDF



PROPOSED MODELS

HTK6121GBEV (12 m) & HTK6901GBEV (9 m)



KINWIN electric city bus

HTK6121GBEV – 12 m class

12,135 mm · 75/36 passengers · ≥250 km cruise · 352 kWh CATL · 175/350 kW PMSM · CCS2 dual gun



Low-entry · dual door · RHD

HTK6901GBEV – 9 m class

8,990 mm · 58/21 passengers · ≥220 km cruise · 255 kWh CATL · 120/240 kW PMSM · CCS2 dual gun



DETAILED SPECIFICATION · 12 M

HTK6121GBEV — key configuration



Type	Electric low-entry city bus · RHD
Dimensions (L×W×H)	12,135 × 2,530 × 3,265 mm
Wheelbase	5,900 mm
Curb / GVW	13,500 / 19,000 kg
Passengers	75 / 36 (max / seats)
Cruise mileage*	≥ 250 km
Motor	175/350 kW · 1400/3500 N·m · PMSM · CHTC
Battery	352 kWh water-cooled · CATL
Charging	CCS2 · dual gun
Axles / brakes	ZF RL82EC / AV133 · disc · ABS+ASR+EBS
Suspension	Air suspension + ECAS kneel
Accessibility	Wheelchair area + disabled ramp
*Subject to terrain, climate, AC use and driving habits.	



DETAILED SPECIFICATION · 9 M

HTK6901GBEV — key configuration



Type	Electric low-entry city bus · RHD
Dimensions (L×W×H)	8,990 × 2,490 × 3,304 mm
Wheelbase	4,750 mm
Curb / GVW	10,500 / 15,000 kg
Passengers	58 / 21 (max / seats)
Cruise mileage*	≥ 220 km
Motor	120/240 kW · 1040/3000 N·m · PMSM · CHTC
Battery	255.02 kWh water-cooled · CATL
Charging	CCS2 · dual gun
Turning radius	≤ 9 m
Suspension	Air suspension + ECAS kneel
Accessibility	Wheelchair area + disabled ramp
*Subject to terrain, climate, AC use and driving habits. Ideal for branch / high-density urban routes.	



MAINTENANCE SERVICES

Warranty & aftersales framework

Battery

8 yrs / 600,000 km

Whichever comes first. Degradation shall not exceed 20%.

Motor & controller

5 yrs / 300,000 km

Whichever comes first — per project warranty requirement.

Complete vehicle (CBU)

2 yrs / 150,000 km

Whichever comes first — project warranty baseline.

After warranty

Customer bears aftersales maintenance costs. KINWIN may establish local aftersales stations or authorize local workshops for repair and maintenance.

Contractual detail


Upon procurement contract signing: aftersales agreements, spare-parts lists, and wearing/consumable terms will be specified and complied with contractually.



DELIVERY ARCHITECTURE

One project framework — three coordinated workstreams





CHARGING INFRASTRUCTURE

Huawei high-power DC charging ecosystem



High-power DC fast charging Matched to bus packs and service windows



Intelligent power allocation Maximise available grid connection



Central monitoring / CMS Fleet charging visibility & scheduling



Scalable architecture Ready for fleet expansion & optional RE/BESS



Video presented during live session || still reference shown in PDF



DEPOT CONSTRUCTION / UPGRADE

WIETC — EPC with Bangladesh footprint

Depot scope (as required)

- Master planning & detailed engineering
- Modification / strengthening of existing depots
- 11 / 33 kV substations, RMUs & transformers
- Charger foundations, cabling & circulation
- EV workshops, washing, fire & CMS systems

Why WIETC

- ENR Top 250 international contractor track record
- ADB / AFD safeguard experience
- Greater Dhaka SUTP / BRT Gazipur–Airport works
- Local approvals, utilities & construction familiarity



LONG-TERM INDUSTRIAL PATHWAY

KD and local assembly investment with Pragoti

KINWIN and partners are aligned on a phased Bangladesh industrial pathway with Pragoti: establish operational footprint now; scale to CKD/SKD assembly and plant investment as market demand grows.

Footprint now

PHASE 01

CBU / early supply through Pragoti for BRTC; aftersales setup; training; spare-parts pipeline; technical localization planning.

KD ramp-up

PHASE 02

Progressive CKD/SKD kits for local assembly — building on KINWIN's proven KD supply experience (e.g. India) as volumes justify.

Plant investment

PHASE 03

When demand is established, invest in a dedicated assembly / KD plant in partnership with Pragoti and relevant authorities — jobs, technology transfer, industrial capability.

Our position: We are not seeking a one-off import transaction only. We seek a long-term industrial partnership anchored in Bangladesh.



WHY THIS MATTERS

Value for Pragoti, BRTC and national stakeholders

Pragoti

Clear industrial localization path from CBU to KD/assembly with a complete technology stack.

BRTC

Reliable fleet operations grounded in warranty, charging windows and depot readiness.

BSEC

Enterprise-level delivery plus a credible long-term investment narrative.

Ministry

Green mobility aligned with national industrial capability building.



— PATHWAY FORWARD

From EOI clarification to implementable baseline

01 · Joint workshop

Confirm assumptions: fleet mix (12 m / 9 m), duty cycles, warranty application, and evaluation criteria.

02 · Depot & grid survey

Priority BRTC depot visits for electrical, civil and layout constraints; charging power modelling.

03 · Technical baseline

Lock fleet mix, charging and depot packages; then proceed to structured commercial discussion; open KD feasibility track.



— COMMITMENT

Ready to build — and to invest for the long term

Future Onward OPC, with KINWIN, Huawei and WIETC, is committed to working with Pragoti Industries Limited, BRTC, BSEC and the Ministry of Industries to deliver a modern, reliable, scalable electric public-transport system — and a future KD/assembly footprint in Bangladesh.



Shaikh Firdous Mahmood
Director, Future Onward OPC
director@futureonward.com