



SAHYADRI
COLLEGE OF ENGINEERING & MANAGEMENT
An Autonomous Institution

GIT ASSIGNMENT

Submitted by:

Moulya K S

USN:4SF22CS113

Submitted to:

Dr.Suhas A Bhyratae

Assistant Professor

Department of Computer Science

Activity 4

```
mouly@Moulya MINGW64 ~  
$ cd moulya  
  
mouly@Moulya MINGW64 ~/moulya (feature-branch)  
$ git clone "https://github.com/H-032/github-repo.git"  
Cloning into 'github-repo'...  
warning: You appear to have cloned an empty repository.
```

Activity 5

```
mouly@Moulya MINGW64 ~/moulya (master)  
$ mkdir rebasedemo  
  
mouly@Moulya MINGW64 ~/moulya (master)  
$ cd rebasedemo  
  
mouly@Moulya MINGW64 ~/moulya/rebasedemo (master)  
$ git init  
Initialized empty Git repository in C:/Users/mouly/Moulya/rebasedemo/.git/  
  
mouly@Moulya MINGW64 ~/moulya/rebasedemo (master)  
$ echo >test.txt  
  
mouly@Moulya MINGW64 ~/moulya/rebasedemo (master)  
$ git add test.txt  
warning: in the working copy of 'test.txt', LF will be replaced by CRLF the next time Git touches it  
  
mouly@Moulya MINGW64 ~/moulya/rebasedemo (master)  
$ git commit -m "first commit"  
[master (root-commit) 3b6ca6a] first commit  
1 file changed, 1 insertion(+)  
create mode 100644 test.txt
```

```

mouly@mouly MINGW64 ~/mouly/rebasedemo (master)
$ git branch feature

mouly@mouly MINGW64 ~/mouly/rebasedemo (master)
$ echo>bru.txt

mouly@mouly MINGW64 ~/mouly/rebasedemo (master)
$ git add bru.txt
warning: in the working copy of 'bru.txt', LF will be replaced by CRLF the next time Git touches it

mouly@mouly MINGW64 ~/mouly/rebasedemo (master)
$ git commit -m "second commit"
[master 0371c81] second commit
1 file changed, 1 insertion(+)
create mode 100644 bru.txt

mouly@mouly MINGW64 ~/mouly/rebasedemo (master)
$ echo >dha.txt

mouly@mouly MINGW64 ~/mouly/rebasedemo (master)
$ git add dha.txt
warning: in the working copy of 'dha.txt', LF will be replaced by CRLF the next time Git touches it

mouly@mouly MINGW64 ~/mouly/rebasedemo (master)
$ git commit -m "third commit"
[master fe79832] third commit
1 file changed, 1 insertion(+)
create mode 100644 dha.txt

mouly@mouly MINGW64 ~/mouly/rebasedemo (master)
$ git log --oneline
fe79832 (HEAD -> master) third commit
0371c81 second commit
3b6ca6a (feature) first commit

mouly@mouly MINGW64 ~/mouly/rebasedemo (master)
$ git checkout feature
Switched to branch 'feature'

mouly@mouly MINGW64 ~/mouly/rebasedemo (feature)
$ git branch
* feature
  master

mouly@mouly MINGW64 ~/mouly/rebasedemo (feature)
$ echo>sha.txt

mouly@mouly MINGW64 ~/mouly/rebasedemo (feature)
$ git add sha.txt
warning: in the working copy of 'sha.txt', LF will be replaced by CRLF the next time Git touches it

mouly@mouly MINGW64 ~/mouly/rebasedemo (feature)
$ git commit -m "first feature"
[feature c50f4f2] first feature
1 file changed, 1 insertion(+)
create mode 100644 sha.txt

mouly@mouly MINGW64 ~/mouly/rebasedemo (feature)
$ echo >sam.txt

mouly@mouly MINGW64 ~/mouly/rebasedemo (feature)
$ git add sam.txt
warning: in the working copy of 'sam.txt', LF will be replaced by CRLF the next time Git touches it

mouly@mouly MINGW64 ~/mouly/rebasedemo (feature)
$ git commit -m "second feature"
[feature 50d042f] second feature
1 file changed, 1 insertion(+)
create mode 100644 sam.txt

mouly@mouly MINGW64 ~/mouly/rebasedemo (feature)
$ git log --oneline
50d042f (HEAD -> feature) second feature
c50f4f2 first feature
3b6ca6a first commit

mouly@mouly MINGW64 ~/mouly/rebasedemo (feature)
$ git checkout master
Switched to branch 'master'

mouly@mouly MINGW64 ~/mouly/rebasedemo (master)
$ git log --oneline
fe79832 (HEAD -> master) third commit
0371c81 second commit
3b6ca6a first commit

mouly@mouly MINGW64 ~/mouly/rebasedemo (master)
$ git rebase feature
Successfully rebased and updated refs/heads/master.

mouly@mouly MINGW64 ~/mouly/rebasedemo (master)
$ git log --oneline
dca2482 (HEAD -> master) third commit
b3e1091 second commit
50d042f (feature) second feature
c50f4f2 first feature
3b6ca6a first commit

```

Activity 6

```
mouly@mouly MINGW64 ~/mouly (feature-branch)
$ git checkout master
error: pathspec 'master' did not match any file(s) known to git

mouly@mouly MINGW64 ~/mouly (feature-branch)
$ git checkout -b master
Switched to a new branch 'master'

mouly@mouly MINGW64 ~/mouly (master)
$ git checkout 'feature-branch'
error: pathspec 'feature-branch' did not match any file(s) known to git

mouly@mouly MINGW64 ~/mouly (master)
$ git checkout feature-branch
error: pathspec 'feature-branch' did not match any file(s) known to git

mouly@mouly MINGW64 ~/mouly (master)
$ git checkout -b feature-branch
Switched to a new branch 'feature-branch'

mouly@mouly MINGW64 ~/mouly (feature-branch)
$ echo>test1.txt

mouly@mouly MINGW64 ~/mouly (feature-branch)
$ echo "mouly">test1.txt

mouly@mouly MINGW64 ~/mouly (feature-branch)
$ git add .
error: 'Mouly/' does not have a commit checked out
fatal: adding files failed

mouly@mouly MINGW64 ~/mouly (feature-branch)
$ git add test1.txt
warning: in the working copy of 'test1.txt', LF will be replaced by CRLF the next time Git touches it

mouly@mouly MINGW64 ~/mouly (feature-branch)
$ git commit -m "second commit"
[feature-branch (root-commit) 0a8fa4b] second commit
 1 file changed, 1 insertion(+)
 create mode 100644 test1.txt

mouly@mouly MINGW64 ~/mouly (feature-branch)
$ echo>test2.txt

mouly@mouly MINGW64 ~/mouly (feature-branch)
$ echo "anu">test2.txt
```

```
mouly@mouly MINGW64 ~/mouly (feature-branch)
$ git add test2.txt
warning: in the working copy of 'test2.txt', LF will be replaced by CRLF the next time Git touches it

mouly@mouly MINGW64 ~/mouly (feature-branch)
$ git commit -m "first commit"
[feature-branch f174aa8] first commit
 1 file changed, 1 insertion(+)
 create mode 100644 test2.txt

mouly@mouly MINGW64 ~/mouly (feature-branch)
$ git checkout -b master
Switched to a new branch 'master'

mouly@mouly MINGW64 ~/mouly (master)
$ git merge feature-branch
Already up to date.

mouly@mouly MINGW64 ~/mouly (master)
$ git merge -b feature-branch
error: unknown switch 'b'
usage: git merge [<options>] [<commit>...]
    or: git merge --abort
    or: git merge --continue

    -n                do not show a diffstat at the end of the merge
    --[no-]stat       show a diffstat at the end of the merge
                     (synonym to --stat)
    --[no-]summary    add (at most <n>) entries from shortlog to merge commit message
    --[no-]log[=<n>]   add (at most <n>) entries from shortlog to merge commit message
    --[no-]squash      create a single commit instead of doing a merge
    --[no-]commit      perform a commit if the merge succeeds (default)
    -e, --[no-]edit    edit message before committing
    --[no-]cleanup <mode> how to strip spaces and #comments from message
    --[no-]ff          allow fast-forward (default)
    --ff-only          abort if fast-forward is not possible
    --[no-]rerere-autoupdate
                     update the index with reused conflict resolution if possible
    --[no-]verify-signatures
                     verify that the named commit has a valid GPG signature
    -s, --[no-]strategy <strategy>
                     merge strategy to use
    -X, --[no-]strategy-option <option=value>
                     option for selected merge strategy
    -m, --[no-]message <message>
                     merge commit message (for a non-fast-forward merge)
    -F, --file <path>  read message from file
    --[no-]into-name <name>
                     use <name> instead of the real target
    -v, --[no-]verbose  be more verbose
    -q, --[no-]quiet    be more quiet
    --[no-]abort        abort the current in-progress merge
    --[no-]quit         --abort but leave index and working tree alone
    --[no-]continue     continue the current in-progress merge
    --[no-]allow-unrelated-histories
                     allow merging unrelated histories
```

Activity 7


```

mouly@mouly MINGW64 ~/mouly/rebasedemo (master)
$ mkdir TagDemo

mouly@mouly MINGW64 ~/mouly/rebasedemo (master)
$ cd TagDemo

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo (master)
$ echo>test.txt

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo (master)
$ git add test.txt
warning: in the working copy of 'TagDemo/test.txt', LF will be replaced by CRLF the next time Git touches it

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo (master)
$ git commit -m "first commit:test.txt created"
[master 804c292] first commit:test.txt created
1 file changed, 1 insertion(+)
create mode 100644 TagDemo/test.txt

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo (master)
$ git tag v1.0.0

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo (master)
$ git tag
v1.0.0

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo (master)
$ echo "My name is Mouly ">test.txt

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo (master)
$ type test.txt
bash: type: test.txt: not found

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo (master)
$ git add test.txt
warning: in the working copy of 'TagDemo/test.txt', LF will be replaced by CRLF the next time Git touches it

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo (master)
$ git commit -m "second commit:line is added inside file"
[master 95c6fca] second commit:line is added inside file
1 file changed, 1 insertion(+), 1 deletion(-)

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo (master)
$ git tag v2.0.0

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo (master)
$ echo >>test.txt

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo (master)
$ echo "I love CAED">>test.txt

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo (master)
$ git add test.txt
warning: in the working copy of 'TagDemo/test.txt', LF will be replaced by CRLF the next time Git touches it

```

```

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo (master)
$ git commit -m "third commit:2nd line is added"
[master 78ade29] third commit:2nd line is added
1 file changed, 2 insertions(+)

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo (master)
$ git tag v3.0.0

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo (master)
$ git tag
v1.0.0
v2.0.0
v3.0.0

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo (master)
$ git show v2.0.0
commit 95c6fca4072357686edb5bffa14aed8a0decea7 (tag: v2.0.0)
Author: mouly <ksmouly33@gmail.com>
Date: Thu Jul 4 23:56:57 2024 +0530

    second commit:line is added inside file

diff --git a/TagDemo/test.txt b/TagDemo/test.txt
index 8b13789..1df3c67 100644
--- a/TagDemo/test.txt
+++ b/TagDemo/test.txt
@@ -1,1 @@
-
+My name is Mouly

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo (master)
$ git diff v1.0.0 v3.0.0
diff --git a/TagDemo/test.txt b/TagDemo/test.txt
index 8b13789..c7bdcfa 100644
--- a/TagDemo/test.txt
+++ b/TagDemo/test.txt
@@ -1,1,3 @@
-My name is Mouly
+I love CAED

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo (master)
$ git log
commit 78ade296829e81dd22136646e60876811d4aa0fd (HEAD -> master, tag: v3.0.0)
Author: mouly <ksmouly33@gmail.com>
Date: Thu Jul 4 23:59:13 2024 +0530

    third commit:2nd line is added

commit 95c6fca4072357686edb5bffa14aed8a0decea7 (tag: v2.0.0)
Author: mouly <ksmouly33@gmail.com>
Date: Thu Jul 4 23:56:57 2024 +0530

    second commit:line is added inside file

```

```
commit 804c2925d9c3a67bcb4ffc8ce87ceec1d9cbc4a1 (tag: v1.0.0)
Author: moulya <ksmoulya33@gmail.com>
Date: Thu Jul 4 23:53:27 2024 +0530
```

first commit:test.txt created

```
commit dca248201cc7d640b712e7579324c67bc15c29d7
Author: moulya <ksmoulya33@gmail.com>
Date: Thu Jul 4 23:42:53 2024 +0530
```

third commit

```
commit b3e1091d98b5002e535e99b90e58d2366d03161e
Author: moulya <ksmoulya33@gmail.com>
Date: Thu Jul 4 23:41:57 2024 +0530
```

second commit

```
commit 50d042f29820430e0342ed11972b0cbdb577e89a (feature)
Author: moulya <ksmoulya33@gmail.com>
Date: Thu Jul 4 23:46:48 2024 +0530
```

second feature

```
commit c50f4f2e7235d7268ccaaaedd6ac8031ef5c8632
Author: moulya <ksmoulya33@gmail.com>
Date: Thu Jul 4 23:45:21 2024 +0530
```

first feature

```
commit 3b6ca6aee502fa92c1361359d8c32114c43eaae7
Author: moulya <ksmoulya33@gmail.com>
Date: Thu Jul 4 23:36:36 2024 +0530
```

first commit

```
mouly@Moulya MINGW64 ~/moulya/rebasedemo/TagDemo (master)
$ git checkout v2.0.0
Note: switching to 'v2.0.0'.
```

You are in 'detached HEAD' state. You can look around, make experimental changes and commit them, and you can discard any commits you make in this state without impacting any branches by switching back to a branch.

If you want to create a new branch to retain commits you create, you may do so (now or later) by using `-c` with the switch command. Example:

```
git switch -c <new-branch-name>
```

Or undo this operation with:

```
git switch -
```

Turn off this advice by setting config variable `advice.detachedHead` to false

HEAD is now at 95c6fca second commit:line is added inside file

Turn off this advice by setting config variable `advice.detachedHead` to false

HEAD is now at 95c6fca second commit:line is added inside file

```
mouly@Moulya MINGW64 ~/moulya/rebasedemo/TagDemo ((v2.0.0))
$ git tag -d v3.0.0
Deleted tag 'v3.0.0' (was 78ade29)
```

```
mouly@Moulya MINGW64 ~/moulya/rebasedemo/TagDemo ((v2.0.0))
$ |
```

Activity 8

```

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo ((v2.0.0))
$ mkdir cherrypick

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo ((v2.0.0))
$ cd cherrypick

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick ((v2.0.0))
$ git init
Initialized empty Git repository in C:/Users/mouly/Mouly/rebasedemo/TagDemo/cherrypick/.git/

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (master)
$ echo>evi.txt

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (master)
$ dir
evi.txt

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (master)
$ git add evi.txt
warning: in the working copy of 'evi.txt', LF will be replaced by CRLF the next time Git touches it

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (master)
$ git commit -m "evi.txt is added"
[master (root-commit) 1506b48] evi.txt is added
1 file changed, 1 insertion(+)
create mode 100644 evi.txt

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (master)
$ git log
commit 1506b480b1cac35f7d11b1391fa7365cd4e7d6f4 (HEAD -> master)
Author: mouly <ksmouly33@gmail.com>
Date: Fri Jul 5 00:09:27 2024 +0530

    evi.txt is added

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (master)
$ git log --online
fatal: unrecognized argument: --online

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (master)
$ git log --oneline
1506b48 (HEAD -> master) evi.txt is added

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (master)
$ git branch v1

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (master)
$ git branch v2

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (master)
$ git branch v3

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (master)
$ git branch
* master
  v1
  v2
  v3

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (master)
$ git checkout v3
Switched to branch 'v3'

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v3)
$ echo>test.txt

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v3)
$ git add .
warning: in the working copy of 'test.txt', LF will be replaced by CRLF the next time Git touches it

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v3)
$ git commit -m "test.txt file is created in v3"
[v3 6ealb33] test.txt file is created in v3
1 file changed, 1 insertion(+)
create mode 100644 test.txt

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v3)
$ echo>bugfix.txt

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v3)
$ git add.
git: 'add.' is not a git command. See 'git --help'.

The most similar command is
    add

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v3)
$ git add .
warning: in the working copy of 'bugfix.txt', LF will be replaced by CRLF the next time Git touches it

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v3)
$ git commit -m "bugfix.txt is created to fix bug"
[v3 4f9ab45] bugfix.txt is created to fix bug
1 file changed, 1 insertion(+)
create mode 100644 bugfix.txt

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v3)
$ git log --oneline
4f9ab45 (HEAD -> v3) bugfix.txt is created to fix bug
6ealb33 test.txt file is created in v3
1506b48 (v2, v1, master) evi.txt is added

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v3)
$ git checkout v1
Switched to branch 'v1'

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v1)
$ dir
evi.txt

```



```

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v1)
$ git cherry-pick a94fdb0
fatal: bad revision 'a94fdb0'

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v1)
$ git checkout v2
Switched to branch 'v2'

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v2)
$ dir
evi.txt

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v2)
$ git branch
  master
  v1
* v2
  v3

```

Activity 9

```

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v2)
$ git branch
  master
  v1
* v2
  v3

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v2)
$ git log --oneline
1506b48 (HEAD -> v2, v1, master) evi.txt is added

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v2)
$ git show 8419ee9
fatal: ambiguous argument '8419ee9': unknown revision or path not in the working tree.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v2)
$ git log -n 1 8419ee9
fatal: ambiguous argument '8419ee9': unknown revision or path not in the working tree.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v2)
$ git show 96117fd
fatal: ambiguous argument '96117fd': unknown revision or path not in the working tree.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v2)
$ bugfix.txt
bash: bugfix.txt: command not found

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v2)
$ git show 1506b48
commit 1506b480b1cac35f7d11b1391fa7365cd4e7d6f4 (HEAD -> v2, v1, master)
Author: mouly <ksmouly33@gmail.com>
Date:   Fri Jul 5 00:09:27 2024 +0530

    evi.txt is added

diff --git a/evi.txt b/evi.txt
new file mode 100644
index 0000000..8b13789
--- /dev/null
+++ b/evi.txt
@@ -0,0 +1 @@
+
+

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v2)
$ git log -n 1 1506b48
commit 1506b480b1cac35f7d11b1391fa7365cd4e7d6f4 (HEAD -> v2, v1, master)
Author: mouly <ksmouly33@gmail.com>
Date:   Fri Jul 5 00:09:27 2024 +0530

    evi.txt is added

mouly@mouly MINGW64 ~/mouly/rebasedemo/TagDemo/cherrypick (v2)
$ git log --forward=%B -n 1 1506b48
fatal: unrecognized argument: --forward=%B

```


Activity 10

```
mouly@Moulya MINGW64 ~/moulya/rebasedemo/TagDemo/cherrypick (v2)
$ git log --author="moulya" --since="2024-06-29" --until="2024-07-01"

mouly@Moulya MINGW64 ~/moulya/rebasedemo/TagDemo/cherrypick (v2)
$ git log
commit 1506b480b1cac35f7d11b1391fa7365cd4e7d6f4 (HEAD -> v2, v1, master)
Author: moulya <ksmoulya33@gmail.com>
Date:   Fri Jul 5 00:09:27 2024 +0530

    evi.txt is added
```

Activity 11

```
mouly@Moulya MINGW64 ~/moulya/rebasedemo/TagDemo/cherrypick (v2)
$ cd "C:\Users\mouly\Moulya\rebasedemo"

mouly@Moulya MINGW64 ~/Moulya/rebasedemo ((v2.0.0))
$ git log -n 5
commit 95c6fca4072357686edb5bffa14aed8a0decea7 (HEAD, tag: v2.0.0)
Author: moulya <ksmoulya33@gmail.com>
Date:   Thu Jul 4 23:56:57 2024 +0530

    second commit:line is added inside file

commit 804c2925d9c3a67bcb4ffc8ce87ceec1d9cbc4a1 (tag: v1.0.0)
Author: moulya <ksmoulya33@gmail.com>
Date:   Thu Jul 4 23:53:27 2024 +0530

    first commit:test.txt created

commit dca248201cc7d640b712e7579324c67bc15c29d7
Author: moulya <ksmoulya33@gmail.com>
Date:   Thu Jul 4 23:42:53 2024 +0530

    third commit

commit b3e1091d98b5002e535e99b90e58d2366d03161e
Author: moulya <ksmoulya33@gmail.com>
Date:   Thu Jul 4 23:41:57 2024 +0530

    second commit

commit 50d042f29820430e0342ed11972b0cbdb577e89a (feature)
Author: moulya <ksmoulya33@gmail.com>
Date:   Thu Jul 4 23:46:48 2024 +0530

    second feature

mouly@Moulya MINGW64 ~/Moulya/rebasedemo ((v2.0.0))
$ git log -n 5 --oneline
95c6fca (HEAD, tag: v2.0.0) second commit:line is added inside file
804c292 (tag: v1.0.0) first commit:test.txt created
dca2482 third commit
b3e1091 second commit
50d042f (feature) second feature
```

Activity 12

```
mouly@Moulya MINGW64 ~/moulya (master)
$ cd cherrypick
bash: cd: cherrypick: No such file or directory

mouly@Moulya MINGW64 ~/moulya (master)
$ cd rebasedemo

mouly@Moulya MINGW64 ~/moulya/rebasedemo ((v2.0.0))
$ cd TagDemo

mouly@Moulya MINGW64 ~/moulya/rebasedemo/TagDemo ((v2.0.0))
$ cd cherrypick

mouly@Moulya MINGW64 ~/moulya/rebasedemo/TagDemo/cherrypick (v2)
$ git log -n 5 --oneline
9e5a726 (HEAD -> v2) Revert "evi.txt is added"
1506b48 (v1, master) evi.txt is added

mouly@Moulya MINGW64 ~/moulya/rebasedemo/TagDemo/cherrypick (v2)
$ git revert 1506b48
On branch v2
nothing to commit, working tree clean
```