PERSON

- 403 (med tomt meddelande) ska användas i Sök Person via orgtyp, om klienten inte har behörighet till orgtypen
- 403 ska användas i IP Person när t.ex. felaktigt ID används för att hämta person. Detta för att ingen information om existerande personer ska gå att få ut otillbörligt. (Behöver ytterligare testning när behörighetsstyrning är implementerat)

  {

  "timestamp": "2025-12-09T14:23:51.484+00:00",

  "status": 403,

  "error": "Forbidden",

  "path": "/v1/persons/XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX"

  }

- 403 används även när klient söker personer för org den ej har behörighet till, eller om personerna har skyddade personnummer
- 400 ska användas vid fel i anrop till Skapa och Uppdatera Person, exempelvis för att bodyn inte är komplett eller vid mismatch mellan personnummer och födelsedatum

Obligatoriskt fält saknas

{

"timestamp": "2025-12-10T14:04:44.062789193+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'XXX' must not be null"

}

Personnummer är felformaterat

{

"timestamp": "2025-12-10T15:19:05.243811475+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'socialSecurityNumber' must match \"^(19|20)[0-9]{6}([0-9]{4})?$\""

}

Personnummer saknas när personen är från Sverige

{

"timestamp": "2025-12-10T15:20:32.15436956+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'socialSecurityNumber' is required if nationality is 'Sverige'"

}

Födelsedatum matchar inte personnummer

{

"timestamp": "2025-12-10T15:22:47.544874566+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'birthDate' mismatches with input value of field 'socialSecurityNumber'"

}

Födelsedatum är ett framtida datum

{

"timestamp": "2025-12-10T16:46:06.845626498+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'birthDate' must be before the current date"

}

Personens kön matchar inte personnumret

{

"timestamp": "2025-12-10T16:49:53.450206893+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'gender' mismatches with input value of field 'socialSecurityNumber'"

}

Nationalitets-ID är inkorrekt

{

"timestamp": "2025-12-10T16:50:20.199057609+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'nationalityId' contains an invalid nationality uuid: XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX"

}

memberSince används för medlemskap i annat än förening

{

"timestamp": "2025-12-10T16:59:23.851391332+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'memberSince' can only be used for club memberships"

}

memberUntil används för medlemskap i annat än förening

{

"timestamp": "2025-12-10T16:59:23.851391332+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'memberUntil' can only be used for club memberships"

}

Request bryter mot GDPR-regler i testmiljö

{

"timestamp": "2025-12-10T17:14:17.550590633+01:00",

"status": 400,

"error": "Bad Request",

"message": "This request is not compliant with GDPR. Read the documentation for more information."

}

- 400 ska användas i Ta Bort Person när personens roller måste tas bort innan personen själv kan tas bort.

{

"timestamp": "2025-12-09T13:32:08.941508234+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: All roles for person with id 'XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX' in organization with id 'XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX' must be removed before deleting the person"

}

Person som ska skapas har skyddat personnummer

{

"timestamp": "2026-05-06T14:39:24.205991112+02:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Riksidrottsförbundet can not handle the request and will therefore close the matter without further action."

}

- Bortsett från ovanstående fall ska 403 användas i Ta Bort Person

ROLLHANTERING

- 400 ska användas i Lägg Till Roll vid till exempel felaktigt formaterat organisations-ID

{

"timestamp": "2025-12-11T12:00:38.449133797+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'organizationId' must match \"^[a-fA-F0-9]{8}-[a-fA-F0-9]{4}-[a-fA-F0-9]{4}-[a-fA-F0-9]{4}-[a-fA-F0-9]{12}$\""

}

Personen saknar personnummer

{

"timestamp": "2025-12-11T13:40:48.619761763+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Invalid social security number. The person with id: 'XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX' must be updated with a valid social security number to be assigned new roles"

}

Personen saknar medlemskap i organisationen

{

"timestamp": "2025-12-11T13:41:54.843666504+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Person with id 'XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX' does not have an active membership in organization with id 'XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX'"

}

Sport-ID finns inte eller är felformaterat

{

"timestamp": "2025-12-11T13:45:50.853984755+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'roles[].sportId' must match \"^[a-fA-F0-9]{8}-[a-fA-F0-9]{4}-[a-fA-F0-9]{4}-[a-fA-F0-9]{4}-[a-fA-F0-9]{12}$\""

}

Rolltyps-ID finns inte eller är felformaterat

{

"timestamp": "2025-12-11T13:47:05.810094985+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'roles[].roleTypeId' must match \"^[a-fA-F0-9]{8}-[a-fA-F0-9]{4}-[a-fA-F0-9]{4}-[a-fA-F0-9]{4}-[a-fA-F0-9]{12}$\""

}

Sport-ID matchar inte organisations-ID

{

"timestamp": "2025-12-11T13:48:43.146086023+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Provided sportId and organizationId must be related"

}

Rolltyp hör inte till rolltypskategori

{

"timestamp": "2025-12-10T14:47:35.990411733+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Role type with id 'XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX' is not part of the provided role type category 'XXX'"

}

Använt rolltyps-ID finns inte

{

"timestamp": "2025-12-10T14:48:26.349361104+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'roles.roleTypeId' contains an id that does not exist 'XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX'"

}

Max antal personer i organisationen har redan rolltypen

{

"timestamp": "2025-12-10T15:04:55.867633825+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: RoleType with id 'XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX' is already assigned to another person for the provided organization"

}

Personen har redan rolltypen inom organisationen

{

"timestamp": "2025-12-10T14:15:57.85590716+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Person with id 'XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX' already has role with role type id 'XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX' and sport id 'XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX'"

}

- 400 ska användas i Ta Bort Roll vid till exempel felaktigt roll-ID

{

"timestamp": "2025-12-09T16:23:39.668530172+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Role with id 'XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX' could not be found for person in organization with id 'XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX'"

}

Roll-ID är felformaterat eller finns inte

{

"timestamp": "2025-12-10T14:56:21.942629878+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'roles[]' must match \"^[a-fA-F0-9]{8}-[a-fA-F0-9]{4}-[a-fA-F0-9]{4}-[a-fA-F0-9]{4}-[a-fA-F0-9]{12}$\""

}

AKTIVITET

- 400 används för exempelvis saknade fält som krävs i body, eller felformaterade fält

{

"timestamp": "2025-12-10T17:58:49.102083796+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'XXX' must not be null"

}

Datumstämpel är felformaterad

{

"timestamp": "2025-12-10T17:59:20.733796912+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'startDateTime' has text '2025-09-0T12:00:00.000000+02:00' could not be parsed at index 8"

}

Sport-ID är felformaterat

{

"timestamp": "2025-12-10T17:59:59.560610587+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'sportId' must match \"^[a-fA-F0-9]{8}-[a-fA-F0-9]{4}-[a-fA-F0-9]{4}-[a-fA-F0-9]{4}-[a-fA-F0-9]{12}$\""

}

Aktivitetstyp har otillåtet värde


```
{
  "timestamp": "2025-12-10T18:00:26.385647308+01:00",
  "status": 400,
  "error": "Bad Request",
  "message": "Invalid input request, Reason: Field 'type' has unexpected value 'XXX'"
}
```


Startdatum är ett framtida datum


```
{
  "timestamp": "2025-12-10T18:03:52.688959031+01:00",
  "status": 400,
  "error": "Bad Request",
  "message": "Invalid input request, Reason: Field 'startDateTime' must be a date in the past"
}
```


Slutdatum är ett framtida datum


```
{
  "timestamp": "2025-12-10T18:04:21.702500328+01:00",
  "status": 400,
  "error": "Bad Request",
  "message": "Invalid input request, Reason: Field 'endDateTime' must be a date in the past"
}
```

Slutdatum ligger före startdatum i tid

{

"timestamp": "2025-12-10T18:04:49.454525493+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'startDateTime' must be before field 'endDateTime'"

}

Sport-ID är fel eller finns inte

{

"timestamp": "2025-12-10T18:05:18.909398733+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'sportId' contains an id that does not exist 'XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX'"

}

Idrott matchar inte organisation

{

"timestamp": "2025-12-11T10:25:46.503939358+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Sport with uuid: ´XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX is not connected to your Organization"

}

Registrerande person har ingen roll inom organisationen

{

"timestamp": "2025-12-11T11:14:56.298195485+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Attendance registrant with id 'XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX' must have an active role within the same organization as the activity"

}

Deltagare hade ingen roll inom sport och organisation under aktivitetens tidsspann

{

"timestamp": "2025-12-11T11:15:33.500912976+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Participant with id 'XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX' must have had an active role during the activity, within the same sport and organization as the activity"

}

Deltagares status innehåller otillåtet värde

{

"timestamp": "2025-12-11T11:18:17.280921662+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'status' has unexpected value 'XXX'"

}

Fältet ”disability” innehåller otillåtet värde

{

"timestamp": "2025-12-11T11:18:46.604316625+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'disability' has Cannot deserialize value of type `java.lang.Boolean` from String \"XXX\": only \"true\" or \"false\" recognized\n at [Source: REDACTED (`StreamReadFeature.INCLUDE_SOURCE_IN_LOCATION` disabled); line: 19, column: 27] (through reference chain: se.rf.ap.v1.activity.model.ActivityCreate[\"attendanceRegistration\"]->se.rf.ap.v1.activity.model.AttendanceRegistrationCreate[\"participants\"]->java.util.LinkedHashSet[0]->se.rf.ap.v1.activity.model.ParticipantCreate[\"disability\"])"

}

Unikt externt ID är redan upptaget av annan aktivitet

{

"timestamp": "2025-12-11T11:25:22.386867286+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Provided externalId 'XXX' is already taken by activity with id 'XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX'. Please remove or update the existing activity",

"resourceId": "XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX"

}

Unikt externt ID är längre än 50 tecken

{

"timestamp": "2025-12-11T11:27:23.420206438+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'externalId' size must be between 1 and 50"

}

Dubletter i deltagare

{

"timestamp": "2025-12-12T15:19:34.402461815+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'participants' must not contain duplicate person ID's"

}

Inkluderad person har skyddat personnummer

{

"timestamp": "2026-05-05T15:34:25.30795265+02:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Riksidrottsförbundet can not handle the request and will therefore close the matter without further action. Person(s) at position(s) [0] in the participants list can not be handled."

}

ORGANISATION

- 403 ska användas vid till exempel felaktigt ID i Hämta Organisation

Request innehåller skyddat personnummer

{

"timestamp": "2026-05-06T14:39:24.205991112+02:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Riksidrottsförbundet can not handle the request and will therefore close the matter without further action."

}

UTBILDNING

- 400 ska användas i Hämta Utbildningar exempelvis när en icke godkänd parameter används

{

"timestamp": "2025-12-11T15:24:59.999023106+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: invalid parameter 'XXX'"

}

Felaktigt ID används för att söka utbildning

{

"timestamp": "2025-12-11T15:27:07.989695019+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input for param 'id', Reason: must match \"^(?i)[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$\""

Anrop görs med otillräckliga behörigheter


```
{
  "timestamp": "2025-12-11T15:31:57.301767842+01:00",
  "status": 403,
  "error": "Forbidden",
  "message": "Access denied: insufficient permissions"
}
```


ID för ansvarig organisation finns inte


```
{
  "timestamp": "2025-12-11T15:38:28.587023109+01:00",
  "status": 400,
  "error": "Bad Request",
  "message": "Invalid input request, Reason: Field 'responsibleOrganizationId' contains an id that does not exist 'XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX'"
}
```


ID för arrangerande organisation är felformaterat


```
{
  "timestamp": "2025-12-11T15:43:16.849983867+01:00",
  "status": 400,
  "error": "Bad Request",
  "message": "Invalid input request, Reason: Field 'responsibleOrganizationId' must match \"^[a-fA-F0-9]{8}-[a-fA-F0-9]{4}-[a-fA-F0-9]{4}-[a-fA-F0-9]{4}-[a-fA-F0-9]{12}$\""
}
```

ID för arrangerande organisation är felformaterat

{

"timestamp": "2025-12-11T15:41:40.98715916+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'organizingOrganization.id' must match \"^[a-fA-F0-9]{8}-[a-fA-F0-9]{4}-[a-fA-F0-9]{4}-[a-fA-F0-9]{4}-[a-fA-F0-9]{12}$\""

}

Sport-ID är felformaterat

{

"timestamp": "2025-12-11T15:44:41.098499535+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'organizingOrganization.sportId' must match \"^[a-fA-F0-9]{8}-[a-fA-F0-9]{4}-[a-fA-F0-9]{4}-[a-fA-F0-9]{4}-[a-fA-F0-9]{12}$\""

}

Sport-ID finns inte

{

"timestamp": "2025-12-11T15:45:03.01103294+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: The following sport UUIDs not found: [XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX]"

}

Rapportera Utbildning anropas med felaktigt utbildnings-ID

{

"timestamp": "2025-12-11T15:55:35.203301466+01:00",

"status": 404,

"error": "Not Found",

"message": "Resource not found, Reason: Education with id 'XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX' does not exist"

}

Fält innehåller otillåtet värde

{

"timestamp": "2025-12-11T16:00:22.800920721+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'XXX' has unexpected value 'XXX'"

}

Utbildningen har redan rapporterats

{

"timestamp": "2025-12-11T16:15:10.371680742+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Education has already been reported for uuid: XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX"

}

Deltagares personnummer är inkorrekt

{

"timestamp": "2025-12-11T16:17:36.747207915+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'socialSecurityNumber' for the education participant contains invalid input : XXXXXXXXXXXX"

}

Tillfälles startdatum är ett framtida datum

{

"timestamp": "2025-12-11T16:21:48.398805162+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Start date '2027-06-07T14:00' is not in the past"

}

Tillfälles slutdatum är ett framtida datum

{

"timestamp": "2025-12-11T16:26:38.101061366+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: End date '2028-06-07T16:00' is not in the past"

}

Tillfälles slutdatum ligger före startdatum i tid

{

"timestamp": "2025-12-11T16:27:43.403300639+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: End date '2025-06-07T16:00' is before or equal start date '2025-06-08T14:00'"

}

Utbildning ska rapporteras på Utbildnings-ID som inte finns

{

"timestamp": "2025-12-11T16:53:00.576351866+01:00",

"status": 404,

"error": "Not Found",

"message": "Resource not found, Reason: Education with id 'XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX' does not exist"

}

Person eller deltagare har skyddat personnummer

{

"timestamp": "2026-05-05T16:37:11.249656314+02:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Riksidrottsförbundet can not handle the request and will therefore close the matter without further action. Person(s) at position(s) [0] in the participants list can not be handled."

}

Deltagare ska läggas till på utbildning som är rapporterad

{

"timestamp": "2025-12-11T16:31:42.005915305+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Participants cannot be added or updated for the reported education with the given uuid: XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX"

}

Deltagares personnummer matchar inte deras kön

{

"timestamp": "2025-12-11T16:46:57.024962376+01:00",

"status": 400,

"error": "Bad Request",

"message": "Invalid input request, Reason: Field 'gender (XXX)' mismatches with input value of field 'socialSecurityNumber' for the education participant: XXXXXXXXXXXX"

}

- 403 ska användas på Lägg Till Deltagare när utbildnings-ID är inkorrekt eller inte finns