

AIR WAYBILL DATA (FWB) MESSAGE

1. STANDARD MESSAGE IDENTIFIER = FWB

2. MESSAGE FUNCTION

To transmit a complete set of Air Waybill data in accordance with the Cargo Services Conference Resolutions Manual.

3. MESSAGE APPLICATION

Computer-to-Computer.

4. MESSAGE EXCHANGE PARTIES

From: the access address of the Cargo Control Computer of a participant involved in the movement of a consignment.
To the access address of the Cargo Control Computer of a participant involved in the movement of a consignment.
(Computer):
To (Manual): the message address of the requestor for Air Waybill data as indicated in the last line of the FWR message.

5. MESSAGE USE

5.1 Intention

To eliminate the need to re-enter Air Waybill data which has been already entered by an earlier participant in the movement of a consignment.

To eliminate the need for the paper copy of an air waybill to accompany the consignment in accordance with ICAO Annex 9, Section B, Chapter 4.

5.2 Various cases where a FWB message is used:

- when a cargo agent delivers a consignment to an airline;
- when an airline transfers a consignment to another airline;
- when an airline delivers a consignment to a handling party;
- when a handling party delivers a consignment to an airline;
- when an airline delivers a consignment to a cargo agent;
- when a participant requests Air Waybill data by a FWR message.

5.3 When to send an automatic FWB message:

- an unsolicited FWB message must be sent prior to the physical delivery of the goods.

6. MESSAGE EXAMPLES

6.1 This example illustrates an agent to airline message indicating:

- a minimum charge;
- a declared value for customs (see [Attachment 2](#)).

Ref.	Message Content
1	FWB/17
2	777-12345675BOMSUV/T1K3.5
4	RTG/SUVII
5	SHP NAM/T. ULSIDAS LTD. ADR/105 VEER TAMAN ROAD LOC/MUMBAI /IN
6	CNE NAM/J. JONES IMPORTERS ADR/. LOC/SUVA /FJ
7	AGT//1430288 /SPEEDAIR SERVICES /MUMBAI
11	CVD/INR//PP/NVD/1500.00/XXX
12	RTD/1/P1/K3.5/CM/W3.5/R800.00/T800.00 /NG/CLOTH SAMPLES /2/ND//NDA
14	PPD/WT800.00 /CT800.00
16	CER/T.ULSIDAS LTD.
17	ISU/010CT06/MUMBAI/SPEEDAIR SERVICES
20	REF///AGT/SPEEDAIRSERVICES/BOM

6.2 This example illustrates an airline to airline message indicating:

- a class rate based on the normal rate (for live animals);
- a charge for an animal container;
- volume (not shown on AWB example but calculated according dimensions (see [Attachment 3](#))).

--	--

Ref.	Message Content
1	FWB/17
2	777-12345675RIONRT/T1K48.0
4	RTG/MIAII/LAXYY/NRTZZ
5	SHP NAM/AIRPORT PET SHOP ADR/AEROPORTO SANTOS DUMONT LOC/RIO DE JANEIRO /BR
6	CNE NAM/ORIENT ANIMAL HOSPITAL ADR/NARITA AIRPORT LOC/TOKYO /JP
7	AGT//5710375 /SPEEDAIR SERVICES /RIO INTERNACIONAL
8	SSR/SHIPPERS CERTIFICATION FOR LIVE ANIMALS ATTACHED /DO NOT FEED BUT FRESH WATER TO BE PROVIDED
11	CVD/USD/PX/PP/NVD/NCV/XXX
12	RTD/1/P1/K48.0/CS/SN100/W96/R22.20/T2131.20 /NG/1 LIVE DOG /2/ND//CMT60-80-120/1 /3/NV/MC0.57
13	OTH/P/ACC22.00
14	PPD/WT2131.20 /OC22.00/CT2153.20
16	CER/AIRPORT PET SHOP
17	ISU/010CT06/RIO INTERNACIONAL/SPEEDAIR SERVICES
20	REF///AIR/SPEEDAIRSERVICES/RIO

6.3 This example illustrates an airline to cargo community system message indicating:

- a consignment of dangerous goods, acceptable for carriage on a passenger aircraft, and mixed with non-dangerous goods, not rated separately (see [Attachment 4](#)).

Ref.	Message Content
1	FWB/17
2	777-12345675JFKLHR/T2L150
4	RTG/LHRII
5	SHP NAM/ACME MACHINERY LTD. ADR/2000 LEXINGTON LOC/NEW YORK/NY /US
6	CNE NAM/ACME MACHINERY LTD. ADR/12 PETTY COAT LANE LOC/LONDON /GB
8	SSR/DANGEROUS GOODS AS PER ATTACHED SHIPPERS DECLARATION - 1 PACKAGE
11	CVD/USD/PX/PP/NVD/NCV/XXX
12	RTD/1/P1/L150/CQ/W150/R4.25/T637.50 /NG/AUTOMOTIVE PARTS /2/ND//INH69-36-36/1
13	OTH/P/RAC80.00
14	PPD/WT637.50 /OC50.00/CT717.50
16	CER/ACME MACHINERY LTD.
17	ISU/010CT06/J.F. KENNEDY/TRANSPARENT AIR
20	REF///AIR/TRANSPARENTAIR/JFK

6.4 This example illustrates a forwarder to airline message indicating:

- a consolidated consignment, presented on one skid;
- an indication that the agent reports the house waybill details directly to Customs;
- an indication that a local transfer at destination is required;
- application of a Shippers Load and Count (SLAC) for a loaded piece that is not a ULD;
- an indication that the consolidation is secure.(see [Attachment 5](#)).

Ref.	Message Content
------	-----------------

1	FWB/17
2	777-12345675LHRJFK/T1K913.0
4	RTG/JFKII
5	SHP NAM/EXPORTANT LTD. ADR/WAPPING TRADING ESTATE LOC/LONDON /GB
6	CNE NAM/ACME CONSOLIDATORS ADR/500 MADISON AVE LOC/NEW YORK/NY /US
7	AGT//9147123 /EXPORTANT LTD. /HEATHROW
11	CVD/GBP//PP/NVD/NCV/XXX
12	RTD/1/P1/K913.0/CQ/W913/R1.36/T1241.68 /NC/CONSOLIDATION /2/NC/AS PER ATTACHED LIST /3/NS/18 /4/ND//NDA
14	PPD/WT1241.68 /CT1241.68
16	CER/EXPORTANT LTD.
17	ISU/010CT06/HEATHROW/EXPORTANT LTD.
20	REF///AGT/EXPORTANTLTD/LHR
25	SPH/SPX
29	OCI/US/AGT/A/BCBP123 /US/TID/F/A999 /GB/ISS/RA/001-011 ///ED/0213 ///ST/THIS MASTER AIR WAYBILL CONTAINS NO

///ST/1. FREIGHT FROM THAT COUNTRY
///ST/2. TONER CARTRIDGE GREATER THAN 550
///ST/ GRAMS TRANSFERRING THIS COUNTRY

7. FWB MESSAGE SPECIFICATION

Air Waybill Data

Cargo-IMP Manual Edition Number/Version Number

12 th	Mail Vote	13 th	14 th	15 th	16 th	18 th	20 th	21 st	24 th	25 th	26 th	29 th	32 nd
01 Jan 93				Supp.									
4	5	6	7	8	9	10	11	12	13	14	15	16	17

1. Standard Message Identification

Status: **M** Note: [GEN1](#)

1.1 Standard Message Identifier

Status: **M** Character Format: aaa Note: [FWB1](#) Data Element No. [101](#)

1.2 Separator : Slant

Status: **M**

1.3 Message Type Version Number

Status: **M** Character Format: n[...3] Data Element No. [124](#)

1.4 Separator : CRLF

Status: **M**

2. AWB Consignment Details

Status: **M**

2.1 AWB Identification

Status: **M**

2.1.1 Airline Prefix

Status: **M** Character Format: nnn AWB Box: 1A Data Element No. [112](#)

2.1.2 Separator : Hyphen

Status: **M**

2.1.3 AWB Serial Number

Status: **M** Character Format: n[8] AWB Box: 1B Data Element No. [113](#)

2.2 AWB Origin and Destination

Status: **M**

2.2.1 Airport/City Code (of Origin)

Status: **M** Character Format: aaa AWB Box: 1,9 Data Element No. [313](#)

2.2.2 Airport/City Code (of Destination)

Status: **M** Character Format: aaa AWB Box: 18 Data Element No. [313](#)

[-] 2.3 Quantity Detail

Status: M

[-] 2.3.1 Separator : Slant

Status: M

[-] 2.3.2 Shipment Description Code (T)

Status: M

Character Format: a

Data Element No. [703](#)

[-] 2.3.3 Number of Pieces

Status: M

Character
Format: n[...4]

Note:
[FWB66](#)

AWB
Box: 22J

Data Element
No. [701](#)

[-] 2.3.4 Weight Code

Status: M

Character Format:
a

AWB Box:
22C

Data Element No.
[601](#)

[-] 2.3.5 Weight

Status: M

Character
Format: n[...7]p

Note:
[FWB67](#)

AWB
Box: 22K

Data Element
No. [600](#)

[-] 2.4 Volume Detail

Status: O

[-] 2.4.1 Volume Code

Status: M

Character Format: aa

Data Element No. [604](#)

[-] 2.4.2 Volume Amount

Status: M

Character Format: n[...9]p

Data Element No. [500](#)

[-] 2.5 Density Group

Status: O

Note: [FWB84](#)

[-] 2.5.1 Density Indicator (DG)

Status: M

Character Format: aa

Data Element No. [603](#)

[-] 2.5.2 Density Group

Status: M

Character Format: n[...2]

Data Element No. [602](#)

[-] 2.6 Separator : CRLF

Status: M

[-] 3. Flight Bookings

Status: O

Note: [FWB20](#)

[-] 3.1 Line Identifier (FLT)

Status: M

Character Format: aaa

Data Element No. [103](#)

[-] 3.2 Flight Identification

Status: M

[-] 3.2.1 Separator : Slant

Status: M

[-] 3.2.2 Carrier Code

Status: M

Character
Format: mm

Note:
[GEN4](#)

AWB Box:
19A

Data Element
No. [312](#)

[-] 3.2.3 Flight Number

Status: M

Character Format: nnn
(n)(a)

AWB Box:
19A

Data Element No.
[800](#)

[-] 3.2.4 Separator : Slant

Status: M

[-] 3.2.5 Day

Status: M

Character
Format: nn

Note:
GEN2

AWB
Box:
19A

AWB
Box:
19B

Data
Element
No. 202

Element 3.2 can be repeated. Can occur a maximum of two times.

[-] 3.3 Separator : CRLF

Status: M

[-] 4. Routing

Status: M

[-] 4.1 Line Identifier (RTG)

Status: M

Character Format: aaa

Data Element No. 103

[-] 4.2 1st Destination/Carrier

Status: M

[-] 4.2.1 Separator : Slant

Status: M

[-] 4.2.2 Airport/City Code

Status: O

Character Format:
aaa

AWB Box:
11A

Data Element No.
313

[-] 4.2.3 Carrier Code

Status: M

Character
Format: mm

Note:
GEN4

AWB Box:
11B

Data Element
No. 312

[-] 4.3 Onward Destination/Carrier

Status: O

[-] 4.3.1 Separator : Slant

Status: M

[-] 4.3.2 Airport/City Code

Status: M

Character Format:
aaa

AWB Box:
11C

Data Element No.
313

[-] 4.3.3 Carrier Code

Status: O

Character
Format: mm

Note:
GEN4

AWB
Box:
11D

AWB
Box:
11E/F

Data
Element
No. 312

Element 4.3 can be repeated. Can occur a maximum of two times.

[-] 4.4 Separator : CRLF

Status: M

[-] 5. Shipper

Status: M

[-] 5.1 Line Identifier (SHP)

Status: M

Character Format: aaa

Data Element No. 103

[-] 5.2 Account Detail

Status: O

Note: FWB32

- 5.2.1 Separator : Slant
Status: **M**
 - 5.2.2 Account Number
Status: **M** Character Format: t [...] AWB Box: 3 Data Element No. [108](#)
 - 5.3 Separator : CRLF
Status: **M**
 - 5.4 Name
Status: **M**
 - 5.4.1 Information Identifier (NAM)
Status: **M** Character Format: aaa Data Element No. [103](#)
 - 5.4.2 Separator : Slant
Status: **M**
 - 5.4.3 Name
Status: **M** Character Format: t [...] AWB Box: 2 Data Element No. [300](#)
 - 5.4.4 Separator : CRLF
Status: **M**

Elements 5.4.2 thru 5.4.4 can be repeated. Can occur a maximum of two times.

- 5.5 Street Address
Status: **M**
 - 5.5.1 Information Identifier (ADR)
Status: **M** Character Format: aaa Data Element No. [103](#)
 - 5.5.2 Separator : Slant
Status: **M**
 - 5.5.3 Street Address
Status: **M** Character Format: t [...] AWB Box: 2 Data Element No. [301](#)
 - 5.5.4 Separator : CRLF
Status: **M**

Elements 5.5.2 thru 5.5.4 can be repeated. Can occur a maximum of two times.

- 5.6 Location
Status: **M**
 - 5.6.1 Information Identifier (LOC)
Status: **M** Character Format: aaa Data Element No. [103](#)
 - 5.6.2 Separator : Slant
Status: **M**
 - 5.6.3 Place
Status: **M** Character Format: t [...] AWB Box: 2 Data Element No. [302](#)
 - 5.6.4 Separator : Slant
Status: **C** Note: [FWB21](#)
 - 5.6.5 State/Province

- Status:  Character Format: t
[...9] AWB Box: 2 Data Element No. 303
- [-] 5.6.6 Separator : CRLF
Status: 
- [-] 5.7 Coded Location
Status:  Note: FWB40
- [-] 5.7.1 Separator : Slant
Status: 
- [-] 5.7.2 ISO Country Code
Status:  Character Format: aa AWB Box: 2 Data Element No. 304
- [-] 5.7.3 Separator : Slant
Status:  Note: FWB22
- [-] 5.7.4 Post Code
Status:  Character Format: t
[...9] AWB Box: 2 Data Element No. 305
- [-] 5.8 Contact Detail
Status:  Note: FWB40
- [-] 5.8.1 Separator : Slant
Status: 
- [-] 5.8.2 Contact Identifier
Status:  Character Format: m
[...3] AWB Box: 2 Data Element No. 122
- [-] 5.8.3 Separator : Slant
Status: 
- [-] 5.8.4 Contact Number
Status:  Character Format: m
[...25] AWB Box: 2 Data Element No. 123

Element 5.8 can be repeated.

- [-] 5.9 Separator : CRLF
Status: 
- [-] 6. Consignee
Status: 
- [-] 6.1 Line Identifier (CNE)
Status:  Character Format: aaa Data Element No. 103
- [-] 6.2 Account Detail
Status:  Note: FWB33
- [-] 6.2.1 Separator : Slant
Status: 
- [-] 6.2.2 Account Number
Status:  Character Format: t
[...14] AWB Box: 5 Data Element No. 108
- [-] 6.3 Separator : CRLF
Status: 

[-] 6.4 Name

Status: **M**

[-] 6.4.1 Information Identifier (NAM)

Status: **M**

Character Format: aaa

Data Element No. [103](#)

[-] 6.4.2 Separator : Slant

Status: **M**

[-] 6.4.3 Name

Status: **M**

Character Format: t
[...35]

AWB Box:
4

Data Element No.
[300](#)

[-] 6.4.4 Separator : CRLF

Status: **M**

Elements 6.4.2 thru 6.4.4 can be repeated. Can occur a maximum of two times.

[-] 6.5 Street Address

Status: **M**

[-] 6.5.1 Information Identifier (ADR)

Status: **M**

Character Format: aaa

Data Element No. [103](#)

[-] 6.5.2 Separator : Slant

Status: **M**

[-] 6.5.3 Street Address

Status: **M**

Character Format: t
[...35]

AWB Box:
4

Data Element No.
[301](#)

[-] 6.5.4 Separator : CRLF

Status: **M**

Elements 6.5.2 thru 6.5.4 can be repeated. Can occur a maximum of two times.

[-] 6.6 Location

Status: **M**

[-] 6.6.1 Information Identifier (LOC)

Status: **M**

Character Format: aaa

Data Element No. [103](#)

[-] 6.6.2 Separator : Slant

Status: **M**

[-] 6.6.3 Place

Status: **M**

Character Format: t
[...17]

AWB Box:
4

Data Element No.
[302](#)

[-] 6.6.4 Separator : Slant

Status: **C**

Note: [FWB23](#)

[-] 6.6.5 State/Province

Status: **O**

Character Format: t
[...9]

AWB Box:
4

Data Element No.
[303](#)

[-] 6.6.6 Separator : CRLF

Status: **M**

[-] 6.7 Coded Location

Status: **M**

Note: [FWB41](#)

[-] 6.7.1 Separator : Slant

- Status: **M**
- [-] 6.7.2 ISO Country Code

Status: **M** Character Format: aa AWB Box: 4 Data Element No. [304](#)
 - [-] 6.7.3 Separator : Slant

Status: **C** Note: [FWB24](#)
 - [-] 6.7.4 Post Code

Status: **O** Character Format: t [...9] AWB Box: 4 Data Element No. [305](#)
 - [-] 6.8 Contact Detail

Status: **O** Note: [FWB41](#)

 - [-] 6.8.1 Separator : Slant

Status: **M**
 - [-] 6.8.2 Contact Identifier

Status: **M** Character Format: m [...3] AWB Box: 4 Data Element No. [122](#)
 - [-] 6.8.3 Separator : Slant

Status: **M**
 - [-] 6.8.4 Contact Number

Status: **M** Character Format: m [...25] AWB Box: 4 Data Element No. [123](#)

Element 6.8 can be repeated.

- [-] 6.9 Separator : CRLF

Status: **M**
- [-] 7. Agent

Status: **C** Note: [FWB25](#)

 - [-] 7.1 Line Identifier (AGT)

Status: **M** Character Format: aaa Data Element No. [103](#)
 - [-] 7.2 Account Detail

Status: **M**

 - [-] 7.2.1 Separator : Slant

Status: **M**
 - [-] 7.2.2 Account Number

Status: **O** Character Format: t[...14] Note: [FWB36](#) AWB Box: 8 Data Element No. [108](#)
 - [-] 7.2.3 Separator : Slant

Status: **M**
 - [-] 7.2.4 IATA Cargo Agent Numeric Code

Status: **M** Character Format: n [7] AWB Box: 7 Data Element No. [311](#)
 - [-] 7.2.5 Separator : Slant

Status: **C** Note: [FWB26](#)
 - [-] 7.2.6 IATA Cargo Agent CASS Address

Status: **O** Character Format: n [4] AWB Box: 7 Data Element No. [309](#)

[-] 7.2.7 Separator : Slant

Status: 

Note: [FWB27](#)

[-] 7.2.8 Participant Identifier

Status: 

Character
Format: m[...3]

Note:
[FWB34](#)

AWB
Box: 6

Data Element
No. [319](#)

[-] 7.3 Separator : CRLF

Status: 

[-] 7.4 Name

Status: 

[-] 7.4.1 Separator : Slant

Status: 

[-] 7.4.2 Name

Status: 

Character Format: t
[...35]

AWB Box:
6

Data Element No.
[300](#)

[-] 7.4.3 Separator : CRLF

Status: 

[-] 7.5 Place

Status: 

[-] 7.5.1 Separator : Slant

Status: 

[-] 7.5.2 Place

Status: 

Character Format: t
[...17]

AWB Box:
6

Data Element No.
[302](#)

[-] 7.5.3 Separator : CRLF

Status: 

[-] 8. Special Service Request

Status: 

Note: [FWB35](#)

[-] 8.1 Line Identifier (SSR)

Status: 

Character Format: aaa

Data Element No. [103](#)

[-] 8.2 Separator : Slant

Status: 

[-] 8.3 Special Service Request

Status: 

Character Format: t
[...65]

AWB Box:
21

AWB Box:
21

Data Element No.
[404](#)

[-] 8.4 Separator : CRLF

Status: 

Elements 8.2 thru 8.4 can be repeated. Can occur a maximum of three times.

[-] 9. Also Notify

Status: 

Note: [FWB35](#)

[-] 9.1 Line Identifier (NFY)

Status: 

Character Format: aaa

Data Element No. [103](#)

[-] 9.2 Separator : CRLF

- Status: **M**
- [-] 9.3 Name
 - Status: **M**
 - [-] 9.3.1 Information Identifier (NAM)
 - Status: **M** Character Format: aaa Data Element No. [103](#)
 - [-] 9.3.2 Separator : Slant
 - Status: **M**
 - [-] 9.3.3 Name
 - Status: **M** Character Format: t [...35] AWB Box: 21 Data Element No. [300](#)
 - [-] 9.3.4 Separator : CRLF
 - Status: **M**

Elements 9.3.2 thru 9.3.4 can ne repeated. Can occur a maximum of two times.

- [-] 9.4 Street Address
 - Status: **M**
 - [-] 9.4.1 Information Identifier (ADR)
 - Status: **M** Character Format: aaa Data Element No. [103](#)
 - [-] 9.4.2 Separator : Slant
 - Status: **M**
 - [-] 9.4.3 Street Address
 - Status: **M** Character Format: t [...35] AWB Box: 21 Data Element No. [301](#)
 - [-] 9.4.4 Separator : CRLF
 - Status: **M**

Elements 9.4.2 thru 9.4.4 can be repeated. Can occur a maximum of two times.

- [-] 9.5 Location
 - Status: **M**
 - [-] 9.5.1 Information Identifier (LOC)
 - Status: **M** Character Format: aaa Data Element No. [103](#)
 - [-] 9.5.2 Separator : Slant
 - Status: **M**
 - [-] 9.5.3 Place
 - Status: **M** Character Format: t [...17] AWB Box: 21 Data Element No. [302](#)
 - [-] 9.5.4 Separator : Slant
 - Status: **C** Note: [FWB29](#)
 - [-] 9.5.5 State/Province
 - Status: **O** Character Format: t [...9] AWB Box: 21 Data Element No. [303](#)
 - [-] 9.5.6 Separator : CRLF
 - Status: **M**
- [-] 9.6 Coded Location
 - Status: **M** Note: [FWB42](#)

- [-] 9.6.1 Separator : Slant
Status: M
- [-] 9.6.2 ISO Country Code
Status: M Character Format: aa AWB Box: 21 Data Element No. 304
- [-] 9.6.3 Separator : Slant
Status: C Note: FWB30
- [-] 9.6.4 Post Code
Status: O Character Format: t [...9] AWB Box: 21 Data Element No. 305
- [-] 9.7 Contact Detail
Status: O Note: FWB42
 - [-] 9.7.1 Separator : Slant
Status: M
 - [-] 9.7.2 Contact Identifier
Status: M Character Format: m [...3] AWB Box: 21 Data Element No. 122
 - [-] 9.7.3 Separator : Slant
Status: M
 - [-] 9.7.4 Contact Number
Status: M Character Format: m [...25] AWB Box: 21 Data Element No. 123

Element 9.7 can be repeated.

- [-] 9.8 Separator : CRLF
Status: M
- [-] 10. Accounting Information
Status: O
 - [-] 10.1 Line Identifier (ACC)
Status: M Character Format: aaa Data Element No. 103
 - [-] 10.2 Account Detail
Status: M
 - [-] 10.2.1 Separator : Slant
Status: M
 - [-] 10.2.2 Accounting Information Identifier
Status: M Character Format: aaa AWB Box: 10 Data Element No. 411
 - [-] 10.2.3 Separator : Slant
Status: M
 - [-] 10.2.4 Accounting Information
Status: M Character Format: t [...34] AWB Box: 10 Data Element No. 410
 - [-] 10.2.5 Separator : CRLF
Status: M

Element 10.2 can be repeated. Can occur a maximum of six times.

[-] 11. Charge Declarations

Status: **M**

[-] 11.1 Line Identifier (CVD)

Status: **M** Character Format: aaa Data Element No. [103](#)

[-] 11.2 Separator : Slant

Status: **M**

[-] 11.3 ISO Currency Code

Status: **M** Character Format: aaa AWB Box: 12 Data Element No. [606](#)

[-] 11.4 Separator : Slant

Status: **M**

[-] 11.5 Charge Code

Status: **C** Character Format: aa Note: [FWB37](#) AWB Box: 13 Data Element No. [503](#)

[-] 11.6 Separator : Slant

Status: **M**

[-] 11.7 Prepaid/Collect Charge Declarations

Status: **C**

[-] 11.7.1 P/C Ind. (Weight/Valuation)

Status: **M** Character Format: a AWB Box: 14A/B Data Element No. [403](#)

[-] 11.7.2 P/C Ind. (Other Charges)

Status: **M** Character Format: a AWB Box: 15A/B Data Element No. [403](#)

[-] 11.8 Value for Carriage Declaration

Status: **M**

[-] 11.8.1 Separator : Slant

Status: **M**

[-] 11.8.2 Declared Value for Carriage

Status: **M** Character Format: n [...12]p AWB Box: 16 Data Element No. [510](#)

or

No Value Declared (NVD)

Character Format: aaa AWB Box: 16

[-] 11.9 Separator : Slant

Status: **M**

[-] 11.10 Value for Customs Declaration

Status: **M**

[-] 11.10.1 Declared Value for Customs

Status: **M** Character Format: n [...12]p AWB Box: 17 Data Element No. [509](#)

or
No Customs Value (NCV)

Character Format: aaa AWB Box: 17

[-] 11.11 Value for Insurance Declaration

Status: M

[-] 11.11.1 Separator : Slant

Status: M

[-] 11.11.2 Amount of Insurance

Status: M Character Format: n AWB Box: 20 Data Element No. 508
[...11]p

or
No Value (XXX)

Character Format: aaa

[-] 11.12 Separator : CRLF

Status: M

[-] 12. Rate Description

Status: M

[-] 12.1 Line Identifier (RTD)

Status: M Character Format: aaa Data Element No. 103

[-] 12.2 Charge Line Count

Status: M

[-] 12.2.1 Separator : Slant

Status: M

[-] 12.2.2 AWB Rate Line Number

Status: M Character Format: n[...2] Data Element No. 106

Elements [12.2](#) must be followed by at least one of the optional elements [12.3](#), [12.4](#), [12.5](#), [12.6](#), [12.7](#), [12.8](#), [12.9](#), [12.11](#) thru [12.18](#) or [12.19](#).

[-] 12.3 Number of Pieces/RCP Details

Status: O

[-] 12.3.1 Separator : Slant

Status: M

[-] 12.3.2 AWB Column Identifier (P)

Status: M Character Format: a Data Element No. 105

[-] 12.3.3 Number of Pieces

Status: M Character Format: n AWB Box: 22A Data Element No. 701
[...4]

or
Rate Combination Point

Character Format: aaa AWB Box: 22A

[-] 12.4 Gross Weight Details

Status: O

[-] 12.4.1 Separator : Slant

Status: M

[-] 12.4.2 Weight Code

Status: M

Character Format: a

AWB Box: 22C

Data Element No. [601](#)

[-] 12.4.3 Weight

Status: M

Character Format: n
[...7]p

AWB Box: 22B

Data Element No. [600](#)

[-] 12.5 Rate Class Details

Status: O

[-] 12.5.1 Separator : Slant

Status: M

[-] 12.5.2 AWB Column Identifier (C)

Status: M

Character Format: a

Data Element No. [105](#)

[-] 12.5.3 Rate Class Code

Status: M

Character Format: a

AWB Box: 22D

Data Element No. [507](#)

[-] 12.6 Commodity Item Number Details

Status: O

[-] 12.6.1 Separator : Slant

Status: M

[-] 12.6.2 AWB Column Identifier (S)

Status: M

Character Format: a

Data Element No. [105](#)

[-] 12.6.3 Commodity Item Number

Status: M

Character Format: n
[4...7]

AWB Box: 22E

Data Element No. [707](#)

or

ULD Rate Class Type

Character Format: n(a)(a) AWB Box: 22E

or

Rate Class Code (Basis)

Character Format: a AWB Box: 22E

Class Rate Percentage

Character Format: n[...3] AWB Box: 22E

[-] 12.7 Chargeable Weight Details

Status: O

[-] 12.7.1 Separator : Slant

Status: M

[-] 12.7.2 AWB Column Identifier (W)

Status: M

Character Format: a

Data Element No. [105](#)

[-] 12.7.3 Weight

Status: M

Character Format: n
[...7]p

AWB Box:
22F

Data Element No.
600

[-] 12.8 Rate/Charge Details

Status: O

[-] 12.8.1 Separator : Slant

Status: M

[-] 12.8.2 AWB Column Identifier (R)

Status: M

Character Format: a

Data Element No. 105

[-] 12.8.3 Rate or Charge

Status: M

Character Format: n
[...8]p

AWB Box:
22G

Data Element No.
506

or
Discount

Character Format: n[...8]p AWB Box: 22G

[-] 12.9 Total Details

Status: O

[-] 12.9.1 Separator : Slant

Status: M

[-] 12.9.2 AWB Column Identifier (T)

Status: M

Character Format: a

Data Element No. 105

[-] 12.9.3 Charge Amount

Status: M

Character Format: n
[...12]p

AWB Box:
22H

Data Element No.
501

or
Discount Amount

Character Format: n[...12]p AWB Box: 22H

[-] 12.10 Separator : CRLF

Status: C

Note: FWB31

Ref. 12.10 can be followed by one of Ref. 12.11 thru 12.18 and/or Ref. 12.19.

[-] 12.11 Goods Description

Status: O

Note: FWB44

[-] 12.11.1 Separator : Slant

Status: M

[-] 12.11.2 AWB Column Identifier (N)

Status: M

Character Format: a

Data Element No. 105

[-] 12.11.3 Goods Data Identifier (G)

Status: M

Character
Format: a

Note:
FWB45

AWB
Box: 22I

Data Element
No. 710

[-] 12.11.4 Separator : Slant

Status: M

[-] 12.11.5 Nature and Quantity of Goods

Status: **M** Character Format: t [...20] AWB Box: 22I Data Element No. 709

[-] 12.12 Consolidation

Status: **O**

[-] 12.12.1 Separator : Slant

Status: **M**

[-] 12.12.2 AWB Column Identifier (N)

Status: **M** Character Format: a Data Element No. 105

[-] 12.12.3 Goods Data Identifier (C)

Status: **M** Character Format: a Note: FWB46 AWB Box: 22I Data Element No. 710

[-] 12.12.4 Separator : Slant

Status: **M**

[-] 12.12.5 Nature and Quantity of Goods

Status: **M** Character Format: t [...20] AWB Box: 22I Data Element No. 709

[-] 12.13 Dimensions

Status: **C** Note: FWB47

[-] 12.13.1 Separator : Slant

Status: **M**

[-] 12.13.2 AWB Column Identifier (N)

Status: **M** Character Format: a Data Element No. 105

[-] 12.13.3 Goods Data Identifier (D)

Status: **M** Character Format: a Note: FWB48 AWB Box: 22I Data Element No. 710

[-] 12.13.4 Separator : Slant

Status: **M**

[-] 12.13.5 Weight Code

Status: **O** Character Format: a Note: FWB63 Data Element No. 601

[-] 12.13.6 Weight

Status: **C** Character Format: n [...7]p Note: FWB64 Data Element No. 600

[-] 12.13.7 Separator : Slant

Status: **M**

[-] 12.13.8 Measurement Unit Code

Status: **M** Character Format: m[...] Note: FWB79 AWB Box: 22I Data Element No. 611

or
No Dimensions Available (NDA)

[-] 12.13.9 Length Dimension

Status: **C** Character Format: n[...] Note: FWB77 AWB Box: 22I Data Element No. 608

[-] 12.13.10 Separator : Hyphen

Status: **C** Note: FWB77

[-] 12.13.11 Width Dimension	Status: C	Character Format: n[...5]	Note: FWB77	AWB Box: 22I	Data Element No. 609
[-] 12.13.12 Separator : Hyphen	Status: C	Note: FWB77			
[-] 12.13.13 Height Dimension	Status: C	Character Format: n[...5]	Note: FWB77	AWB Box: 22I	Data Element No. 610
[-] 12.13.14 Separator : Slant	Status: C	Note: FWB77			
[-] 12.13.15 Numbers of Pieces	Status: C	Character Format: n[...4]	Note: FWB77	AWB Box: 22I	Data Element No. 701
[-] 12.14 Volume	Status: C	Note: FWB78			
[-] 12.14.1 Separator : Slant	Status: M				
[-] 12.14.2 AWB Column Identifier (N)	Status: M	Character Format: a			Data Element No. 105
[-] 12.14.3 Goods Data Identifier (V)	Status: M	Character Format: a	Note: FWB49	AWB Box: 22I	Data Element No. 710
[-] 12.14.4 Separator : Slant	Status: M				
[-] 12.14.5 Volume Code	Status: M	Character Format: aa		AWB Box: 22I	Data Element No. 604
[-] 12.14.6 Volume Amount	Status: M	Character Format: n[...9]p		AWB Box: 22I	Data Element No. 500
[-] 12.15 ULD Number	Status: O				
[-] 12.15.1 Separator : Slant	Status: M				
[-] 12.15.2 AWB Column Identifier (N)	Status: M	Character Format: a			Data Element No. 105
[-] 12.15.3 Goods Data Identifier (U)	Status: M	Character Format: a	Note: FWB50	AWB Box: 22I	Data Element No. 710
[-] 12.15.4 Separator : Slant	Status: M				
[-] 12.15.5 ULD Type	Status: M	Character Format: amm		AWB Box: 22I	Data Element No. 802
[-] 12.15.6 ULD Serial Number	Status: M	Character Format: mnnn(n)		AWB Box: 22I	Data Element No. 115

[-] 12.19 Service Code Details

Status: O

[-] 12.19.1 Separator : Slant

Status: M

[-] 12.19.2 Service Code

Status: M

Character Format: a

AWB Box: 22Z

Data Element No. [505](#)

[-] 12.20 Separator : CRLF

Status: C

Note: [FWB43](#)

Elements 12.2 thru 12.20 can be repeated. Can occur a maximum of 11 times.

The 11th occurrence of 12.2 thru 12.20 can be followed by a 12th occurrence comprising of elements 12.2, one of 12.11 thru 12.18 and 12.20 only.

[-] 13. Other Charges

Status: O

[-] 13.1 Line Identifier (OTH)

Status: M

Character Format: aaa

Data Element No. [103](#)

[-] 13.2 Charge Line

Status: M

[-] 13.2.1 Separator : Slant

Status: M

[-] 13.2.2 P/C Ind. (Other Charges)

Status: M

Character Format: a

Data Element No. [403](#)

[-] 13.2.3 Separator : Slant

Status: M

[-] 13.3 Other Charge Items

Status: M

Note: [FWB82](#)

[-] 13.3.1 Other Charge Code

Status: M

Character Format: aa

AWB Box: 23

Data Element No. [504](#)

[-] 13.3.2 Entitlement Code

Status: M

Character Format: a

AWB Box: 23

Data Element No. [315](#)

[-] 13.3.3 Charge Amount

Status: M

Character Format: n [...12]p

AWB Box: 23

Data Element No. [501](#)

Element 13.3 can be repeated. Can occur a maximum of three times.

[-] 13.4 Separator : CRLF

Status: M

Elements 13.2 thru 13.4 can be repeated.

[-] 14. Prepaid Charge Summary

Status: O

Note: [FWB76](#)

[-] 14.1 Line Identifier (PPD)

Status:  Character Format: aaa Data Element No. [103](#)

[-] 14.2 Total Weight Charge

Status: 

[-] 14.2.1 Separator : Slant

Status: 

[-] 14.2.2 Charge Identifier (WT)

Status:  Character Format: aa Data Element No. [502](#)

[-] 14.2.3 Charge Amount

Status:  Character Format: n
[...12]p AWB Box: 24A
and 22L/H Data Element
No. [501](#)

[-] 14.3 Valuation Charge

Status: 

[-] 14.3.1 Separator : Slant

Status: 

[-] 14.3.2 Charge Identifier (VC)

Status:  Character Format: aa Data Element No. [502](#)

[-] 14.3.3 Charge Amount

Status:  Character Format: n
[...12]p AWB Box:
25A Data Element No.
[501](#)

[-] 14.4 Taxes

Status: 

[-] 14.4.1 Separator : Slant

Status: 

[-] 14.4.2 Charge Identifier (TX)

Status:  Character Format: aa Data Element No. [502](#)

[-] 14.4.3 Charge Amount

Status:  Character Format: n
[...12]p AWB Box:
26A Data Element No.
[501](#)

[-] 14.5 Separator : CRLF

Status: 

[-] 14.6 Total Other Charges Due Agent

Status: 

[-] 14.6.1 Separator : Slant

Status: 

[-] 14.6.2 Charge Identifier (OA)

Status:  Character Format: aa Data Element No. [502](#)

[-] 14.6.3 Charge Amount

Status:  Character Format: n
[...12]p AWB Box:
27A Data Element No.
[501](#)

[-] 14.7 Total Other Charges Due Carrier

Status: 

[-] 14.7.1 Separator : Slant

Status: 

[-] 14.7.2 Charge Identifier (OC)

Status: M

Character Format: aa

Data Element No. [502](#)

[-] 14.7.3 Charge Amount

Status: M

Character Format: n
[...12]p

AWB Box:
28A

Data Element No.
[501](#)

[-] 14.8 Charge Summary Total

Status: M

[-] 14.8.1 Separator : Slant

Status: M

[-] 14.8.2 Charge Identifier (CT)

Status: M

Character Format: aa

Data Element No. [502](#)

[-] 14.8.3 Charge Amount

Status: M

Character Format: n
[...12]p

AWB Box:
30A

Data Element No.
[501](#)

[-] 14.9 Separator : CRLF

Status: M

[-] 15. Collect Charge Summary

Status: O

Note: [FWB76](#)

[-] 15.1 Line Identifier (COL)

Status: M

Character Format: aaa

Data Element No. [103](#)

[-] 15.2 Collect Charge details as per elements [14.2](#) to [14.8](#) above.

Status: M O

AWB Box: 24B and to 22L/H 25B to 28B and 30B

[-] 15.9 Separator : CRLF

Status: M

[-] 16. Shipper's Certification

Status: O

[-] 16.1 Line Identifier (CER)

Status: M

Character Format: aaa

Data Element No. [103](#)

[-] 16.2 Separator : Slant

Status: M

[-] 16.3 Signature

Status: M

Character Format: t[...20]

AWB Box: 31

Data Element No. [414](#)

[-] 16.4 Separator : CRLF

Status: M

[-] 17. Carrier's Execution

Status: M

[-] 17.1 Line Identifier (ISU)

Status: M

Character Format: aaa

Data Element No. [103](#)

[-] 17.2 AWB Issue Details

Status: M

[-] 17.2.1 Separator : Slant

Status: 

[-] 17.2.2 Day

Status: 

Character
Format: nn

Note:
[GEN2](#)

AWB Box:
32A

Data Element
No. [202](#)

[-] 17.2.3 Month

Status: 

Character
Format: aaa

Note:
[GEN2](#)

AWB Box:
32A

Data Element
No. [201](#)

[-] 17.2.4 Year

Status: 

Character
Format: nn

Note:
[GEN2](#)

AWB Box:
32A

Data Element
No. [200](#)

[-] 17.2.5 Separator : Slant

Status: 

[-] 17.2.6 Place

Status: 

Character Format: t
[...17]

AWB Box:
32B

Data Element No.
[302](#)

or
Airport/City Code

Character Format: aaa AWB Box: 32B

[-] 17.3 Authorisation

Status: 

[-] 17.3.1 Separator : Slant

Status: 

[-] 17.3.2 Signature

Status: 

Character Format: t
[...20]

AWB Box:
32C

Data Element No.
[414](#)

[-] 17.4 Separator : CRLF

Status: 

[-] 18. Other Service Information

Status: 

Note: [FWB35](#)

[-] 18.1 Line Identifier (OSI)

Status: 

Character Format: aaa

Data Element No. [103](#)

[-] 18.2 Separator : Slant

Status: 

[-] 18.3 Other Service Information

Status: 

Character Format: t[...65]

AWB Box: 21

Data Element No. [405](#)

[-] 18.4 Separator : CRLF

Status: 

Elements 18.2 thru 18.4 can be repeated. Can occur a maximum of three times.

[-] 19. CC Charges in Destination Currency

Status: 

Note: [FWB39](#)

- [-] 19.1 Line Identifier (CDC)
 - Status: M Character Format: aaa Data Element No. [103](#)
- [-] 19.2 Separator : Slant
 - Status: M
- [-] 19.3 Destination Currency
 - Status: M
 - [-] 19.3.1 ISO Currency Code
 - Status: M Character Format: aaa AWB Box: 33A Data Element No. [606](#)
- [-] 19.4 Currency Conversion Rate
 - Status: M
 - [-] 19.4.1 Rate of Exchange
 - Status: M Character Format: n [...11]p AWB Box: 33A Data Element No. [607](#)
- [-] 19.5 Separator : Slant
 - Status: M
- [-] 19.6 CC Charges in Destination Currency
 - Status: M
 - [-] 19.6.1 Charge Amount
 - Status: M Character Format: n [...12]p AWB Box: 33B Data Element No. [501](#)
- [-] 19.7 Separator : Slant
 - Status: M
- [-] 19.8 Charges at Destination
 - Status: M
 - [-] 19.8.1 Charge Amount
 - Status: M Character Format: n [...12]p AWB Box: 33C Data Element No. [501](#)
- [-] 19.9 Separator : Slant
 - Status: M
- [-] 19.10 Total Collect Charges
 - Status: M
 - [-] 19.10.1 Charge Amount
 - Status: M Character Format: n [...12]p AWB Box: 33D Data Element No. [501](#)
- [-] 19.11 Separator : CRLF
 - Status: M
- [-] 20. Sender Reference
 - Status: M
 - [-] 20.1 Line Identifier (REF)
 - Status: M Character Format: aaa Data Element No. [103](#)
 - [-] 20.2 Separator : Slant
 - Status: M

- [-] 20.3 Sender Office Message Address
 - Status:  Note: [FWB54](#)
 - [-] 20.3.1 Airport/City Code
 - Status:  Character Format: aaa Data Element No. [313](#)
 - [-] 20.3.2 Office Function Designator
 - Status:  Character Format: mm Data Element No. [107](#)
 - [-] 20.3.3 Company Designator
 - Status:  Character Format: mm Note: [GEN4](#) Data Element No. [308](#)
- [-] 20.4 Separator : Slant
 - Status:  Note: [FWB55](#)
- [-] 20.5 Sender Office File Reference
 - Status: 
 - [-] 20.5.1 File Reference
 - Status:  Character Format: t[...15] Data Element No. [117](#)
- [-] 20.6 Sender Participant Identification
 - Status:  Note: [FWB56](#)
 - [-] 20.6.1 Separator : Slant
 - Status: 
 - [-] 20.6.2 Participant Identifier
 - Status:  Character Format: m[...3] Data Element No. [319](#)
 - [-] 20.6.3 Separator : Slant
 - Status: 
 - [-] 20.6.4 Participant Code
 - Status:  Character Format: m[...17] Data Element No. [320](#)
 - [-] 20.6.5 Separator : Slant
 - Status: 
 - [-] 20.6.6 Airport/City Code
 - Status:  Character Format: aaa Data Element No. [313](#)
- [-] 20.7 Separator : CRLF
 - Status: 
- [-] 21. Customs Origin
 - Status:  Note: [FWB35](#)
 - [-] 21.1 Line Identifier (COR)
 - Status:  Character Format: aaa Data Element No. [103](#)
 - [-] 21.2 Separator : Slant
 - Status: 
 - [-] 21.3 Customs Origin Code
 - Status:  Character Format: m[...2] AWB Box: 21A Data Element No. [906](#)
 - [-] 21.4 Separator : CRLF
 - Status: 

[-] 22. Commission Information

Status: 

[-] 22.1 Line Identifier (COI)

Status:  Character Format: aaa Data Element No. [103](#)

[-] 22.2 Separator : Slant

Status: 

[-] 22.3 No Commission Indication

Status:  Note: [FWB57](#)

[-] 22.3.1 CASS Indicator (N)

Status:  Character Format: a[...2] Data Element No. [614](#)

[-] 22.4 Separator : Slant

Status:  Note: [FWB58](#)

[-] 22.5 Commission Amount

Status:  Note: [FWB59](#)

[-] 22.5.1 CASS Settlement Factor

Status:  Character Format: n[...12]p Data Element No. [613](#)

[-] 22.6 Separator : Slant

Status:  Note: [FWB60](#)

[-] 22.7 Commission Percentage

Status:  Note: [FWB61](#)

[-] 22.7.1 CASS Settlement Factor

Status:  Character Format: n[...12]p Data Element No. [613](#)

[-] 22.8 Separator : CRLF

Status: 

[-] 23. Sales Incentive Information

Status: 

[-] 23.1 Line Identifier (SII)

Status:  Character Format: aaa Data Element No. [103](#)

[-] 23.2 Separator : Slant

Status: 

[-] 23.3 Sales Incentive Detail

Status: 

[-] 23.3.1 Charge Amount

Status:  Character Format: n[...12]p Data Element No. [501](#)

[-] 23.4 Separator : Slant

Status:  Note: [FWB62](#)

[-] 23.5 Sales Incentive Indication

Status: 

[-] 23.5.1 CASS Indicator (N)

Status:  Character Format: a[...2] Data Element No. [614](#)

- [-] 23.6 Separator : CRLF
 - Status: M
- [-] 24. Agent Reference Data
 - Status: O
 - [-] 24.1 Line Identifier (ARD)
 - Status: M Character Format: aaa Data Element No. [103](#)
 - [-] 24.2 Separator : Slant
 - Status: M
 - [-] 24.3 Agent Reference
 - Status: M
 - [-] 24.3.1 File Reference
 - Status: M Character Format: t[...15] Data Element No. [117](#)
 - [-] 24.4 Separator : CRLF
 - Status: M
- [-] 25. Special Handling Details
 - Status: O
 - [-] 25.1 Line Identifier (SPH)
 - Status: M Character Format: aaa Data Element No. [103](#)
 - [-] 25.2 Special Handling Requirements
 - Status: M
 - [-] 25.2.1 Separator : Slant
 - Status: M
 - [-] 25.2.2 Special Handling Code
 - Status: M Character Format: aaa AWB Box: 21 Data Element No. [705](#)

Element 25.2 can be repeated. Can occur a maximum of nine times.

- [-] 25.3 Separator : CRLF
 - Status: M
- [-] 26. Nominated Handling Party
 - Status: O Note: [FWB65](#)
 - [-] 26.1 Line Identifier (NOM)
 - Status: M Character Format: aaa Data Element No. [103](#)
 - [-] 26.2 Separator : Slant
 - Status: M
 - [-] 26.3 Name
 - Status: M Character Format: t[...35] Data Element No. [300](#)
 - [-] 26.4 Separator : Slant
 - Status: M
 - [-] 26.5 Place

Status:  Character Format: t[...17] Data Element No. [302](#)

[-] 26.6 Separator : CRLF

Status: 

[-] 27. Shipment Reference Information

Status: 

[-] 27.1 Line Identifier (SRI)

Status:  Character Format: aaa Data Element No. [103](#)

[-] 27.2 Separator : Slant

Status: 

[-] 27.3 Reference Number

Status:  Character Format: t
[...14] Note: [FWB68](#) AWB Box: 34A Data Element No. [132](#)

[-] 27.4 Separator : Slant

Status:  Note: [FWB69](#)

[-] 27.5 Supplementary Shipment Information

Status:  Character Format: t
[...12] Note: [FWB70](#) AWB Box: 34B Data Element No. [133](#)

[-] 27.6 Separator : Slant

Status:  Note: [FWB71](#)

[-] 27.7 Supplementary Shipment Information

Status:  Character Format: t
[...12] Note: [FWB72](#) AWB Box: 34C Data Element No. [133](#)

[-] 27.8 Separator : CRLF

Status: 

[-] 28. Other Participant Information

Status: 

[-] 28.1 Line Identifier (OPI)

Status:  Character Format: aaa Data Element No. [103](#)

[-] 28.2 Separator : Slant

Status: 

[-] 28.3 Name

Status:  Character Format: t[...35] Data Element No. [300](#)

[-] 28.4 Separator : CRLF

Status: 

[-] 28.5 Separator : Slant

Status: 

[-] 28.6 Other Participant Office Message Address

Status:  Note: [FWB73](#)

[-] 28.6.1 Airport/City Code

Status:  Character Format: aaa Data Element No. [313](#)

[-] 28.6.2 Office Function Designator

- Status: M Character Format: mm Data Element No. [107](#)
- 28.6.3 Company Designator
 - Status: M Character Format: mm Data Element No. [308](#)
- 28.7 Separator : Slant
 - Status: C Note: [FWB74](#)
- 28.8 Other Participant Office File Reference
 - Status: O
 - 28.8.1 File Reference
 - Status: M Character Format: t[...15] Data Element No. [117](#)
- 28.9 Other Participant Identification
 - Status: C Note: [FWB75](#)
 - 28.9.1 Separator : Slant
 - Status: M
 - 28.9.2 Participant Identifier
 - Status: M Character Format: m[...3] Data Element No. [319](#)
 - 28.9.3 Separator : Slant
 - Status: M
 - 28.9.4 Participant Code
 - Status: M Character Format: m[...17] Data Element No. [320](#)
 - 28.9.5 Separator : Slant
 - Status: M
 - 28.9.6 Airport/City Code
 - Status: M Character Format: aaa Data Element No. [313](#)
 - 28.10 Separator : CRLF
 - Status: M

Ref. 28 can be repeated.

- 29. Other Customs, Security and Regulatory Control Information
 - Status: O Note: [FWB2](#)
 - 29.1 Line Identifier (OCI)
 - Status: M Character Format: aaa Data Element No. [103](#)
 - 29.2 Separator : Slant
 - Status: M
 - 29.3 ISO Country Code
 - Status: C Character Format: aa Note: [FWB85](#) AWB Box: 21 Data Element No. [304](#)
 - 29.4 Separator : Slant
 - Status: M
 - 29.5 Information Identifier
 - Status: C Character Format: aaa Note: [FWB85](#) AWB Box: 21 Data Element No. [103](#)
 - 29.6 Separator : Slant

- Status: **M**
- [-] 29.7 Customs, Security and Regulatory Control Information Identifier
 Status: **C** Character Format: a Note: **FWB85** AWB Box: 21 Data Element No. **941**
 [...] 29.8 Separator : Slant
 Status: **M**
- [-] 29.9 Supplementary Customs, Security and Regulatory Control Information
 Status: **M** Character Format: t[...]35] AWB Box: 21 Data Element No. **940**
- [-] 29.10 Separator : CRLF
 Status: **M**

Elements 29.2 to 29.10 can be repeated

8. MESSAGE NOTES

- FWB1 [Ref. 1.1](#) The corresponding AWB Box Number as shown in Resolution 600a (Extract included as [Attachment 1](#)) and Recommended Practice 1600r is shown in the “AWB Box” Column.
- FWB2 [Ref. 29.](#) Other Customs, Security and Regulatory Control Information
 The composition of the OCI line depends upon which Customs, Security and Regulatory Control Information Identifier is used and must be in accordance with the [OCI composition rules table below](#).
- FWB20 [Ref. 3.](#) Flight Bookings (only to be used by agreement with carrier to whom FWB Message is addressed).
- FWB21 [Ref. 5.6.4](#) Separator (if [5.6.5](#) included).
- FWB22 [Ref. 5.7.3](#) Separator (if [5.7.4](#) and/or [5.8](#) included).
- FWB23 [Ref. 6.6.4](#) Separator (if [6.6.5](#) included).
- FWB24 [Ref. 6.7.3](#) Separator (if [6.7.4](#) and/or [6.8](#) included).
- FWB25 [Ref. 7.](#) Agent (if Agent entitled to Commission).
- FWB26 [Ref. 7.2.5](#) Separator (if [7.2.6](#) and/or [7.2.8](#) included).
- FWB27 [Ref. 7.2.7](#) Separator (if [7.2.8](#) included).
- FWB29 [Ref. 9.5.4](#) Separator (if [9.5.5](#) included).
- FWB30 [Ref.](#) Separator (if [9.6.4](#) and/or [9.7](#) included).

[9.6.3](#)

- FWB31 [Ref. 12.10](#) Separator (if any of [12.3](#) thru [12.9](#) included).
- FWB32 [Ref. 5.2](#) Account Detail (only to be used by agreement with Carrier to whom FWB is addressed).
- FWB33 [Ref. 6.2](#) Account Detail (only to be used by Carrier at delivery time).
- FWB34 [Ref. 7.2.8](#) Participant Identifier (only code "CAG" to be used).
- FWB35 [Ref. 8.](#) Special Service Request.
[Ref. 9.](#) Also Notify.
[Ref. 18.](#) Other Service Information.
[Ref. 21.](#) Customs Origin (total characters of [Ref. 8.](#), [Ref. 9.](#), [Ref. 18.](#) and [Ref. 21.](#) cannot exceed 216).
- FWB36 [Ref. 7.2.2](#) Account Number (only to be used by agreement with carrier to whom FWB Message is addressed).
- FWB37 [Ref. 11.5](#) Charge Code (if transmitted by a carrier).
- FWB39 [Ref. 19.](#) CC Charges in Destination Currency (only to be used at delivery time).
- FWB40 [Ref. 5.7](#) Coded Location.
[Ref. 5.8](#) Contact Detail (total characters of [5.7](#) thru [5.8](#) cannot exceed 69).
- FWB41 [Ref. 6.7](#) Coded Location.
[Ref. 6.8](#) Contact Detail (total characters of [6.7](#) thru [6.8](#) cannot exceed 69).
- FWB42 [Ref. 9.6](#) Coded Location
[Ref. 9.7](#) Contact Detail (total characters of [9.6](#) thru [9.7](#) cannot exceed 69).
- FWB43 [Ref. 12.20](#) Separator (if either any of [Ref. 12.11](#) thru [12.18](#) or [12.19](#) included).
- FWB44 [Ref. 12.11](#) Description (to be used for Nature and Quantity of Goods information not covered by [Ref. 12.12](#) thru [12.18](#)).

- FWB45 [Ref. 12.11.3](#) Goods Data Identifier (G).
- FWB46 [Ref. 12.12.3](#) Goods Data Identifier (C).
- FWB47 [Ref. 12.13](#) Dimensions (comprising the greatest length, greatest width and greatest height) (total number of characters of elements [12.13.8](#) thru [12.13.15](#) cannot exceed 20). Not required if ULD number (Ref. [12.15](#)) is included, otherwise must be included if Volume (Ref. [12.14](#)) not included.
- FWB48 [Ref. 12.13.3](#) Goods Data Identifier (D).
- FWB49 [Ref. 12.14.3](#) Goods Data Identifier (V).
- FWB50 [Ref. 12.15.3](#) Goods Data Identifier (U).
- FWB51 [Ref. 12.16.3](#) Goods Data Identifier (S).
- FWB52 [Ref. 12.17.3](#) Goods Data Identifier (H).
- FWB53 [Ref. 12.18.3](#) Goods Data Identifier (O).
- FWB54 [Ref. 20.3](#) Sender Office Message Address (if [20.6](#) not included).
- FWB55 [Ref. 20.4](#) Separator (if [20.5](#) and/or [20.6](#) included).
- FWB56 [Ref. 20.6](#) Sender Participant Identification (if [20.3](#) not included).
- FWB57 [Ref. 22.3](#) No Commission Indication (may be included if Ref. [22.5](#) and [22.7](#) are not included).
- FWB58 [Ref. 22.4](#) Separator (if Ref. [22.5](#) or [22.7](#) included).
- FWB59 [Ref. 22.5](#) Commission Amount (may be included if Ref. [22.3](#) and [22.7](#) are not included).
- FWB60 [Ref. 22.6](#) Separator (if [22.7](#) included).
- FWB61 [Ref. 22.7](#) Commission Percentage (may be included if Ref. [22.3](#) and [22.5](#) are not included).
- FWB62 [Ref.](#) Separator (if [23.5](#) included).

23.4

- FWB63 [Ref.](#) Weight Code
[12.13.5](#) No AWB Box No. is entered since this information is contained in the universal AWB label and is optional within FWB for internal carrier use to further identify pieces with dimensions.
- FWB64 [Ref.](#) Weight (if [12.13.5](#) included).
[12.13.6](#)
- FWB65 [Ref.](#) Nominated Handling Party (may be included within FWB but shall not appear on the air waybill).
[26.](#)
- FWB66 [Ref.](#) Number of Pieces (if AWB Box 22J is empty, where there is not more than one numeric entry in AWB Box 22A, the numeric entry from AWB Box 22A will be used instead).
[2.3.3](#)
- FWB67 [Ref.](#) Weight (if AWB Box 22K is empty, where there is not more than one entry in AWB Box 22B, the entry from AWB Box 22B will be used instead).
[2.3.5](#)
- FWB68 [Ref.](#) Reference Number (must be included if [27.5](#) and [27.7](#) not included but may be included with [27.5](#) and/or [27.7](#)).
[27.3](#)
- FWB69 [Ref.](#) Separator (if [27.5](#) and/or [27.7](#) included).
[27.4](#)
- FWB70 [Ref.](#) Supplementary Shipment Information (must be included if [27.3](#) and [27.7](#) not included but may be included with [27.3](#) and/or [27.7](#)).
[27.5](#)
- FWB71 [Ref.](#) Separator (if [27.7](#) included).
[27.6](#)
- FWB72 [Ref.](#) Supplementary Shipment Information (must be included if [27.3](#) and [27.5](#) not included but may be included with [27.3](#) and/or [27.5](#)).
[27.7](#)
- FWB73 [Ref.](#) Other Participant Office Message Address (if [28.9](#) not included).
[28.6](#)
- FWB74 [Ref.](#) Separator (if [28.8](#) or [28.9](#) included).
[28.7](#)
- FWB75 [Ref.](#) Other Participant Identification (if [28.6](#) not included).
[28.9](#)
- FWB76 [Ref.](#) Prepaid Charge Summary
[14.](#)
[Ref.](#) Collect Charge Summary
[15.](#) One, or both, of the optional Elements [14](#) or [15](#) must be included.
- FWB77 [Ref.](#) Length Dimension
[12.13.9](#)
[Ref.](#) Separator

[12.13.10](#)

[Ref.](#) Width Dimension

[12.13.11](#)

[Ref.](#) Separator

[12.13.12](#)

[Ref.](#) Height Dimension

[12.13.13](#)

[Ref.](#) Separator

[12.13.14](#)

[Ref.](#) Numbers of Pieces must be included if Ref. [12.13.8](#) not = NDA

[12.13.15](#)

- FWB78 [Ref.](#) Volume
[12.14](#) No required if ULD number (Ref. [12.15](#)) is included, otherwise must be included if Dimension (Ref. [12.13](#)) not included.
- FWB79 [Ref.](#) Measurement Unit Code
[12.13.8](#) or
No Dimensions Available (NDA) must be NDA if ULD (Ref. [12.15](#)) and Volume (Ref. [12.14](#)) are not included and no meaningful (> zero) dimensions are available.
- FWB80 [Ref.](#) Shipper's Load and Count
[12.16](#) May be included for any unitised piece, not only ULDs.
- FWB81 [Ref.](#) Harmonised Commodity Code
[12.17](#) May only be included as additional information to the textual cargo description.
- FWB82 [Ref.](#) Other Charge Items
[13.3](#) The combination of Other Charge Code and Entitlement Code cannot be duplicated (another combination of the same Other Charge Code and the same Entitlement Code is not allowed).
- FWB84 [Ref.](#) Density Group
[2.5](#) If no Volume Detail included).
- FWB85 [Ref.](#) ISO Country Code
[29.3](#)
- [Ref.](#) Information Identifier
[29.5](#)
- [Ref.](#) Customs Information Identifier
[29.7](#) (At least one of Ref. [29.3](#)., Ref. [29.5](#). or Ref. [29.7](#). must be included).

8.8.1 OCI composition rules table

ISO Country Code	Information Identifier	Customs, Security and Regulatory Control Information Identifier	Explanatory notes on allowed values for the Information Identifier and completion examples. Any Screening Method, Screening Exemption or Security Status codes are to be included in the Supplementary Customs, Security and Regulatory Control Information and not in the Information Identifier.
		AC	If following an RA entry: OCI/GB/ISS/RA/001-011 ///ED/0213 ///AC/12345ABCDE If only the AC entry: OCI///AC/12345ABCDE
M		E	OCI/GB//E/12345ABCDE
M	M	A	AGT - agent submitting house details to USA OCI/US/AGT/A/12345678
	M	C	DOC - certificate identifier OCI//DOC/C/12345678
	M	D	DNR – UNID (the FDD message also contains this information and more) OCI//DNR/D/UN1234 UN2345 UN3456 UN4567 UN6789 //DNR/D/UN8901 ID8000 DOC - shippers declaration identifier OCI//DOC/D/12345678
		L	Screening Exemption Codes are to be included in the Supplementary Customs & Security Control Information SMUS - small undersized shipments MAIL - mail BIOM - bio-medical samples DIPL - diplomatic bags or diplomatic mail LFSM - life-saving materials NUCL - nuclear materials TRNS - transfer or transhipment OCI/GB/ISS/RA/001-011 ///ED/0213

			///L/DIPL
	M	V	DOC - invoice identifier OCI//DOC/V/12345678
	M	I	HWB – house waybill number MAL – mail receptacle number ULD – unit load device identifier If indicating an MRN for a HWB level OCI/IT/IMP/M/07IT9876AB88901235 //HWB/I/XXX12345678 If indicating an MRN for a HWB within a ULD OCI/IT/IMP/M/07IT9876AB88901235 //HWB/I/XXX12345678 //ULD/I/A1A12345XX
M	M	F	AGT - agent submitting house details to the USA TID - local transfer as destination in the USA OCI/US/TID/F/12345678
M		KC	OCI/GB//KC/001-011 ///ED/0213
M	M	M	IMP – Customs import EXP – Customs export TRA – Customs transit OCI/IT/IMP/M/07IT9876AB88901235
	M	P	DOC – packing list identifier OCI//DOC/P/12345678
		RC	OCI/FR//RC/Dest Country Dest Airport-Regulated Carrier Name Example OCI/FR//RC/NGLOS-AF
M	M	RA	ISS - the regulated agent issuing the security status OCI/GB/ISS/RA/001-011 ///ED/0213 OSS - the regulated agent accepting the security status given by another regulated

			agent OCI/GB/ISS/RA/001-011 ///ED/0213 /GB/OSS/RA/002-022 ///ED/0213
		N	Can only follow an entry identifying a ULD ULD – number of a seal affixed to a unit load device OCI//ULD/I/A1A12345XX ///N/1234567890
M		S	OCI/US//S/SYSTEM DOWN 0000-0030 05MAR10
M	M	T	AGT - Agent's valid trader identification number can be indicated If in Canada and a third party lodges the declaration to Canada: OCI/CA/AGT/T/8000 DCL - Declarant's (Legal person/entity lodging the declaration) valid trader identification number can be indicated If in the EU the EORI of the declaring lodging the ENS shall be indicated: OCI/GB/DCL/T/GB123456789012 SHP - Consignor's valid trader identification number can be indicated CNE - Consignee's valid trader identification number can be indicated BRK - Broker's valid trader identification number can be indicated AIR - Airline's valid trader identification number can be indicated NFY - Notify party's valid trader identification number can be indicated
M		U	OCI/KE//U/KE1234567890
		ED	Must follow RA or KC entry as OCI/GB//KC/001-011 ///ED/0213
		SM	Can only follow RA entry Screening Method Codes are to be included in the

			Supplementary Customs & Security Control Information PHS – Physical Inspection and/or hand search VCK - Visual check XRY - X-ray equipment EDS - Explosive detection system RES - Remote explosive scent tracing explosive detection dogs FRD - Free running explosive detection dogs VPT - Vapor trace PRT - Particle trace MDE - Metal Detection Equipment SIM - Subjected to flight simulation AOM - Subjected to any other means OCI/GB/ISS/RA/001-011 ///ED/0213 ///SM/RES ///SM/AOM-SPECIFY ANY OTHER MEANS
		SD	Can only follow RA entry and screening method or exemption OCI/GB/ISS/RA/001-011 ///ED/0213 ///SM/RES ///SD/05MAR122359
		SN	Can only follow RA entry and screening method or exemption OCI/GB/ISS/RA/001-011 ///ED/0213 ///SM/RES ///SN/JOHNNY WALKER ///SD/05MAR122359
		SS	Only applicable for the FSA/FSU message. All other messages shall capture this as a SPH code. Only one SS code can be entered SCO *can only follow RA entry SPX *can only follow RA entry NSC

			OCI/GB/ISS/RA/001-011 /// <ed 0213<br=""></ed> /// <ss <="" spx="" td=""></ss>
		ST	To capture any ad hoc security statement required by regulators OCI/GB/ISS/RA/001-011 /// <ed 0213<br=""></ed> /// <st air="" master="" this="" waybill<br=""></st> CONTAINS NO /// <st 1.="" freight="" from="" that<br=""></st> COUNTRY /// <st 2.="" cartridge<br="" toner=""></st> GREATER THAN 550 /// <st grams="" this<br="" transferring=""></st> COUNTRY

ATTACHMENT 1

Shipper's Name and Address 1A 1 1B 99 1A		Shipper's Account Number 3		Not Negotiable 99 1C	
Consignee's Name and Address 99 4		Consignee's Account Number 5		Air Waybill Issued by 99	
Copies 1, 2 and 3 of this Air Waybill are originals and have the same validity. 11					
Issuing Carrier's Agent Name and City 6					
Agent's IATA Code 7					
Airport of Departure (Addr. of First Carrier) and Requested Routing 9					
To By First Carrier Routing and Destination to by to by 11A 11B 11C 11D 11E 11F 12 13 14A 14B 15A 15B 15C 1E					
Airport of Destination 18					
Requested Flight Date 19A 19B					
Amount of Insurance 20					
Declared Value for Carriage 16					
Declared Value for Customs 17					
Handling Information 21 19A 19B 20 20A 21A SCI					
No. of Pieces 22A					
Gross Weight 22B					
Rate Class 22E					
Chargeable Weight 22F					
Rate 22G					
Charge 22H					
Total 22I					
Nature and Quantity of Goods (Incl. Dimensions or Volume) 22J 22K 22L					
Prepaid Weight Charge Collect 24A 24B					
Valuation Charge 25A 25B					
Tax 26A 26B					
Total Other Charges Due Agent 27A 27B					
Total Other Charges Due Carrier 28A 28B					
Total Prepaid Total Collect 30A 30B					
Currency Conversion Rates CC Charges in Dest. Currency 33A 33B					
For Carrier's Use only at Destination Charges at Destination 33 33C					
Total Collect Charges 33D					
Shipper certifies that the particulars on the face hereof are correct and that insofar as any part of the consignment contains dangerous goods, such part is properly described by name and is in proper condition for carriage by air according to the applicable Dangerous Goods Regulation 31					
Signature of Shipper or his Agent 32A 32B 32C					
Executed on (date) at (place) Signature of Issuing Carrier or its Agent 32A 32B 32C					