

Overview

Dataset statistics		
Number of variables		7
Number of observations		7360
Missing cells		280
Missing cells (%)		0.5%
Duplicate rows		0
Duplicate rows (%)		0.0%
Total size in memory		2.7 MiB
Average record size in memory		382.8 B

Variable types		
Categorical		4
Text		3

Alerts

PredationMark has 280 (3.8%) missing values	Missing
Side is uniformly distributed	Uniform
PredationType is uniformly distributed	Uniform

Reproduction

Analysis started	2023-12-14 20:07:45.041577
Analysis finished	2023-12-14 20:07:48.153024
Duration	3.11 seconds
Software version	ydata-profiling vv4.6.3 (https://github.com/ydataai/ydata-profiling)
Download configuration	config.json (data:text/plain;charset=utf-8,%7B%22title%22%3A%20%22Pandas%20Profiling%20Report%22%2C%20%22dataset%22%3A%20%7B%22description%22%3A%20%22%22%2C%2

Variables

Select Columns ▾

Exploratorium
Categorical

Distinct	2
Distinct (%)	< 0.1%
Missing	0
Missing (%)	0.0%
Memory size	431.4 KiB

Length

Max length	3
Median length	3
Mean length	3
Min length	3

Characters and Unicode

Total characters	22080	
Distinct characters	6	
Distinct categories	1 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)	?
Distinct scripts	1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)	?
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)	?

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	


Sample

1st row	ALB
2nd row	ALB
3rd row	ALB
4th row	ALB
5th row	ALB

Common Values


Value	Count	Frequency (%)
ALB	3840	52.2%
SCH	3520	47.8%

Length



Histogram of lengths of the category

Common Values (Plot)



Value	Count	Frequency (%)
alb	3840	52.2%
sch	3520	47.8%

Most occurring characters

Value	Count	Frequency (%)
A	3840	17.4%
L	3840	17.4%
B	3840	17.4%
S	3520	15.9%
C	3520	15.9%
H	3520	15.9%

Most occurring categories

Value	Count	Frequency (%)
Uppercase Letter	22080	100.0%

Most frequent character per category

Uppercase Letter

Value	Count	Frequency (%)
A	3840	17.4%
L	3840	17.4%
B	3840	17.4%
S	3520	15.9%
C	3520	15.9%
H	3520	15.9%

Most occurring scripts

Value	Count	Frequency (%)
Latin	22080	100.0%

Most frequent character per script

Latin

Value	Count	Frequency (%)
A	3840	17.4%
L	3840	17.4%
B	3840	17.4%
S	3520	15.9%
C	3520	15.9%
H	3520	15.9%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	22080	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
A	3840	17.4%
L	3840	17.4%
B	3840	17.4%
S	3520	15.9%
C	3520	15.9%
H	3520	15.9%

PlotID
Text

Distinct	85
Distinct (%)	1.2%
Missing	0
Missing (%)	0.0%
Memory size	444.0 KiB



Length

Max length	5
Median length	5
Mean length	4.75
Min length	4

Characters and Unicode

Total characters	34960	
Distinct characters	14	
Distinct categories	2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)	?
Distinct scripts	2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)	?
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)	?

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	

Sample

1st row	AEG1
2nd row	AEG1
3rd row	AEG1
4th row	AEG1
5th row	AEG1

Value	Count	Frequency (%)
aeg1	160	2.2%
seg1	160	2.2%
aeg2	160	2.2%
seg2	160	2.2%
aeg3	160	2.2%
aeg5	160	2.2%
seg3	160	2.2%
aeg27	80	1.1%
aeg7	80	1.1%
aeg8	80	1.1%
Other values (75)	6000	81.5%



Most occurring characters

Value	Count	Frequency (%)
E	7360	21.1%
G	7360	21.1%
A	3840	11.0%
S	3520	10.1%
2	2480	7.1%
3	2400	6.9%
1	1840	5.3%
4	1840	5.3%
5	960	2.7%
7	800	2.3%
Other values (4)	2560	7.3%

Most occurring categories

Value	Count	Frequency (%)
Uppercase Letter	22080	63.2%
Decimal Number	12880	36.8%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
2	2480	19.3%
3	2400	18.6%
1	1840	14.3%
4	1840	14.3%
5	960	7.5%
7	800	6.2%
0	720	5.6%
9	720	5.6%
8	640	5.0%
6	480	3.7%

Uppercase Letter

Value	Count	Frequency (%)
E	7360	33.3%
G	7360	33.3%
A	3840	17.4%
S	3520	15.9%

Most occurring scripts

Value	Count	Frequency (%)
Latin	22080	63.2%
Common	12880	36.8%

Most frequent character per script

Common

Value	Count	Frequency (%)
2	2480	19.3%
3	2400	18.6%
1	1840	14.3%
4	1840	14.3%
5	960	7.5%
7	800	6.2%
0	720	5.6%
9	720	5.6%
8	640	5.0%
6	480	3.7%

Latin

Value	Count	Frequency (%)
E	7360	33.3%
G	7360	33.3%
A	3840	17.4%
S	3520	15.9%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	34960	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
E	7360	21.1%
G	7360	21.1%
A	3840	11.0%
S	3520	10.1%
2	2480	7.1%
3	2400	6.9%
1	1840	5.3%
4	1840	5.3%
5	960	2.7%
7	800	2.3%
Other values (4)	2560	7.3%

PlotID2
Text

Distinct	83
Distinct (%)	1.1%
Missing	0
Missing (%)	0.0%
Memory size	445.8 KiB



Length

Max length	5
Median length	5
Mean length	5
Min length	5

Characters and Unicode

Total characters	36800	
Distinct characters	14	
Distinct categories	2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)	?
Distinct scripts	2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)	?
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)	?

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	

Sample

1st row	AEG01
2nd row	AEG01
3rd row	AEG01
4th row	AEG01
5th row	AEG01

Value	Count	Frequency (%)
seg50	160	2.2%
aeg30	160	2.2%
aeg10	160	2.2%
aeg40	160	2.2%
seg10	160	2.2%
aeg50	160	2.2%
aeg20	160	2.2%
seg20	160	2.2%
seg30	160	2.2%
aeg02	80	1.1%
Other values (73)	5840	79.3%



Most occurring characters

Value	Count	Frequency (%)
E	7360	20.0%
G	7360	20.0%
A	3840	10.4%
S	3520	9.6%
0	2560	7.0%
2	2480	6.7%
3	2400	6.5%
1	1840	5.0%
4	1840	5.0%
5	960	2.6%
Other values (4)	2640	7.2%

Most occurring categories

Value	Count	Frequency (%)
Uppercase Letter	22080	60.0%
Decimal Number	14720	40.0%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
0	2560	17.4%
2	2480	16.8%
3	2400	16.3%
1	1840	12.5%
4	1840	12.5%
5	960	6.5%
7	800	5.4%
9	720	4.9%
8	640	4.3%
6	480	3.3%

Uppercase Letter

Value	Count	Frequency (%)
E	7360	33.3%
G	7360	33.3%
A	3840	17.4%
S	3520	15.9%

Most occurring scripts

Value	Count	Frequency (%)
Latin	22080	60.0%
Common	14720	40.0%

Most frequent character per script

Common

Value	Count	Frequency (%)
0	2560	17.4%
2	2480	16.8%
3	2400	16.3%
1	1840	12.5%
4	1840	12.5%
5	960	6.5%
7	800	5.4%
9	720	4.9%
8	640	4.3%
6	480	3.3%

Latin

Value	Count	Frequency (%)
E	7360	33.3%
G	7360	33.3%
A	3840	17.4%
S	3520	15.9%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	36800	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
E	7360	20.0%
G	7360	20.0%
A	3840	10.4%
S	3520	9.6%
0	2560	7.0%
2	2480	6.7%
3	2400	6.5%
1	1840	5.0%
4	1840	5.0%
5	960	2.6%
Other values (4)	2640	7.2%

Side

Categorical

UNIFORM

Distinct	4
Distinct (%)	0.1%
Missing	0
Missing (%)	0.0%
Memory size	445.8 KiB

Length

Max length	5
Median length	5
Mean length	5
Min length	5

Characters and Unicode

Total characters	36800	
Distinct characters	8	
Distinct categories	2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)	?
Distinct scripts	2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)	?
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)	?

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	


Sample

1st row	side2
2nd row	side2
3rd row	side2
4th row	side2
5th row	side1

Common Values


Value	Count	Frequency (%)
side2	1840	25.0%
side1	1840	25.0%
side3	1840	25.0%
side4	1840	25.0%

Length



Histogram of lengths of the category

Common Values (Plot)



Value	Count	Frequency (%)
side2	1840	25.0%
side1	1840	25.0%
side3	1840	25.0%
side4	1840	25.0%

Most occurring characters

Value	Count	Frequency (%)
s	7360	20.0%
i	7360	20.0%
d	7360	20.0%
e	7360	20.0%
2	1840	5.0%
1	1840	5.0%
3	1840	5.0%
4	1840	5.0%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	29440	80.0%
Decimal Number	7360	20.0%

Most frequent character per category

Lowercase Letter

Value	Count	Frequency (%)
s	7360	25.0%
i	7360	25.0%
d	7360	25.0%
e	7360	25.0%

Decimal Number

Value	Count	Frequency (%)
2	1840	25.0%
1	1840	25.0%
3	1840	25.0%
4	1840	25.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	29440	80.0%
Common	7360	20.0%

Most frequent character per script

Latin

Value	Count	Frequency (%)
s	7360	25.0%
i	7360	25.0%
d	7360	25.0%
e	7360	25.0%

Common

Value	Count	Frequency (%)
2	1840	25.0%
1	1840	25.0%
3	1840	25.0%
4	1840	25.0%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	36800	100.0%


Most frequent character per block

ASCII

Value	Count	Frequency (%)
s	7360	20.0%
i	7360	20.0%
d	7360	20.0%
e	7360	20.0%
2	1840	5.0%
1	1840	5.0%
3	1840	5.0%
4	1840	5.0%

Text

Distinct	1328
Distinct (%)	18.0%
Missing	0
Missing (%)	0.0%
Memory size	477.6 KiB



Max length	10
Median length	9
Mean length	9.4375
Min length	9

Total characters	69460	
Distinct characters	16	
Distinct categories	3 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)	?
Distinct scripts	2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)	?
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)	?

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	

Sample

1st row	AEG01-B-10
2nd row	AEG01-B-11
3rd row	AEG01-B-12
4th row	AEG01-B-9
5th row	AEG01-B-8

Most occurring characters

Value	Count	Frequency (%)
-	14720	21.2%
E	7360	10.6%
G	7360	10.6%
B	7360	10.6%
1	5980	8.6%
A	3840	5.5%
S	3520	5.1%
2	3400	4.9%
3	3320	4.8%
0	3020	4.3%
Other values (6)	9580	13.8%

Most occurring categories

Value	Count	Frequency (%)
Uppercase Letter	29440	42.4%
Decimal Number	25300	36.4%
Dash Punctuation	14720	21.2%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
1	5980	23.6%
2	3400	13.4%
3	3320	13.1%
0	3020	11.9%
4	2760	10.9%
5	1880	7.4%
6	1400	5.5%
7	1260	5.0%
9	1180	4.7%
8	1100	4.3%

Uppercase Letter

Value	Count	Frequency (%)
E	7360	25.0%
G	7360	25.0%
B	7360	25.0%
A	3840	13.0%
S	3520	12.0%

Dash Punctuation

Value	Count	Frequency (%)
-	14720	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Common	40020	57.6%
Latin	29440	42.4%

Most frequent character per script

Common

Value	Count	Frequency (%)
-	14720	36.8%
1	5980	14.9%
2	3400	8.5%
3	3320	8.3%
0	3020	7.5%
4	2760	6.9%
5	1880	4.7%
6	1400	3.5%
7	1260	3.1%
9	1180	2.9%

Latin

Value	Count	Frequency (%)
E	7360	25.0%
G	7360	25.0%
B	7360	25.0%
A	3840	13.0%
S	3520	12.0%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	69460	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
-	14720	21.2%
E	7360	10.6%
G	7360	10.6%
B	7360	10.6%
1	5980	8.6%
A	3840	5.5%
S	3520	5.1%
2	3400	4.9%
3	3320	4.8%
0	3020	4.3%
Other values (6)	9580	13.8%

PredationType
Categorical

UNIFORM

Distinct	5
Distinct (%)	0.1%
Missing	0
Missing (%)	0.0%
Memory size	450.1 KiB

Length

Max length	9
Median length	6
Mean length	5.6
Min length	4

Characters and Unicode

Total characters	41216	
Distinct characters	18	
Distinct categories	2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)	?
Distinct scripts	1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)	?
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)	?

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	


Sample

1st row	Arthropod
2nd row	Arthropod
3rd row	Arthropod
4th row	Arthropod
5th row	Arthropod

Common Values



Value	Count	Frequency (%)
Arthropod	1472	20.0%
Rodent	1472	20.0%
Bird	1472	20.0%
Slug	1472	20.0%
Total	1472	20.0%

Length



Histogram of lengths of the category

Common Values (Plot)



Value	Count	Frequency (%)
arthropod	1472	20.0%
rodent	1472	20.0%
bird	1472	20.0%
slug	1472	20.0%
total	1472	20.0%

Most occurring characters

Value	Count	Frequency (%)
o	5888	14.3%
t	4416	10.7%
d	4416	10.7%
r	4416	10.7%
l	2944	7.1%
A	1472	3.6%
i	1472	3.6%
T	1472	3.6%
g	1472	3.6%
u	1472	3.6%
Other values (8)	11776	28.6%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	33856	82.1%
Uppercase Letter	7360	17.9%

Most frequent character per category

Lowercase Letter

Value	Count	Frequency (%)
o	5888	17.4%
t	4416	13.0%
d	4416	13.0%
r	4416	13.0%
l	2944	8.7%
i	1472	4.3%
g	1472	4.3%
u	1472	4.3%
n	1472	4.3%
e	1472	4.3%
Other values (3)	4416	13.0%

Uppercase Letter

Value	Count	Frequency (%)
A	1472	20.0%
T	1472	20.0%
S	1472	20.0%
B	1472	20.0%
R	1472	20.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	41216	100.0%

Most frequent character per script

Latin

Value	Count	Frequency (%)
o	5888	14.3%
t	4416	10.7%
d	4416	10.7%
r	4416	10.7%
l	2944	7.1%
A	1472	3.6%
i	1472	3.6%
T	1472	3.6%
g	1472	3.6%
u	1472	3.6%
Other values (8)	11776	28.6%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	41216	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
o	5888	14.3%
t	4416	10.7%
d	4416	10.7%
r	4416	10.7%
l	2944	7.1%
A	1472	3.6%
i	1472	3.6%
T	1472	3.6%
g	1472	3.6%
u	1472	3.6%
Other values (8)	11776	28.6%

PredationMark
Categorical

MISSING	
Distinct	2
Distinct (%)	< 0.1%
Missing	280
Missing (%)	3.8%
Memory size	430.3 KiB

Length

Max length	3
Median length	3
Mean length	3
Min length	3

Characters and Unicode

Total characters	21240	
Distinct characters	3	
Distinct categories	2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)	?
Distinct scripts	1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)	?
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)	?

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	


Sample

1st row	1.0
2nd row	1.0
3rd row	0.0
4th row	0.0
5th row	0.0

Common Values


Value	Count	Frequency (%)
0.0	4529	61.5%
1.0	2551	34.7%
(Missing)	280	3.8%

Length



Histogram of lengths of the category

Common Values (Plot)



Value	Count	Frequency (%)
0.0	4529	64.0%
1.0	2551	36.0%

Most occurring characters

Value	Count	Frequency (%)
0	11609	54.7%
.	7080	33.3%
1	2551	12.0%

Most occurring categories

Value	Count	Frequency (%)
Decimal Number	14160	66.7%
Other Punctuation	7080	33.3%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
0	11609	82.0%
1	2551	18.0%

Other Punctuation

Value	Count	Frequency (%)
.	7080	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Common	21240	100.0%

Most frequent character per script

Common

Value	Count	Frequency (%)
0	11609	54.7%
.	7080	33.3%
1	2551	12.0%

Most occurring blocks


Value	Count	Frequency (%)
ASCII	21240	100.0%

Most frequent character per block


ASCII

Value	Count	Frequency (%)
0	11609	54.7%
.	7080	33.3%
1	2551	12.0%

Missing values



A simple visualization of nullity by column.



Nullity matrix is a data-dense display which lets you quickly visually pick out patterns in data completion.

Sample

Exploratorium		PlotID	PlotID2	Side	Position	PredationType	PredationMark
0	ALB	AEG1	AEG01	side2	AEG01-B-10	Arthropod	1.0
1	ALB	AEG1	AEG01	side2	AEG01-B-11	Arthropod	1.0
2	ALB	AEG1	AEG01	side2	AEG01-B-12	Arthropod	0.0
3	ALB	AEG1	AEG01	side2	AEG01-B-9	Arthropod	NaN
4	ALB	AEG1	AEG01	side1	AEG01-B-8	Arthropod	0.0
5	ALB	AEG1	AEG01	side1	AEG01-B-7	Arthropod	0.0
6	ALB	AEG1	AEG01	side1	AEG01-B-5	Arthropod	0.0
7	ALB	AEG1	AEG01	side1	AEG01-B-6	Arthropod	0.0
8	ALB	AEG1	AEG01	side3	AEG01-B-13	Arthropod	0.0
9	ALB	AEG1	AEG01	side3	AEG01-B-15	Arthropod	0.0

Exploratorium		PlotID	PlotID2	Side	Position	PredationType	PredationMark
7350	SCH	SEG5	SEG50	side2	SEG50-B-11	Total	1.0
7351	SCH	SEG5	SEG50	side2	SEG50-B-9	Total	1.0
7352	SCH	SEG5	SEG50	side3	SEG50-B-1	Total	1.0
7353	SCH	SEG5	SEG50	side3	SEG50-B-3	Total	NaN
7354	SCH	SEG5	SEG50	side3	SEG50-B-4	Total	1.0
7355	SCH	SEG5	SEG50	side3	SEG50-B-2	Total	1.0
7356	SCH	SEG5	SEG50	side4	SEG50-B-6	Total	1.0
7357	SCH	SEG5	SEG50	side4	SEG50-B-7	Total	1.0
7358	SCH	SEG5	SEG50	side4	SEG50-B-8	Total	1.0
7359	SCH	SEG5	SEG50	side4	SEG50-B-5	Total	1.0

Report generated by YData (https://ydata.ai/?utm_source=opensource&utm_medium=pandasprofiling&utm_campaign=report).