1) 2) 4) 6) 6) 7)	तिकार विकास कर प्रित्य प्रस्ता कर प्रित्य प्रस्ता कर विकास कर प्रस्तित कर प्रस्ता कर विकास कर प्रस्तित कर प्रस विकास कर प्रस्तित कर प्रस्ता कर विकास कर वित
The or	quender's areal (shahal masalifymal aun) was receded at submission
Pleas Mc III	e write Your name *
	o write Year Email Address 7 *
	Qualities 20 m
	त्वत रिक्तानी के विकास के वितास के विकास के वितास के विकास के विकास के विकास के विकास के विकास के विकास के वित
٧٠ ٥	think lag is used for highlighting Important Inst?
000	dur relatinge de
٧.	think of the following is a semantic HTML element?
0 0 0	think of the following is a semantic HTML element? wither requese we follow
,,	thick log is used to display as image in HTMLT
	innige Vinteger Vinte
	opier necr
/ 1	flich lag is used to create an ordered bill to MTML?
V 80000	mer mår der
0.	thick of the following is not a semantic tag?
0 0	Missis of the following is not a semantic tag? whicher hashine
,	that is the function of the -details- tag?
0	En deliver a short summany of confined to works a collegedid resulting that the unter can expand to studying an image continue. To dealphy on image continue. To dealphy an image continue.
	En dingdag an image sapilan En loka siylenhawk
-	that does the spe tag do in HTMLY
00	lordenen a peregraphi Deletenen a lord Deletenen a honsleng Deletenen a honsleng
01	that does the shirt lag do to HTML? Orders a paragraph
0	Defines a passgraph Defines a link Defines the largest heading Defines an image
/1	that is the purpose of the sheaders tag?
	To create a finite for a entipage To create the main had of a yange To make had limit
	to define introductory content like logue or nazigation menus.
0.	thick lag is used to define a table row in NTML?
00000	der der
0	kour de greco conside a tred lingual facili de na NTME, fouent? cirqual typen "swelford" : cirqual typen "swelford" : cirqual typen "swelford" : cirqual typen "swelford" : cirqual twind-facili : cirqual twind-facili :
	ingul kuli filali r inalishle
, i	thick HTML element is used to define nanigation links in a webpage
000	meer in seek of the seek of th
0	Minch log is used to create a form to NTMLT future. And the state of
	laulium Insidenae
, ,	tion do you define a list fam in an ordered or ununifored but?
0 0	der Order
	ndr
0	Mich albitude is used to open a link in a new talk?
	open open openisis
,	
000	
V 0.000	thick lag is used to create an unordered field in MTMLT
000	nder der
0	
0.0	omer in one primary purpose of consumits HTMS, observable? To improve ISO and accomolability by giving meaning to content.
0000	En inveneur androin reports To replace Juralizerje Karolizenskip
000	thal is the purpose of the marks tag? To make teel hold To make teel hold To whitelities teel To highlight teel To though glid touck
0	n negroeghi inni Eu shange kasinsike
,,	think log is lead for grouping without content to a well-page? reactions near header floater
o.	meer header

1 of 1 17-Mar-25, 11:19 PM