Ex 1.

Write a program that reads multi-digit numbers until 0 and returns the product of the even digits of the input number

Input:	Output:
12345	32
725	
1237	
0	

```python
n = input()
p = 1
while n!= '0':
    for digit in n:
        if digit in '02468':
            p *= int(digit)
    n = input()
print(p)
```

→ n ≠ 0

even

if digit is even, then p*digit

Ex 2.

Write a program that reads numbers separated by spaces until the EOF and counts the elements which are square number.

```python
import math

while True:
    try:
        n = input().split()
        count = 0
        for i in n:
            num = int(i)
            if num >= 0 and math.sqrt(num) **2 == num:
                count += 1
        print(count)

    except EOFError:
        break
```

separate by space

until EOF

2 16 5 36

2

Ex 4.

Write a program that randomly generate n elements between 15 and 65, and counts the arithmetic mean of the even values. Display it the results with two decimal

```python
import random
n = int(input("n = "))
sum = 0
count = 0
l = []
for i in range(n):
    num = random.randint(15, 66)
    if num % 2 == 0:
        l.append(num)
        sum +=num
        count +=1
print(l)
print("arith mean is equal to: {:.2f} ".format(sum/count))
```

Ex 3

Write a program that reads string until the "END" string and deletes the space character

```python
while True:
    l = input().replace(" ", "")
    if l == 'END':
        break
    print(l)
```

app le srel

1. Write a program that reads multi-digit numbers until the EOF and counts the number of '4' digits of the input number.

…/6

Input:	142341 482 524436
Output:	2 1 2

```python
l = []
while True:
    try:
        n = input()
        counter = 0
        for digit in n:
            if int(digit) == 4:
                counter += 1
        l.append(counter)
    except EOFError:
        break
for r in l:
    print(r)
```

2. Write a program that reads numbers separated by spaces until 0 and calculates the sum of the numbers, which are divisible by 7.

…/6

Input:	2 14 5 25 21 36 7 15 64 0

```python
c = 0
while True:
    try:
        n = input("n = ").split()
        for n in n:
            if int(n) % 7 == 0:
                c += int(n)
    except EOFError:
        break
print(c)
```

3. Write a program that reads strings until the "END" string and duplicates the consonant characters.

…/6

Input:	apple pear END
Output:	appppllle ppearr

```python
while True:
    n = input()
    new = ''
    if n == 'END':
        break
    for i in n:
        if i not in 'aeiuo':
            new += i * 2
        else:
            new += i
    print(new)
```

ppearr

4. Write a program that randomly generate n elements between 25 and 85, and counts the average of the odd values. Display it the results with three decimal.

…/6

Input:	n = 5 21 22 46 61 45
Output:	42.333

```python
import random
n = int(input("n = "))
sum_odd = 0
count_odd = 0
l = []
for i in range(n):
    num = random.randint( a: 25,  b: 86)
    if num % 2 != 0:
        l.append(num)
        sum_odd += num
        count_odd += 1
print("odd values", l)
print(count_odd)
print("avarage: {:.3f}".format(sum_odd/count_odd))
```

5+6+7

18 : 3   6

сумма

1. Write a program that reads multi-digit numbers (>=10) until 0 and returns the sum of the digits of t smallest input number.

..

Input:	12345 785 4236 0
Output:	20

```python
n = int(input())
smallest = float('inf')

while True:
    if n == 0:
        break
    if n < smallest:
        smallest = n
    n = int(input())

if smallest != float('inf'):
    small_sum = sum(int(digit) for digit in str(smallest))
    print(f"{smallest}: sum {small_sum}")
```

2. Write a program that reads three ascending numbers separated by spaces until the EOF and prints YES if the numbers are Pythagorean triplets ($a^2+b^2=c^2$) and NO otherwise.

…/6

Input:	3 4 5 2 6 8 7 24 25
Output:	YES NO YES

```python
n = input().split()
while int(n[0]) < int(n[1]) < int(n[2]):
    try:
        if (int(n[0])**2) + (int(n[1])**2) == (int(n[2])**2):
            print("YES")
        else:
            print("NO")
        n = input().split()
    except EOFError:
        break
```

	YES

3. Write a program that reads strings until the "END" string and deletes the numeric characters.

Input:	Af1Pa2Pb4LrE Sd5Ur6CvCp8EtSS END
Output:	AfPaPbLrE SdUrCvCpEtSS

```python
while True:
    n = input()
    if n == "END":
        break
    clean = ''.join(word for word in n if not word.isdigit())
    print(clean)
```

Output:	AfPaPbLrE SdUrCvCpEtSS

4. Write a program that randomly generate n numbers between 50 and 100 and counts the mean of the values which can be divided by 4. Display the results with two decimals. If there are no such numbers, then return 0.

…/6

Input:	n = 5 51 72 66 91 84
Output:	78.00


```python
import random
n = int(input("n = "))
sum = 0
count = 0
l = []
for i in range(n):
    num = random.randint( a: 50,  b: 101)
    if num % 4 == 0:
        l.append(num)
        sum += num
        count += 1

print(l)
print("average: {:.2f}".format(sum/count))
```

Ex 1.

Write a program that reads multi-digit numbers until 0 and returns the product of the even digits of the input number

Input:	Output:
12345	32
725	
1237	
0	

Ex 2.

Write a program that reads numbers separated by spaces until the EOF and counts the elements which are square number.

Ex 3

Write a program that reads string until the "END" string and deletes the space character

Ex 4.

Write a program that randomly generate n elements between 15 and 65, and counts the arithmetic mean of the even values. Display it the results with two decimal