

End_Term_Q4_Codes

Question 1 Multiplication

```
# import sys
```

```
#
```

```
#
```

```
# def apply_multiplication() -> list:
```

```
# lists = []
```

```
# argc = len(sys.argv)
```

```
#
```

```
# mul = float(sys.argv[1])
```

```
# for i in range(2, argc):

# if -99 <= float(sys.argv[i]) <= 99:

# num = float(sys.argv[i]) * mul

# lists.append(num)

# return lists

#

#

# def main():

# lists = apply_multiplication()

# if len(lists) < 10:

# for i in range(len(lists)):
```

```
# if i < len(lists) - 1:
```

```
# print("{0:.3f}".format(lists[i]), end=" ")
```

```
# else:
```

```
# print("{0:.3f}".format(lists[i]))
```

```
# return
```

```
#
```

```
#
```

```
# if __name__ == "__main__":
```

```
# main()
```

```
# Question 2 Division
```

```
# import sys
```

```
#
```

```
#
```

```
# def apply_division() -> list:
```

```
# lists = []
```

```
# argc = len(sys.argv)
```

```
# div = float(sys.argv[1])
```

```
# for i in range(2, argc):
```

```
# num = float(int(sys.argv[i]) / div)
```

```
# lists.append(num)
```

```
# return lists
```

```
#
```

```
#
```

```
# def main():
```

```
# list1 = apply_division()
```

```
# if len(list1) < 10:
```

```
# for i in range(len(list1)):
```

```
# if i < len(list1) - 1:
```

```
# print(f"{list1[i]:.3f}", end=" ", )
```

```
# else:
```

```
# print(f"{list1[i]:.3f}")
```

```
# return
```

```
#
```

```
#
```

```
# if __name__ == "__main__":
```

```
# main()
```

```
# Question 3 Multiplication
```

```
# import sys
```

```
#
```

```
#
```

```
# def apply_multiplication() -> list:
```

```
# lists = []
```

```
# argc = len(sys.argv)
```

```
# mul = float(sys.argv[1])
```

```
# for i in range(2, argc):
```

```
# num = float(int(sys.argv[i]) * mul)
```

```
# lists.append(num)
```

```
# return lists
```

```
#
```

```
#
```

```
# def main():

# lists1 = apply_multiplication()

# if len(lists1) < 10:

# for x in range(len(lists1)):

# if x < len(lists1) - 1:

# print(f"{lists1[x]:.3f}", end=";")

# else:

# print(f"{lists1[x]:.3f}")

#

# return

#
```



```
#
```

```
# if __name__ == "__main__":
```

```
# main()
```

```
# Question 4 Nth Root
```

```
# import sys
```

```
#
```

```
#
```

```
# def apply_n_root() -> list:
```

```
# lists = []
```

```
# argc = len(sys.argv)
```

```
# n_root = float(sys.argv[1])
```

```
# for i in range(2, argc):
```

```
# num = float(int(sys.argv[i]) ** (1 / n_root))
```

```
# lists.append(num)
```

```
# return lists
```

```
#
```

```
#
```

```
# def main():
```

```
# lists1 = apply_n_root()
```

```
# for i in range(len(lists1)):
```

```
# if i < len(lists1) - 1:
```

```
# print(f"{lists1[i]:.3f}", end=", ")
```

```
# else:
```

```
# print(f"{lists1[i]:.3f}")
```

```
# return
```

```
#
```

```
#
```

```
# if __name__ == "__main__":
```

```
# main()
```

Question 5 Exponent

import sys

#

def apply_expo() -> list:

lists = []

argc = len(sys.argv)

power = float(sys.argv[1])

for i in range(2, argc):

if int(sys.argv[i]) > 0:

```
# num = int((sys.argv[i]) ** power)
```

```
# lists.append(num)
```

```
# return lists
```

```
#
```

```
#
```

```
# def main():
```

```
# lists1 = apply_expo()
```

```
# for i in range(len(lists1)):
```

```
# if i < len(lists1) - 1:
```

```
# print(f"{lists1[i]:.3f}", end=" ")
```

```
# else:
```

```
# print(f'{lists1[i]:.3f}')
```

```
#
```

```
#
```

```
# if __name__ == '__main__':
```

```
# main()
```