

Write a program that reads multi digit numbers until 0 and returns the sum of the even digits

of the input number.

Input:

12345

785

4236

0

Output:

26

total_sum = 0

while True:

num = int(input())

if num == 0:

break

for i in str(num):

if int(i) % 2 == 0:

total_sum += int(i)

```
# print(total_sum)
```

```
# Write a program the reads numbers separated by spaces until the EOF and counts the  
elements which
```

```
# are divisible by 7.
```

```
# Input:
```

```
# 2 14 5 28
```

```
# 21
```

```
# 35 7 4 70
```

```
# Output:
```

```
# 2
```

```
# 1
```

```
# 3
```

```
# try:
```

```
# while True:
```

```
# num = list(map(int, input().split(" ")))
```

```
# count = 0
```

```
# for i in num:
```

```
# if i % 7 == 0:
```

```
# count += 1
```

```
# print(count)
```

```
# except EOFError:
```

```
# pass
```

```
# Write a program that reads the "END" string and deletes the lowercase characters
```

```
# Input:
```

```
# AfPaPbLrE
```

```
# SdUrCvCpEtSS
```

```
# END
```

```
# Output:
```

```
# APPLE
```

```
# SUCCESS
```

```
# lists = []
```

```
# while True:
```

```
# data = input()
```

```
# if str(data) == "END":
```

```
# break
```

```
# result = "".join(x for x in data if x.isupper())
```

```
# lists.append(result)
```

```
# for i in lists:
```

```
# print(i)
```

```
# Write a program that randomly generate n elements between 20 and 70, and counts the  
geometric mean
```

```
# of the even values. Display the results with two decimal.
```

```
# Input:
```

```
# n = 5
```

```
# 21 22 46 61 42
```

```
# Output:
```

```
# 36.66
```

```
# import random
```

```
#
```

```
# lists = []
```

```
# count = 0
```

```
# prod = 1
```

```
# n = int(input("n = "))
```

```
# for i in range(n):
```

```
# num = random.randint(20, 70)
```

```
# lists.append(num)
```

```
# if num % 2 == 0:
```

```
# count += 1
```

```
# prod *= num
```

```
# print(lists)
```

```
# if count == 0:
```

```
# print("No even values!")
```

```
# else:
```

```
# print(f"{prod ** (1 / count):.2f}")
```

```
# Write a program that reads multi-digit numbers ( $\geq 10$ ) until 0 and returns the sum of the digits
```

of the smallest number.

Input:

12345

785

4236

0

Output:

20

total_sum = 0

lists = []

while True:

num = int(input())

if num == 0 or num < 10:

break

lists.append(num)

minimum = int(lists[0])

```
# for i in lists:
```

```
# if i < minimum:
```

```
# minimum = i
```

```
# for x in str(minimum):
```

```
# total_sum += int(x)
```

```
# print(total_sum)
```

```
# Write a program that reads three ascending numbers separated by spaces until EOF and prints YES if the
```

```
# numbers are Pythagorean triplets ( $a^2 + b^2 = c^2$ ) and NO otherwise.
```

```
# Input:
```

```
# 3 4 5
```

```
# 2 6 8
```

```
# 7 24 25
```

```
# Output:
```

```
# YES
```

```
# NO
```

```
# YES
```

```
# try:
```

```
# while True:
```

```
# a, b, c = list(map(int, input().split(" ")))
```

```
# if a < b < c and a * a + b * b == c * c:
```

```
# print("YES")
```

```
# else:
```

```
# print("NO")
```

```
# except EOFError:
```

```
# pass
```

```
# Write a program that reads strings until "END" string and deletes the numeric characters
```

```
# Input:
```

```
# Af1Pa2Pb4LrE
```

```
# Sd5Ur6CvCp8EtSS
```

```
# END
```

```
# Output:
```

```
# AfPaPbLrE
```



```
# SdUrCvCpEtSS
```

```
# lists = []
```

```
# while True:
```

```
# data = input()
```

```
# if str(data) == "END":
```

```
# break
```

```
# result = "".join(x for x in data if not x.isnumeric())
```

```
# lists.append(result)
```

```
# for i in lists:
```

```
# print(i)
```

```
# Write a program that randomly generate n numbers between 50 and 100 and counts the mean of the
```

```
# values which can be divided by 4. Display the results with two decimal. If there are no such
```

```
# numbers, then return 0.
```

```
# Input:
```

```
# n = 5
```

```
# 51 72 66 91 84
```

Output:

78.00

import random

lists = []

count = 0

total_sum = 0

n = int(input("n = "))

for i in range(n):

num = random.randint(50, 100)

lists.append(num)

if num % 4 == 0:

count += 1

total_sum += num

print(lists)

if count == 0:

```
# print("No divisible of 4")
```

```
# else:
```

```
# print(f"{total_sum / count:.2f}")
```

```
# Write a program that reads multi-digit numbers until EOF and counts the number of '4' digits of
```

```
# the input numbers.
```

```
# Input:
```

```
# 142341
```

```
# 482
```

```
# 524436
```

```
# Output:
```

```
# 2
```

```
# 1
```

```
# 2
```

```
# try:
```

```
# while True:
```

```
# num = int(input())
```

```
# count = 0
```

```
# for i in str(num):
```

```
# if int(i) % 10 == 4:
```

```
# count += 1
```

```
# print(count)
```

```
# except EOFError:
```

```
# pass
```

```
# Write a program that reads numbers separated by spaces until 0 and calculates the sum of the
```

```
# numbers, which are divisible by 7.
```

```
# Input:
```

```
# 2 14 5 25
```

```
# 21
```

```
# 36 7 15 64
```

```
# 0
```

```
# Output:
```

```
# 42
```

```
# total_sum = 0
```

```
# while True:
```

```
# num = list(map(int, input().split(" ")))
```

```
# if num == [0]:
```

```
# break
```

```
# for i in num:
```

```
# if int(i) % 7 == 0:
```

```
# total_sum += int(i)
```

```
# print(total_sum)
```

Write a program that reads strings until the "END" string and duplicates the consonant character.

```
# Input:
```

```
# apple
```

```
# pear
```

```
# END
```

```
# Output:
```

```
# apppplle
```

```
# ppearrr
```

```
# vowels = "aeiouAEIOU"
```

```
# lists = []
```

```
# while True:
```

```
# data = input()
```

```
# if str(data) == "END":
```

```
# break
```

```
# result = "".join(x * 2 if x not in vowels else x for x in data)
```

```
# lists.append(result)
```

```
# for i in lists:
```

```
# print(i)
```

```
# Write a program that generates n elements between 25 and 85, and counts the average of the odd values.
```

```
# Display the results with three decimal.
```

```
# Input:
```

```
# n = 5
```

```
# 21 22 46 61 45
```

```
# Output:
```

```
# 42.333
```

```
# import random
```

```
#
```

```
# lists = []
```

```
# count = 0
```

```
# total_sum = 0
```

```
# n = int(input("n = "))
```

```
# for i in range(n):
```

```
# num = random.randint(25, 85)
```

```
# lists.append(num)
```

```
# if num % 2 != 0:
```

```
# total_sum += num
```

```
# count += 1
```

```
# print(lists)
```

```
# if count == 0:
```

```
# print("No Odd Numbers!")
```

```
# else:
```

```
# print(f"{total_sum / count:.3f}")
```

```
# Write a program that read multi-digit numbers until 0 and returns the product of the even digits
```

```
# of the input numbers.
```

```
# Input:
```

```
# 12345
```

```
# 725
```

```
# 1237
```

```
# 0
```

```
# Output:
```

```
# 32
```

```
# prod = 1
```

```
# while True:
```

```
# num = int(input())
```



```
# if num == 0:
```

```
# break
```

```
# for i in str(num):
```

```
# if int(i) % 2 == 0:
```

```
# prod *= int(i)
```

```
# print(prod)
```

```
# Write a program that reads numbers separated by spaces until the EOF and counts the  
elements which
```

```
# are square number. For example: 1, 4, 9, 16, 25, 36, 49, 64, 81
```

```
# Input:
```

```
# 2 16 5 36
```

```
# 25
```

```
# 4 7 81 1
```

```
# Output:
```

```
# 2
```

```
# 1
```

```
# 3
```

```
# import math
```

```
#
```

```
# try:
```

```
# while True:
```

```
# num = list(map(int, input().split(" ")))
```

```
# count = 0
```

```
# for i in num:
```

```
# if i == math.sqrt(i) ** 2:
```

```
# count += 1
```

```
# print(count)
```

```
# except EOFError:
```

```
# pass
```

```
# Write a program that reads strings until the "END" string and deletes the space characters.
```

```
# Input:
```

```
# apple tr ee
```

```
# prog ram ming
```

```
# END
```

```
# Output:
```

```
# appletree
```

```
# programming
```

```
# lists = []
```

```
# while True:
```

```
# data = input()
```

```
# if str(data) == "END":
```

```
# break
```

```
# result = data.replace(" ", "")
```

```
# lists.append(result)
```

```
# for i in lists:
```

```
# print(i)
```

```
# Write a program that randomly generate n elements between 15 and 65, and counts the arithmetic
```

```
# mean of the even values. Display the results with two decimal.
```

```
# Input:
```

```
# n = 5
```

```
# 21 22 46 61 42
```

```
# Output:
```

```
# 36.66
```

```
# import random
```

```
#
```

```
# lists = []
```

```
# count = 0
```

```
# total_sum = 0
```

```
# n = int(input("n = "))
```

```
# for i in range(n):
```

```
# num = random.randint(15, 65)
```

```
# lists.append(num)
```

```
# if num % 2 == 0:
```

```
# count += 1
```

```
# total_sum += num
```

```
# print(lists)
```

```
# if count == 0:
```

```
# print("No Even Values!")
```

```
# else:
```

```
# print(f"{total_sum / count:.2f}")
```

```
# Write a program that reads numbers separated by spaces until the EOF and count the numbers,  
which
```

```
# are ends with 6.
```

```
# Input:
```

```
# 2 16 5 36
```

```
# 25
```

```
# 46 7 86 16
```

```
# Output:
```

```
# 2
```

```
# 0
```

```
# 3
```

```
# try:
```

```
# while True:
```

```
# num = list(map(int, input().split(" ")))
```

```
# count = 0
```

```
# for i in num:
```

```
# if int(i) % 10 == 6:
```

```
# count += 1
```

```
# print(count)
```

```
# except EOFError:
```

```
# pass
```

```
# Write a program that read multi-digit numbers until 0 and returns the product of the even digits
```

```
# of the input numbers.
```

```
# Input:
```

```
# 12345
```

```
# 725
```

```
# 1237
```

```
# 0
```

Output:

32

prod = 1

while True:

num = int(input())

if num == 0:

break

for i in str(num):

if int(i) % 2 == 0:

prod *= int(i)

print(prod)