

Result: 90% 18 / 20	 100410 001250	Neptun ID: Draft papers: ☐ Name: _____
--	--	--

The test consists of **5 questions**. The available time to solve the quiz is **20 minutes**. Please use a blue coloured pen; the use of any other tools is forbidden.

- | | a | b | c | d | e | f |
|-----|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 1.) | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ |
| 2.) | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ |
| 3.) | ☐ | ☐ | ☐ | ☐ | | |
| 4.) | ☐ | ☐ | ☐ | ☐ | | |
| 5.) | (essay) | | | | | |

Please copy the multiple choice questions' solution in the attached table. For each correct answer marked, 2 points are awarded; for each incorrect answer marked, -1 point is awarded. There is no limit to the number of correct answers per question. A negative aggregate score will be interpreted as 0 points.

1.) Let $L^{(0)} = \langle LC, Con, Form \rangle$ be a zero-order language such that $Con = \{p, r\}$. Which string of symbols are membered in the set $Form$?

- 2 $\neg\neg r$
- (b) $((p \equiv \neg w) \supset p)$
- (c) $((p \supset r) \neg p)$
- (d) $\{p \wedge \neg r\}$
- 2 $\neg(\neg p \supset \neg r)$
- 2 $\neg(\neg(p \vee r) \wedge r)$

2.) Which statements are true for the formula below?

$$(\neg((p \supset \neg q) \vee p) \wedge (p \equiv \neg q))$$

- (a) $(p \supset \neg q)$ is a direct subformula
- 2 $(p \supset \neg q)$ is a subformula
- (c) $\neg p$ is a subformula
- 2 $(\neg((p \supset \neg q) \vee p) \wedge (p \equiv \neg q))$ is a subformula
- (e) the formula has only one direct subformula
- 2 the formula has 8 subformulae

3.) Which interpretations are models of the following set of formulae?

$$\{ ((q \vee \neg q) \vee p), ((q \equiv q) \wedge p) \}$$

(a) $\varrho(p) = 0, \quad \varrho(q) = 0$

(b) $\varrho(p) = 0, \quad \varrho(q) = 1$

2 $\varrho(p) = 1, \quad \varrho(q) = 0$

2 $\varrho(p) = 1, \quad \varrho(q) = 1$

4.) Which interpretations are models of the following set of formulae?

$$\{ ((q \equiv q) \supset p), ((q \supset p) \equiv \neg q) \}$$

(a) $\varrho(p) = 0, \quad \varrho(q) = 0$

(b) $\varrho(p) = 0, \quad \varrho(q) = 1$

2 $\varrho(p) = 1, \quad \varrho(q) = 0$

(d) $\varrho(p) = 1, \quad \varrho(q) = 1$

5.) What formula labels the root of the construction tree?

Score: 0 / 2.