

OS (Ayane Takagi 2023)

2021 ~ 2023年度までの過去問。

2023は Part 1のMCQ (選択式) で 70% 間, Part 2の theoretical (記述式) で 40% 最低でもとらなければならぬ。

過去問を絶対にチェック!!

過去問とサイトのMCQの答えを覚えて、第1回目の試験日に受ける。

第1回目以降は過去問には無かった新しい問題が追加されるから、気をつけて~! Part 1のMCQをパスで23%が、すごい大事だよ!!

Operating Systems — **2022 Fall**

Part II. - Questions

- What are the four components of a process? (4 points)
(Describe them with one or two sentences for full mark!)
- What are the three strategies for selecting a free hole from the set of available holes? (1 point)
Choose one and shortly describe it! (2 points)
- What are the two fundamental models of inter-process communication? (4 points)
(Describe them with several sentences for full mark!)
- What is a system call? (1 point)
- What is internal fragmentation and where could it happen? (2 points)
- What is the problem if all philosophers simultaneously pick up their left fork? (2 points)
- What kernel data structure can be used for one technique of passing parameters to system calls? (2 points)
- A program that has been loaded and executing is called a _____. (1 point)
- What are the three requirements a solution to the critical-section problem must satisfy? (Describe them with one or two sentences for full mark!) (6 points)
- What is the term for describing the situation where shared data may be manipulated concurrently and the outcome of the execution depends upon the order of access? (1 point)

Operating Systems — **2022 Fall**

Part II. - Questions

- What are the typical attributes of a directory? (3 points)
(Describe them with one sentence for full mark!)
- What are the preemptive and non-preemptive strategies for process scheduling? Shortly describe them! (4 points)
- What are the two fundamental models of inter-process communication? (4 points)
(Describe them with several sentences for full mark!)
- What is a system call? (1 point)
- What is paging? (2 points)
- What is the readers-writers problem? (2 points)
- What is the CPU-I/O Burst Cycle? (2 points)
- Just as a file must be opened before it is used, a file system must be _____ before it can be available to processes on the system (1 point)
- What are the three requirements a solution to the critical-section problem must satisfy? (Describe them with one or two sentences for full mark!) (6 points)
- What is the term for describing the situation where a waiting process is never again able to change state, because the resources it has requested are held by other waiting processes? (1 point)

By understanding this declaration, I admit that I have noticed that any kinds of devices or materials are NOT allowed and NOT acceptable on this exam, and I agree to that. I accept all the ethical rules of the University.

I admit that the voice and/or video might be recorded during my exam.

Without my signature this exam can NOT be graded and counted in to my final grade.

Signature

Part I. - Test

- A process can be terminated due to _____.
A) normal exit
B) fatal error
C) killed by another process
D) all of the mentioned
- A set of processes is deadlock if _____.
A) each process is blocked and will remain so forever
B) each process is terminated
C) all processes are trying to kill each other
D) none of the mentioned
- If a process fails, most operating system write the error information to a _____.
A) log file
B) another running process
C) new file
D) none of the mentioned
- In operating system, each process has its own _____.
A) address space and global variables
B) open files
C) pending alarms, signals and signal handlers
D) all of the mentioned

*where is process state located?
cpu register
PCB
=*

*when deadlock happens,
system should kill the process.
True or false*

- Program counter
B) CPU registers
C) Pipe
D) Process stack
- To access the services of operating system, the interface is provided by the _____.
A) system calls
B) API
C) Library
D) Assembly instructions
- What is inter-process communication?
A) communication between two process
B) communication within the process
C) communication between two threads of same process
D) none of the mentioned
- What is operating system?
A) collection of programs that manages hardware resources
B) system service provider to the application programs
C) link to interface the hardware and application programs
D) all of the mentioned
- What is the ready state of a process?
A) when process is waiting to be scheduled to run after some execution
B) when process is unable to run until some task has been completed
C) when process is using the CPU
D) none of the mentioned
- Which one of the following is NOT true?
A) kernel is made of various modules which cannot be loaded in running operating system
B) kernel is the program that constitutes the central core of the operating system
C) kernel is the first part of operating system to load into memory during booting
D) kernel remains in the memory during the entire computer session

Part I. - Test

- A process can be terminated due to _____.
A) normal exit
B) fatal error
C) killed by another process
D) all of the mentioned
- If a deadlock is happened, the OS should always kill the process in the deadlock.
A) true
B) false
- Which of the following scheduling algorithms use Time Quantum?
C) FCFS
D) SJF
E) Round Robin
F) Priority Scheduling
- In operating system, each process has its own _____.
A) address space and global variables
B) open files
C) pending alarms, signals and signal handlers
D) all of the mentioned

Part I. - Test

- The state of a process is stored in its _____.
A) PCB
B) CPU registers
C) Memory
D) Process stack
- Paging avoids internal memory fragmentation.
A) True
B) False
- What is inter-process communication?
A) communication within the process
B) communication between two process
C) communication between two threads of same process
D) none of the mentioned
- In multicore systems, asymmetric multiprocessing uses one core to handle the scheduling for all the other cores.
A) true
B) false
- From blocked state, a process can only enter into _____.
A) Running state
B) Ready state
C) New state
D) Terminated state
- Which one of the following is NOT true?
A) kernel is made of various modules which cannot be loaded in running operating system
B) kernel is the program that constitutes the central core of the operating system
C) kernel is the first part of operating system to load into memory during booting
D) kernel remains in the memory during the entire computer session

Operating Systems – 2021 Fall

Part II. – Questions

- 1) What are the typical attributes of a file? (4 points)
(Describe them with one sentence for full mark!)
- 2) What are the strategies for disk scheduling?
(1 point)
Choose one and shortly describe it! (2 points)
- 3) What are the two fundamental models of inter-process communication? (4 points)
(Describe them with several sentences for full mark!)
- 4) What is a system call? (1 point)
- 5) What is segmentation? (2 points)
- 6) What is the problem if all philosophers simultaneously pick up their left fork? (2 points)
- 7) What kernel data structure can be used for one technique of passing parameters to system calls? (2 points)
- 8) Breaking logical memory into blocks of the same size called Internal Fragmentation. (1 point)
- 9) What are the three requirements a solution to the critical-section problem must satisfy?
(Describe them with one or two sentences for full mark!) (6 points)
- 10) What is the term for describing the situation where a process can be temporarily out of memory to a backing store and then brought back into memory for continued execution? (1 point)
critical section

Operating Systems – 2022 Fall

Part II. – Questions

- 1) What are the typical instruction-execution cycle steps for the von Neumann architecture? (4 points)
(Describe it with full sentences for full mark!)
- 2) What is the dual-mode operation of the Operating System? (Describe it with full sentences for full mark!) (3 points)
- 3) What are the fundamental components of the Process Control Block? (4 points)
(Describe a few of it with sentences for full mark!)
- 4) What is a context switch? (1 point)
- 5) What is internal fragmentation and where could it happen? (2 points)
- 6) Describe the Critical-Section problem with your own example! (2 points)
- 7) What is Round-Robin scheduling? (2 points)
- 8) A program that has been loaded and executing is called _____. (1 point)
- 9) Explain semaphores with details!
(Describe its types, operations and their short pseudo-code for full mark!) (6 points)
- 10) What is the term for describing the situation where shared data may be manipulated concurrently and the outcome of the execution depends upon the order of access? (1 point)

Operating Systems – 2023 Fall

Part II. – Questions

- 1) What are the typical attributes in a PCB? (3 points)
(Describe them with one sentence for full mark!)
- 2) What are the preemptive and non-preemptive strategies for process scheduling? Shortly describe them! (4 points)
- 3) Describe the term "link" in the file system context! (2 points)
- 4) What is the absolute and the relative path? (2 points)
- 5) What is a system call? (1 point)
- 6) What is internal fragmentation? (2 points)
- 7) What is the readers-writers problem? (2 points)
- 8) What is the CPU-I/O Burst Cycle? (2 points)
- 9) Just as a file must be opened before it is used, a file system must be _____ before it can be available to processes on the system (1 point)
- 10) What are the three requirements a solution to the critical-section problem must satisfy? (Describe them with one or two sentences for full mark!) (6 points)
- 11) What is the term for describing the situation where a waiting process is never again able to change state, because the resources it has requested are held by other waiting processes? (1 point)

Operating Systems – 2021 Fall

Part II. – Questions

- 1) What are the advantages of multiprogramming? (4 points)
(Describe just four of it with one or two sentences for full mark!)
- 2) What are the three strategies for selecting a free hole from the set of available holes? (1 point)
Choose one and shortly describe it! (2 points)
- 3) What are the fundamental components of the Process Control Block? (4 points)
(Describe a few of it with sentences for full mark!)
- 4) What is a context switch? (1 point)
- 5) What is external fragmentation and where could it happen? (2 points)
- 6) What is the problem if all philosophers simultaneously pick up their left fork? (2 points)
- 7) What is Shortest Remaining Time, SRT scheduling? (2 points)
- 8) A program that has been loaded and executing is called a _____. (1 point)
- 9) Explain semaphores with details!
(Describe its types, operations and their short pseudo-code for full mark!) (6 points)
- 10) What is the term for describing the situation where shared data may be manipulated concurrently and the outcome of the execution depends upon the order of access? (1 point)



Operating Systems – 2022 Fall

Part II. – Questions

- 1) What are the typical attributes of a directory? (3 points)
(Describe them with one sentence for full mark!)
- 2) What are the preemptive and non-preemptive strategies for process scheduling? Shortly describe them! (4 points)
- 3) What are the two fundamental models of inter-process communication? (4 points)
(Describe them with several sentences for full mark!)
- 4) What is a system call? (1 point)
- 5) What is paging? (2 points)
- 6) What is the readers-writers problem? (2 points)
- 7) What is the CPU-I/O Burst Cycle? (2 points)
- 8) Just as a file must be opened before it is used, a file system must be _____ before it can be available to processes on the system (1 point)
- 9) What are the three requirements a solution to the critical-section problem must satisfy? (Describe them with one or two sentences for full mark!) (6 points)
- 10) What is the term for describing the situation where a waiting process is never again able to change state, because the resources it has requested are held by other waiting processes? (1 point)

5. The address of the next instruction to be executed by the current process is provided by the _____
A) Program counter
B) CPU registers
C) Pipe
D) Process stack
6. To access the services of operating system, the interface is provided by the _____
A) System calls
B) API
C) Library
D) Assembly instructions
7. Why might an operating system include a disk defragmentation utility?
A) To change the size of partitions on the disk
B) To repair damaged sectors on a disk
C) To reorganize small amounts of unused disk space
D) none of the mentioned
8. How does the operating system manage programs that are running?
A) It allocates free memory when a program requests it.
B) It deletes programs from disk once they have been loaded into memory.
C) It converts programs to machine code and begins their execution.
D) all of the mentioned
9. What is the block state of a process?
A) when process is waiting to be scheduled to run after some execution
B) when process is unable to run until some task has been completed
C) when process is using the CPU
D) none of the mentioned
10. Which one of the following is NOT true?
A) kernel is made of various modules which cannot be loaded in running operating system
B) kernel is the program that constitutes the central core of the operating system
C) kernel is the first part of operating system to load into memory during booting
D) kernel remains in the memory during the entire computer session

2023.12.14



6. In the following cases non – preemptive scheduling occurs?

A. When a process switches from the running state to the ready state



B. When a process goes from the running state to the waiting state



C. When a process switches from the waiting state to the ready state

D. All of the mentioned

ここに私が暗記した文を載せておくので、2.と色んな資料がシェアされるはず！
それらを Chat GPT でこの答えが一番正確かをくと、より安心だと思います。
ちなみに私は要約版です。

- ① What are the four components of a process?
(Describe them with one or two sentences for full mark!)

stack (contains a temporary data such as local variable, return address, and function parameter.)
heap (memory that is dynamically allocated during the process runtime.)
data section (contains global variables.)
text section (program code.)

- ② What are the three strategies for selecting a free hole from the set of available holes?
Choose one and shortly describe it!

first fit (allocate the first hole that is big enough)
best fit (" " smallest " ")
worst fit (allocate the largest hole)

- ③ What are the two fundamental models of inter-process communication?
(Describe them with several sentences for full mark!)

shared memory (an area of memory shared among the process that wish to communicate.)
message passing (processes communicate with each other by establish a communication link between them, and exchange message via send/receive function.)

- ④ What is a system call?

A system call is an interface to the service made available by an operating system.

- ⑤ What is internal fragmentation and where could it happen?

{ Internal fragmentation is a situation that occurs in computer operating system when a process is allocated a larger memory block or partition than required.
As a result, there is unused memory space within the allocated block, which is essentially wasted.
Internal fragmentation happens in systems that use fixed-size memory allocation.

- ⑥ What is the problem if all philosophers simultaneously pick up their left fork?

if all philosophers simultaneously pick up their left fork, it will leave no left fork for them to pickup, creating a deadlock while they wait for the left fork to become available.

- ⑦ What kernel data structure can be used for one technique of passing parameters to system calls?

stack

- ⑧ A program that has been loaded and executing is called a _____.

process

- ⑨ What are the three requirements a solution to the critical-section problem must satisfy?

mutual exclusion (mechanism ensures that only one process can access a critical section at a time.)
progress (mechanism that every process will make progress if no other process is executing in its critical section.)
bounded waiting (mechanism ensures that every process requesting access to a critical section is granted access)

- ⑩ What is the term for describing the situation where shared data may be manipulated concurrently and the outcome of the execution depends upon the order of access?

race condition

- ⑪ What are the typical attributes of a directory?
(Describe them with one sentence for full mark!)

Hierarchical structure (directories have a parent-child relationship, forming a tree-like structure)
Name (each directory is given a unique name)

⑫ What are the preemptive and non-preemptive strategies for process scheduling?
Shortly describe them!

In preemptive scheduling, the operating system can interrupt a running process, and allocate the CPU time to a higher priority process.
In non-preemptive scheduling, once a process starts executing, it continues to run until it releases the CPU or completes its execution.

⑬ What is paging?

Paging is a memory management scheme to handle how process are loaded into and stored in the main memory (RAM).

⑭ What is readers - writers problem?

It's a classic synchronization problem in computer science that involve multiple thread accessing shared data.
It deal with the issue of allowing read access to shared data while maintaining write access.

⑮ What is the CPU - I/O Burst Cycle?

It's an alternating period of activity where the CPU perform computations and the I/O device perform input or output operations.

⑯ Just as a file must be opened before it is used, a file system must be _____ before it can be available to process on the system.

mounted

⑰ What is the term for describing the situation where waiting process is never again able to change state, because the resources it has requested are held by other waiting processes?

deadlock

⑱ What are the typical attributes of a PCB?
(Describe them with one sentence for full mark!)

⑲ What are the fundamental components of the Process Control Block?
(Describe a few of it with sentences for full mark!)

process state	(condition of a process, such as running, waiting, or terminated)
program counter	(it keeps track of address of next instruction to be executed)
CPU register	(it represents a small storage area within the CPU used for fast access to data and instruction)
CPU scheduling information	(it includes details about the priority, execution time, and other attributes of process to determine their order of execution on the CPU)
memory management information	(it keeps track of memory allocation, usage, and organization)

⑳ Describe the term "link" in the file system context!

A pointer to existing files.
There are two types of link.
① Hard link
② Soft link

㉑ What is the absolute and the relative path?

Absolute path is the path where it starts from root directory, and always starts with /.
Relative path " current directory.

㉒ What are the advantages of multiprogramming?
(Describe just four of it with one or two sentences for full mark!)

① Utilization	(it enables simultaneous execution of multiple programs, ensuring efficient use of CPU and memory.)
② Responsiveness	(it enables quick task execution and reduce a waiting time)
③ Throughput	(it increases the throughput)
④ I/O devices	(it allows effective use of input/output devices)

㉓ What is context switch?

Saving the state of one process, and restoring the state of another.

24) What is external fragmentation and where could it happen?

External fragmentation occurs when free memory blocks become scattered after multiple allocations and deallocations.
" happens in a system that use a dynamic memory allocation.

25) What is Shortest Remaining Time, SRT scheduling?

It's a CPU scheduling algorithm where the process with the smallest remaining execution time is allocated the CPU first, ensuring the shortest possible execution time for all process.

26) Explain semaphores with details!

(Describe its types, operations and their short pseudo-code for full mark!)

Semaphores are synchronization primitives to control access to shared resource.

Type counting semaphores (which can take non-negative integer values) and binary semaphores (which can take only 0 or 1).

Operations ... wait (decrements a semaphore value) and signal (increments a semaphore value).

Pseudo-code

```
wait(S) {                               signal(S) {
    while (S <= 0)                        S++;
    ; // busy wait                       }
    S--;
}
```

* decrements 減少
increments 増加

27) What are the typical attributes of a file?

(Describe them with one sentence for full mark!)

it includes its name, file size, location, permission, creation/modification/access time, and associated metadata.

28) What are the strategies for disk scheduling?

Choose one and shortly describe it!

FCFS (it executes the queued process and request in order of their arrival)

29) What is segmentation?

It's a memory management technique used to divide the memory into different segment or local address space.

30) Breaking logical memory into blocks of the same size called _____.

Pages

31) What are the typical instruction-execution cycle steps for the von Neumann architecture?

(Describe it with full sentences for full mark!)

It consists of four steps: fetch, decode, execute, and write back.

Fetch: The CPU acquires the next instruction from memory.

Decode: The obtained instruction is interpreted/ to determine the operation to be executed.

Execute: The CPU performs the operation.

Write Back: The result of the execution is stored/ or written back to the appropriate destination.

32) What is the dual-mode operation of the Operating System?

(Describe it with full sentences for full mark!)

It refers to its ability to switch between two different mode of operation: user mode and kernel mode.

It enables the operating system to differentiate between user process and system level operations.

33) Describe the Critical-Section problem with your own example!

For example, if multiple game players try to update their score simultaneously, without any synchronization mechanism, it can lead to incorrect score being written to the database or data corruption.

34) What is Round - Robin scheduling?

It's a CPU scheduling algorithm assigns the CPU to a process for only its time slice (or time quantum)

35) What is a term for describing the situation where a process can be temporarily out of memory to a backing store and then brought back into memory for continued execution?


Swapping

36) What is the signal handling?

Signal handling is the process that computer programs respond and manage various types of signals sent by the operating system.

37) Explain micro-kernel architecture with a diagram.

Micro-kernel architecture divides operating system into distinct modules, providing minimal service like interprocess communication, memory management, and hardware abstraction in a highly privileged mode.



38) Explain Peterson's solution and what is race condition? (with short pseudocode)

① Peterson's synchronization algorithm address the critical section problem in current programming by enabling mutual exclusion between process or thread accessing a shared resource without interface

② 2. When several processes access the same data concurrently and the outcome of the execution depends on the particular order in which the access takes place is called race condition.

```
do {  
    flag[i] = true;  
    turn = j;  
    while (flag[j] && turn == j);  
    critical section  
    flag[i] = false;  
    remainder section  
} while (true);
```

39) What is turnaround time refers to?

Turnaround time in an operating system is the total time it takes for a process to arrive, complete, and return output, including CPU and I/O operations.

40) When does Round Robin act as a FCFS algorithm?

when all processes have the same arrival and burst time, executing them one by one in the order of their arrival.

①

Define the operating system and list the basic services provided by the operating

system.

operating system is software managing computer hardware and facilitating communication between hardware and software.

Process Management, Memory Management, Device Management, and Security and Protection

②

Differentiate among the following types of OS by defining their essential

properties.

a) Distributed system

A distributed system is software **coordinating resources** and providing a unified interface for users and applications.

b) Real time system

A real-time system **is a computer that** processes data **and events** in real time, meeting strict **timing constraints**

deadline

hard real-time systems are where missed deadlines can have severe consequences.

soft-real-time systems are where **timing constraints** are not critical.

deadline

c) Multiprogramming System

A Multiprogramming System **is a system that** manages and executes multiple programs concurrently.

d) Multitasking System

A multitasking system allows users to execute multiple tasks **or processes** simultaneously, enabling seamless application switching.

e) Multiprocessing System

multiprocessing system manages multiple CPUs, enabling parallel task execution and improving overall system performance.

③

Explain essential features of following structure of O.S

a) Monolithic System

A monolithic system is a software architecture where all components are integrated into a single binary, resulting in minimal separation between different functionalities.

b) Layered Systems

Layered Systems are software architectures where modules are divided into layers, each providing specific services to the previous layer.

c) Micro Kernels

Micro-kernel architecture divides operating system into distinct modules, providing minimal service like interprocess communication, memory management, and hardware abstraction in a highly privileged mode.

d) Exokernel

Exokernel is a unique operating system design that allows programs to directly control computer hardware, enhancing speed and flexibility, with most tasks performed by external programs.

④

What is the key difference between a trap and an interrupt?

Traps are software-generated events caused by errors or exceptions, while interrupts are hardware-generated events. Traps are controlled by the operating system, while interrupts temporarily **halt** program execution.

stop

5

What are the types of System calls?

- Process Control: The ability to monitor and adjust a process to give a desired output.
- File Manipulation: File manipulation functions handle creating, opening, and saving documents.
- Device Manipulation: requesting the Devices to acquire the desired output

6

List any four process management system calls.

- fork()
- exec()
- wait()
- exit()

7

What are the advantages and disadvantages of a multiprocessor system?

- Advantages:
 - multiprocessing system manages multiple CPUs, enabling parallel task execution and improving overall system performance.
 - Increased performance
 - Better reliability
 - Better response time
 - Better user experience
- Disadvantages:
 - Increased power consumption
 - Complexity

8

Describe the difference between symmetric and asymmetric multiprocessing?

SMP equalizes processors, enabling task execution and high performance, while AMP assigns roles and responsibilities, controlling the system with a single master processor.

9

What is the difference between a loosely coupled and tightly coupled system?

Loosely coupled systems offer better modularity, flexibility, and scalability, while tightly coupled systems have stronger dependencies and may face maintenance and modification challenges.

10

What are the drawbacks of a monolithic system?

- Larger in size.
 - Difficult debugging and management.
 - Difficult to add new functionality.
- A monolithic system is a software architecture where all components are integrated into a single binary, resulting in minimal separation between different functionalities.

11

Give examples of microkernel.

Mach and L4.

12

What are differences between macro kernel and micro kernel?

- Microkernel:
 - Smaller in size.
 - Slower.
 - Easy debugging and management.
 - Easy to add new functionality.
- Macrokernel:
 - Larger in size.
 - Faster.
 - Difficult debugging and management.
 - Difficult to add new functionality.

13

What is switching overhead?

Switching overhead refers to the time it takes a computer to switch between different processes, typically during context switching.

14

Explain threads in detail.

Threads are smaller units within a computer program, allowing tasks to be performed independently and sharing resources like memory, improving overall efficiency.

15

Explain and differentiate between user level and kernel level thread.

User-level threads are managed by user-level libraries, providing application control, while kernel-level threads are managed by the operating system kernel, offering better integration with the system.

16

List the main differences and similarities between threads and process.

Processes are independent programs with their own memory space, while threads are smaller units within a process that share the same memory space.

Both processes and threads can execute concurrently, have program counters, and are scheduled by the operating system.

17

Critical section

The segment of code where shared data is accessed and possibly manipulated.

18

Discuss Product-Consumer problem/Bounded Buffer problem.

The Producer-Consumer Problem is a synchronization problem where producers and consumers share a buffer, ensuring proper coordination and data inconsistency.

19

Dining philosopher problem.

Dining Philosopher Problem is a synchronization problem where philosophers alternate between thinking and eating, requiring equal access to forks to prevent deadlock.

20

Shell

A shell is a command-line interface that allows users to interact with the operating system by entering commands.

21

Starvation

Starvation is a computing issue where a process is unable to ^{run} execute due to insufficient resources, causing an indefinite delay in its progress.

22

Explain the difference between logical and physical addresses?

Logical Address is an address generated by the CPU during program execution.

Physical Address is an actual location in the computer's memory hardware where data is stored.

24

Explain banker's algorithm.

Banker's Algorithm is a deadlock avoidance algorithm used in resource allocation to ensure processes request resources in a safe state.

MCQは↓のサイトの introduction から I/O System まで!!

https://www.mcqscenter.com/computer-science/operating-system-processes

Introduction to Operating System

Types

Services

Structures

Processes

Threads

CPU Scheduling

Process Synchronization

Memory Management

Storage Management

I/O Systems

Megnyitás >

1

2

3

4

5

6

>

...n interrupt?

...gh bus

...called system call

...called system program

...called interrupt trigger program

MCQ 上のサイトの問題と95%一緒。残りの5%からも試験に出てる。

https://www.sanfoundry.com/operating-system-mcqs-kernel-io-subsystems/

18:28 1月21日(日)

ああ

sanfoundry.com

Neptun.Net DE_HWEB_23

Systems-Operating System - MCQS...

OS T-F questions

Kernel I/O Subsystems - Operating S...

SANFOUNDRY

Branchwise MCQs

School MCQs

DSA

Test

Job

Internship

Training Videos

Books

Contact

1000 Operating System MCQs

★★★★★

OS

1000 MCQs

SF Sanfoundry

Processes

Basics

Processes

Process Control Block

Process Scheduling Queue

Process Synchronization

Process Creation

Process Communication

Distributed Communication

Remote Procedure Calls

Structures

CPU Scheduling

CPU Scheduling Benefits

Operating System Questions & Answers – I/O System – Kernel I/O Subsystems

This set of Operating System Multiple Choice Questions & Answers (MCQs) focuses on "I/O System – Kernel I/O Subsystems".

1. Buffering is done to _____
a) cope with device speed mismatch
b) cope with device transfer size mismatch
c) maintain copy semantics
d) all of the mentioned
View Answer

2. Caching is _____ spooling.
a) same as
b) not the same as
c) all of the mentioned
d) none of the mentioned
View Answer

3. Caching _____
a) holds a copy of the data
b) is fast memory

TRUE DETECTIVE

NIGHT COUNTRY

FEDEZD FEL AZ ELISMERT BÜNYÜGYI DRÁMÁT

HBOMAX

REGISZTRÁLJ MOST

Related Topics

Operating System MCQ Questions

C++ Algorithm Library

C Programs on File Handling

JavaScript MCQ Questions

Computer Graphics MCQ Questions

NUROFEN

A legjobb sofőr mindig az, aki nem iszik.

Kóstold meg te is!

Heineken

MCQ 真偽40問

https://docs.google.com/forms/d/e/1FAIpQLSfQ_P4e4fkToyYFNQcoPi4g3Afri4AfiWs08hn_r7aNCru-aA/viewform?pli=1

22:30 1月20日(土)

ああ

docs.google.com

Neptun.Net DE_HWEB_23

Department of Obstetrics and Gynec...

I/O Systems-Operating System - MC...

OS T-F questions

OS T-F questions

a08028701123@gmail.com アカウントを切り替える

共有なし

Using a larger page size makes page tables larger. 1 ポイント

True

False

A paging scheme does not suffer from external fragmentation. 1 ポイント

True

False

In Java RMI, data must be translated between the caller and the callee. 1 ポイント

True

False

クラスメイトがスライドと赤い資料を見て 子とめたかつ。

