DIGITALAIKART

PREMIUM AI & LIFE DIGITAL PRODUCTS · MADE FOR INDIA

The Calm Mind Playbook

Anxiety, Stress & Sleep Reset

India Edition · 2026

Practical, evidence-based tools you can use in the next five minutes — written for Indian students, working professionals and families.

32 pages | 13 chapters | 18 tools & worksheets | Free helplines inside

First Edition · October 2026

Digitalaikart · digitalkartai.shop

Verified against WHO, MoHFW / Tele-MANAS, NIMHANS and 2026 India data.

Educational self-help. Not a diagnosis or a substitute for professional care.

Please read this first

This playbook is a self-help toolkit. It teaches skills — breathing, grounding, thought records, sleep routines, boundary scripts — that are drawn from established, evidence-based approaches used by mental-health professionals, and it points you to official Indian services. It is **not** a diagnosis, not therapy, and not a replacement for a qualified professional.

> **If you are in crisis right now**
> If you are thinking about harming yourself, or you feel unsafe, please reach out immediately. You are not a burden, and help is free.
> **Tele-MANAS: 14416** (or 1-800-891-4416) — free, confidential, 24×7, in 20 languages, run by the Government of India.
> **Vandrevala Foundation: +91 9999 666 555** — free crisis counselling, 24×7×365, call or WhatsApp.
> **Emergency: 112** — for any immediate danger to life.

How to use this playbook

You do not have to read it front to back. If you are struggling today, jump straight to **Chapter 3 (The 5-Minute Rescue Toolkit)** and use one tool right now. If sleep is your biggest problem, go to **Chapter 5**. If work is crushing you, go to **Chapter 7**. Chapter 11 tells you exactly how to get real help in India — including the free routes most people never use.

- **Practise when calm, use when stressed.** A tool you have never practised will feel clumsy in a panic. Five minutes a day is enough.
- **Do the worksheets.** Chapters 4, 5 and 12 have fill-in pages. Printing them, or writing the answers in a notebook, is what turns reading into change.
- **Start with one change.** The 30-day plan in Chapter 12 asks for a 10-minute daily routine — not a life overhaul.
- **Keep the last page.** The one-page cheat sheet and the helpline directory are designed to be kept on your phone or fridge.

Nothing in this book is medical advice. If you have a diagnosed condition, are pregnant, or take medication, speak to your doctor before changing routines. If symptoms are severe, persistent, or getting worse, that is your signal to seek professional help — Chapter 10 tells you how to recognise it and Chapter 11 tells you where to go.

Contents

1	The 2026 India Picture — Why This Matters Now	4
2	What Is Actually Happening in Your Body and Brain	6
3	The 5-Minute Rescue Toolkit	8
4	Rewire the Thoughts — The CBT Thought Record	11
5	The Sleep Reset	14
6	Exam & Study Stress	17
7	Work Stress & Burnout	19
8	Phone, Doomscroll & Your Attention	21
9	Panic Attack First-Aid	22
10	When It Is More Than Stress — The Red Flags	23
11	Getting Real Help — Free First, Then Paid	25
12	Your 30-Day Calm Plan	28
13	Helpline Directory (India, Verified)	30
	One-Page Cheat Sheet	31

A note on the numbers you will see

Every statistic in this playbook comes from an official or published source and is current as of October 2026 — the Ministry of Health & Family Welfare / PIB, the National Mental Health Survey (NIMHANS), the WHO, and 2026 India surveys. Sources are named in the text so you can verify them yourself.

1. The 2026 India Picture

If you are anxious, exhausted or sleeping badly, you are in very large company — and that company is not made of "weak" people. It is made of students, professionals, parents and retirees who are living through a genuinely stressful decade. Here is what the official numbers actually show.

We are calling for help in record numbers

India's national mental-health helpline, **Tele-MANAS**, has received **47,75,644 calls since it launched on 10 October 2022**, and runs **53 cells across all 36 States and Union Territories** in **20 languages**. Nearly **three out of four callers (73.2%) are aged 18–45** — students and working-age adults. The most common reasons people call are everyday emotional distress, **exam stress, workplace stress, relationship problems, anxiety and sleep difficulty**. (Source: PIB / Ministry of Health & Family Welfare, 9 October 2026.)

That is not a sign of a broken generation. It is a sign that a stigma is finally breaking — and that free, confidential help exists. The same government data show mental-health services are now integrated into over **1.83 lakh Ayushman Arogya Mandirs**, with the District Mental Health Programme sanctioned for **767 districts**.

The gap is not demand. It is delay.

The **Amaha Mental Health Report 2026**, based on 13,825 people who sought care between October 2025 and September 2026, found that **53% had lived with their mental-health concern for more than a year** before getting professional help — and only **11.3%** sought help within the first month. Anxiety was the most common concern (72.1%), followed by stress (67.5%), low mood (58.3%) and relationship difficulties (55.6%). Nearly **95%** reported two or more overlapping concerns, with an average of five each.

> **The single most useful idea in this book**
> You do not need to wait until things are unbearable to learn these skills, and you do not need a diagnosis to use them. The people who cope best are usually the ones who started early, not the ones who held on longest.

The long-standing burden

The **National Mental Health Survey** by NIMHANS (2015–16, the most recent nationally representative survey) found that about **10.6% of Indian adults** — roughly **150 million people** — were living with a diagnosable mental disorder, and that the **treatment gap was 70–92%** depending on the condition. Anxiety disorders were the most common of the common mental disorders. In plain terms: the great majority of people who need help never get it. This playbook exists to shorten that distance for you.

India's sleep is in trouble too

A systematic review published in the *Indian Journal of Public Health* (2025), covering nearly 68,000 people, estimated that **25.7% of Indians have insomnia** and **37.4% have obstructive sleep apnoea**. The LocalCircles *How India Sleeps* survey of 2026 (over 89,000 responses across 393 districts) found that **46% of adults get less than six hours of uninterrupted sleep** a night, with the single biggest disruptor being waking up to use the washroom (72%).

Sleep is not a luxury you can trade for productivity. Short sleep is linked to higher risk of type 2 diabetes, high blood pressure, weight gain, low mood and poor memory and concentration — which is exactly why Chapter 5 treats sleep as the fastest, cheapest lever you can pull.

Work is a major pressure point

The 2026 India Workforce Health Index found **40.4% of respondents reporting high stress** in the previous week — up from 33.9% a year earlier — with women (47.4%) higher than men (37.3%). ManpowerGroup's *Global Talent Barometer 2026* found **75% of Indian workers reporting burnout** driven by workload and long hours. And the *Always On Epidemic* report (2026) found nearly **50% of corporate employees in high-stress territory**, with only 19% feeling fully in control of their work–life boundaries.

> **What this chapter is telling you**
>
> You are not unusually fragile. The pressure is real, widespread, and measurable.
> Most people delay help for over a year. Starting now puts you ahead.
> The two most effective first moves — better sleep and a five-minute stress tool — cost nothing and are in the next few chapters.
> Free, confidential, 24×7 help already exists in India. Chapter 11 shows you every route.

2. What Is Actually Happening in Your Body and Brain

Anxiety feels personal, even shameful. It is neither. It is a physical system doing exactly what it evolved to do — misfiring in a modern environment it was never designed for. Understanding the mechanism is not just interesting; it is the first tool, because it turns “what is wrong with me” into “what is my body doing, and what can I do about it.”

Stress, anxiety and panic are not the same thing

	What it is	When it happens	What it feels like
Stress	The body's response to a real, present demand or threat.	While the pressure is there (deadline, exam, money, argument).	Tense, wired, irritable; often eases when the pressure ends.
Anxiety	Anticipation of a threat that may or may not happen.	Before and around events — sometimes with no clear trigger.	Racing thoughts, restlessness, tight chest, worry you cannot switch off.
Panic	A sudden, intense surge of the same alarm system.	Out of the blue or in specific situations; peaks in minutes.	Heart pounding, breathless, dizzy, “I am dying or going mad.”

The alarm system

Deep in your brain sits a threat detector (the amygdala). When it senses danger, it flips a switch: it releases **adrenaline** for immediate action and **cortisol** to keep you alert. Your heart speeds up to send blood to your muscles, breathing quickens, digestion shuts down, and attention narrows onto the threat. This is the **fight-or-flight** response, and it is brilliant — when the threat is a bus bearing down on you.

The problem is that the same system treats a difficult email, an exam result, or a family expectation as if it were a bus. The body reacts **before** the thinking brain has even caught up — which is why you can feel your heart pound while telling yourself, quite rationally, that everything is fine. The feeling is not the truth; it is a prediction, and predictions can be wrong.

Four ways the alarm can show up

Response	What it looks like	Why it happens
Fight	Irritability, snapping, anger, a short fuse.	The body prepares to confront the threat.
Flight	Restlessness, pacing, avoiding, escaping, over-busyness.	The body prepares to run from the threat.
Freeze	Going blank, numb, unable to decide or start.	The body “plays dead” to survive an overwhelming threat.
Fawn	Over-pleasing, apologising, never saying no.	The body tries to keep the threat calm and happy.

A little stress is not the enemy

Stress is a curve, not a switch. At low levels it is boring and unmotivating; at moderate levels it sharpens focus and performance (the “good stress” before an exam or a big presentation); at high, sustained levels it tips into exhaustion, poor sleep and poor decisions. The goal of this playbook is not to eliminate stress — that is impossible and not even desirable — but to keep you on the useful part of the curve and give you a way back down when you tip over.

Why your body reacts before your mind

Because the alarm pathway is faster than the thinking pathway. Signals can reach the amygdala in milliseconds, while the rational, planning part of the brain (the prefrontal cortex) takes longer to weigh in. This is why “just calm down” never works and why reasoning at the peak of a panic is nearly impossible. The trick is not to argue with your body — it is to **send it safety signals**: slow breathing, physical grounding, and a longer, slower exhale. Chapter 3 gives you those tools, and they work because they speak the body's own language.

> **The 90-second fact worth remembering**
>
> A surge of emotion triggered by the alarm system is a wave: it rises, peaks and falls. The chemical rush is brief. What keeps anxiety alive for hours or days is not the original surge — it is the story we keep replaying and the struggle to push the feeling away. That is the part we can train.

Normal worry vs. something that needs help

Everyone worries and everyone has bad nights. What separates ordinary stress from a condition that deserves professional care is **duration, intensity and interference**: how long it has lasted (weeks or months, not days), how severe it is, and how much it is stopping you from working, studying, sleeping or connecting with people. Chapter 10 gives you a clear red-flag checklist. For now, hold this rule: if it is persistent, severe, or spreading into more of your life, that is not a character flaw — it is a signal to get help.

> **Chapter 2 in one line**
>
> Anxiety is a fast, physical alarm that reacts before your thoughts catch up. You cannot out-argue it — but you can send it safety signals, and that is exactly what the next chapter teaches.

3. The 5-Minute Rescue Toolkit

These are the tools to reach for in the moment — the racing-heart, tight-chest, can't-think moments. Three of them (Grounding, Unhooking, Making Room) are adapted from the World Health Organization's free self-help guide *Doing What Matters in Times of Stress* (WHO, 2020), which is built on acceptance and commitment therapy and has been field-tested worldwide. Learn them when you are calm; they will be there when you are not.

Tool 1 — Slow breathing (the fastest brake)

Slow breathing directly signals safety to your nervous system. The key is that the **exhale must be longer than the inhale**. Try **Box Breathing**: breathe in through the nose for 4, hold for 4, out through the mouth for 4, hold for 4. Or use **4–6 breathing**: in for 4, out for 6. Do it for 60–90 seconds. If you feel light-headed, shorten the counts and breathe gently — never force it.

> **Try it now (60 seconds)**
> Sit or stand comfortably. Let your shoulders drop. Breathe in through your nose to a slow count of four. Breathe out through your mouth, softly, to a count of six. Repeat ten times. That is it. Notice the change in your chest and jaw.

Tool 2 — Grounding 5-4-3-2-1

When your mind is spinning into the future, grounding pulls it back to the present through your senses. Slowly, name:

	Sense	Do this
5	Things you can **see**	Look around and name five objects, out loud or in your head.
4	Things you can **feel**	The chair under you, your feet on the floor, your clothes on your skin.
3	Things you can **hear**	A fan, traffic, your own breathing, a distant voice.
2	Things you can **smell**	Air, soap, coffee, fabric.
1	Thing you can **taste**	Sip of water, or simply notice your mouth.

Press your feet firmly into the floor as you do it. Grounding does not make the storm disappear — it keeps you safe until it passes, and that is the point.

Tool 3 — Unhooking: Notice, Name, Refocus

Difficult thoughts and feelings "hook" you and drag you away from what you are doing. You cannot force them to leave, but you can unhook. Three steps:

- **Notice.** Realise you have been pulled away. "I'm hooked by a thought."
- **Name it.** Silently, with curiosity: "Here is worry." "Here is a tight feeling in my chest." "Here are fears about the future." Naming creates a small but real distance between you and the thought.
- **Refocus.** Bring your full attention back to what you were doing — the person in front of you, the task in your hands. You are not fighting the thought; you are simply not being driven by it.

Tool 4 — Making Room

Pushing difficult feelings away usually makes them louder. Instead, make room for them. Notice the feeling with curiosity — its shape, size and temperature. Name it. Then, as you breathe out slowly, imagine your breath flowing into and around it, like weather moving through a sky. You are not agreeing with the thought; you are stopping the exhausting fight. The feeling may stay or go — either is fine. Your aim is simply to stop struggling, so you have energy left for what matters.

Tool 5 — The 2-minute body release

Tension lives in the body: the jaw, the shoulders, the stomach, the fists. Progressive muscle relaxation reverses it. Working from your feet upward, tense each muscle group for five seconds, then release for ten, noticing the difference. Or simply do a slow scan: close your eyes, and wherever you find tightness, soften it on the out-breath. Two minutes is enough.

Which tool, when?

Situation	Reach for
Heart racing, chest tight, mind blank	Slow breathing (Tool 1), then Grounding (Tool 2)
Stuck in a worry loop you cannot stop	Unhooking (Tool 3), then the thought record in Chapter 4
A feeling you keep fighting	Making Room (Tool 4)
Physically tense, shoulders up, jaw clenched	Body release (Tool 5)
Wide awake at 3 a.m., thoughts racing	Slow breathing + Making Room; do not lie there clock-watching (see Chapter 5)
Panic attack in progress	Chapter 9, step by step

Your 5-minute daily practice

Pick a fixed moment — after brushing your teeth, before your first coffee, on the commute. Do Tool 1 for 60 seconds and Tool 2 once. That is the whole practice. It takes five minutes and it is what makes the tools available when you actually need them.

4. Rewire the Thoughts — The CBT Thought Record

Anxiety runs on interpretation, not just events. Two people get the same message — “We need to talk” — and one thinks *oh, they want feedback* while the other is certain they are about to be fired. The event is identical; the suffering comes from the story. Cognitive behavioural therapy (CBT) is the most extensively studied talking treatment in the world, and its core tool — the thought record — is something you can learn and use on your own.

The loop that keeps anxiety alive

Situation → Thought → Feeling → Behaviour → (which creates a new situation) → and round again. You cannot always change the situation, but the thought in the middle is where you have leverage — and changing the thought changes the feeling and the behaviour downstream.

The thought record, step by step

When you notice a strong spike of anxiety or low mood, work through these six columns. Do it on paper or in a notebook. Here is a worked example — a very common Indian workplace one.

Step	Question	Example: “My manager didn't reply to my message”
1. Situation	What actually happened? Facts only.	I sent my manager a project update at 11 a.m. It is now 5 p.m. and there is no reply.
2. Feeling	What did I feel? Rate it 0–10.	Anxiety 8/10, dread 7/10, tight chest.
3. Automatic thought	What went through my mind?	“I've done something wrong. He's angry. I'm going to be put on a performance plan.”
4. Evidence for	What supports this thought?	He usually replies within an hour. My last project had one round of rework.
5. Evidence against	What does not fit?	He was in back-to-back meetings all day (calendar). He has never criticised my work. He replied late twice last month and nothing happened.
6. Balanced thought	A fairer, more accurate version.	“He is probably just busy. There is no evidence I am in trouble. I will follow up tomorrow if there is no reply.”
7. Re-rate	How do I feel now?	Anxiety 4/10. Still a little unsure, but no longer spiralling.

The thinking traps that drive most Indian anxiety

CBT calls these “cognitive distortions” — predictable patterns of thinking that feel like truth but are not. Learning to spot them is half the work.

Trap	Sounds like	The fix
Catastrophising	“If I fail this, my life is over.”	Ask: “And then what? What would I actually do?” Reality is usually survivable.
All-or-nothing	“If it's not perfect, it's worthless.”	Replace with a scale: what would 80% look like, and is that enough here?
Mind-reading	“They think I'm an idiot.”	You cannot read minds. What is the actual evidence? Ask if you can.
Fortune-telling	“I know I'll mess up the interview.”	You have survived every previous one. Predict the outcome only after it happens.
“Log kya kahenge”	“What will people say?”	Whose opinion actually matters to your life in five years? Choose your three people.
Comparison	“Everyone my age is doing better.”	You are comparing your behind-the-scenes with their highlight reel. Compare only to your past self.
Should-storms	“I should be further along by now.”	Turn “should” into “I would like to” — and then into one small next step.

The three questions that break a worry loop

- **“Is this a problem to solve, or a worry to sit with?”** If it is solvable, make one small plan. If it is not, worrying will not change it.
- **“What is the most likely outcome — not the worst?”** Write it down. Anxiety only ever shows you the worst-case film.
- **“What would I tell a friend who said this to me?”** Then say that to yourself. We are far kinder to others than to ourselves.

Worry time: contain it, don't fight it

If you are a chronic worrier, trying to stop worrying all day fails. Instead, give it an appointment. Set aside **15 minutes at a fixed time each evening** as your “worry window.” When a worry shows up earlier, note it in one line and tell yourself you will deal with it at worry time. At worry time, review the list: some worries will have solved themselves, and the rest become a to-do list. Outside the window, gently return your attention to what you were doing.

> **Worksheet — my thought record**
> Use this structure in a notebook for the next seven days. One entry a day is plenty. The habit, not the perfection, is what rewires the pattern.

Situation (facts only):

Feeling + rating 0–10:

Automatic thought:

Evidence against it — balanced thought:

5. The Sleep Reset

If you only fix one thing, fix sleep. Sleep is the foundation the rest of your mental health stands on: it regulates mood, memory, appetite and stress hormones. With nearly half of Indian adults getting under six hours of uninterrupted sleep, this chapter is built around the same principles professionals use as the first-line treatment for insomnia — no gadgets, no medication required.

The seven rules

#	Rule	Why it works
1	**Fix your wake-up time — seven days a week.**	A steady wake time anchors your body clock more powerfully than a steady bedtime. Even after a bad night, get up at the same time.
2	**Get bright light within 30 minutes of waking.**	Morning daylight tells your brain it is day. Open the curtains, step outside, or have tea in natural light.
3	**Cut caffeine after 2 p.m.**	Caffeine has a half-life of about 5–6 hours. A 4 p.m. chai is still in your system at 10 p.m.
4	**Build a 30-minute wind-down.**	Dim the lights, put the phone on charge outside the bedroom, and do something boring and calm. Your brain needs a runway, not a cliff edge.
5	**Keep the bed for sleep.**	If you work, scroll and argue in bed, your brain learns that bed means alert. Reserve it for sleep and intimacy.
6	**Stop “revenge bedtime procrastination.”**	Scrolling at midnight is not free time — it is stolen sleep. You are borrowing tomorrow's energy at a brutal interest rate.
7	**Make the room dark, cool and quiet.**	Light, heat, noise and mosquitoes all fragment sleep. Address them deliberately: curtains, a fan, earplugs, a net.

The 20-minute rule (and what to do at 3 a.m.)

If you cannot fall asleep in about 20 minutes, do not lie there getting frustrated — frustration teaches your brain that bed is a battleground. Get up, go to another room, keep the lights low, and do something dull until you feel sleepy, then return. Repeat as needed. This is called **stimulus control**, and it is one of the most effective insomnia techniques there is.

> **The 3 a.m. protocol**
> **Do not check the time.** Clock-watching feeds the anxiety that keeps you awake.
> **Do not scroll.** Blue light and stimulating content make the next hour worse.
> **Do** breathe slowly (Tool 1) and make room for the thoughts (Tool 4). It may not put you to sleep immediately, but it will rest your body — which is not nothing.
> **If you are still awake after 20 minutes, get up** and do something quiet and boring in dim light until sleepy.

What to do about daytime naps

Short naps are fine and useful — keep them under 30 minutes and before 3 p.m. Long or late naps steal the "sleep pressure" you need at night. If you are struggling badly with insomnia, skip naps for a few weeks and let the pressure build.

When poor sleep is a medical signal

Most poor sleep responds to the rules above. But some patterns need a doctor — and given that about **37% of Indians may have obstructive sleep apnoea**, this matters. See a doctor if you:

- ☐ Snore loudly, or stop breathing, gasp or choke in your sleep (as noticed by a partner).
- ☐ Wake up unrefreshed no matter how long you sleep, or fall asleep during the day while working, driving or watching TV.
- ☐ Have restless legs — an irresistible urge to move your legs at night.
- ☐ Have insomnia that has lasted more than three months despite good sleep habits.
- ☐ Feel persistently low or anxious alongside the sleep problem.

Sleep apnoea and restless legs are treatable, and treating them often transforms mood and energy. Do not simply live with it.

> **Worksheet — my 7-day sleep log**
> For one week, note the four numbers each morning. You are looking for patterns, not perfection. Fill it in a notebook or print this page.

Day	Bedtime	Wake time	Hours slept	Quality /5	What got in the way
1					
2					
3					
4					
5					
6					
7					

6. Exam & Study Stress

Exam pressure is the number-one reason young Indians call a mental-health helpline. It is also the most fixable, because most of the suffering comes not from the syllabus but from how the mind handles the syllabus. This chapter is for students — and for the parents standing behind them.

Study smarter under pressure

- **Work in 50/10 blocks.** Fifty minutes of focused work, then ten minutes completely away from the desk — stand, walk, drink water. Long, unstructured "study all day" sessions produce far less learning than they feel like.
- **Use active recall, not re-reading.** Close the book and write down what you remember, then check. Testing yourself beats highlighting, every time.
- **Space it out.** Six one-hour sessions across a week beat one six-hour cram. Sleep is part of studying — memory is consolidated while you sleep.
- **Attack the weakest topic first, while you are fresh.** Do the hard thing first; willpower is a morning resource.
- **Do full mock papers under time.** Exam anxiety is largely fear of the unknown. Familiarity with the format drains it.

Test anxiety: the pre-exam routine

Test anxiety is your alarm system doing its job in the wrong place. You cannot switch it off, but you can dial it down:

- **The night before:** revise lightly, pack your things, sleep on time. Do not learn new topics at 2 a.m. — you will trade tomorrow's brain for tonight's panic.
- **The morning of:** eat something, avoid four coffees, arrive early so you are not rushing (rushing primes the alarm).
- **In the hall, before you start:** two minutes of slow breathing — in for 4, out for 6, ten times. Then read the whole paper once before writing anything.
- **When you blank:** stop, breathe out slowly, and start with the easiest question. Momentum returns once the pen is moving.
- **Between papers:** do not post-mortem the last exam with friends. It steals energy from the next one.

> **The 60-second reset, for right before you begin**
> Feet flat on the floor. Hands on the desk. Breathe in for four, out for six, five times. Name three things you can see in the room. Then start. That is all it takes to bring the thinking brain back online.

For parents: what helps, and what hurts

Helps	Hurts
“I'm proud of the work you're putting in.”	“After everything we've spent on your coaching…”
Keeping the house calm and routine during exams.	Comparing them to a cousin, neighbour or topper.
Making sure they eat, sleep and get outside daily.	Removing all rest, sport and friends “until exams are over.”
Asking “How are you feeling?” — and listening.	Asking about marks the moment they walk in.
Acknowledging that one exam does not define a life.	Treating a bad result as the end of the family's hopes.

A 7-day exam-week plan

Day	Focus	Non-negotiable
7 days out	Full mock paper + review weak areas	7–8 hours of sleep
6	Weakest subject, two 50/10 blocks	20-minute walk
5	Second mock paper	No screens after 10 p.m.
4	Revision of your own notes and error log	Normal meal times
3	Light revision, no new material	Slow-breathing practice, 5 min
2	Skim summaries, pack your bag and ID	Early night
1 (exam day)	One light read of key formulas/points in the morning	Arrive early; breathe before you start

Remember

Your worth is not a score. Exams measure preparation on one day, not intelligence, not potential, and certainly not the value of a human being. If the pressure ever feels unbearable, that is not weakness — call Tele-MANAS on 14416, free, any time.

7. Work Stress & Burnout

India's workforce is among the most confident in the world and among the most exhausted. Three in four workers report burnout; nearly half of corporate employees report high stress. This chapter is about protecting yourself inside a system you cannot single-handedly change.

What burnout actually is

Burnout is not “being tired” or “not loving your job enough.” The World Health Organization classifies it in ICD-11 as an **occupational phenomenon** — “chronic workplace stress that has not been successfully managed” — with three dimensions: **exhaustion** (feeling drained and depleted), **cynicism or mental distance** from your job, and **reduced professional efficacy** (feeling you are no longer effective). Crucially, burnout is something the *job* does to a person, not a personal defect. That reframe matters, because it points at the right fixes: boundaries, workload and recovery — not just “being more resilient.”

The always-on trap

The single biggest driver is the collapse of the boundary between work and life. When the phone is the office, work never ends — so the nervous system never gets the recovery window it needs. You cannot fix the culture, but you can build a membrane around your own day.

Five boundary scripts you can actually send

Situation	What to say
Message at 10 p.m.	“Got it — I'll pick this up first thing tomorrow morning.”
Constant after-hours pings	“I keep my phone off after 9 p.m. so I'm sharp in the morning. For anything urgent, please call.”
Overloaded with tasks	“I can do all of these, but not all by Friday. Which two matter most?”
Asked to work the weekend	“I have a prior commitment this weekend. I can have it done by Monday noon — does that work?”
Meeting that could be an email	“Happy to join — could you share the agenda so I come prepared?”

The Sunday scaries reset

That dread that creeps in on Sunday evening is anticipation anxiety. Try a **Sunday 20-minute plan**: write down the three things that actually matter for the coming week, and one thing you are looking forward to. You are not solving the week — you are removing the fog, which is what the dread feeds on. Then close the laptop and do something you enjoy. Dread thrives on a blank, imagined week.

Micro-recovery: the thing most people skip

Recovery is not a two-week holiday; it is small, frequent resets. The people who survive high-pressure jobs are not tougher — they take micro-breaks.

- **Every 60–90 minutes:** stand, look at something distant for 20 seconds, breathe slowly for five breaths.
- **Between tasks:** a 2-minute gap, not a straight jump into the next fire.
- **The commute ritual:** use the last 10 minutes of your journey to mentally leave work — a podcast, music, or just silence. Do not arrive home already at work.
- **One real lunch break:** away from the desk, without the screen.
- **Protect sleep** (Chapter 5). It is the recovery that makes all the others work.

When to escalate at work

If you are in sustained high burnout, one conversation with a manager or HR is worth having — framed around workload and priorities, not “I can't cope.” Bring facts: what you own, what has been added, and what you would propose to drop or sequence. If your organisation has an employee assistance programme (EAP), use it; it is confidential and free. And if the situation is affecting your health, that is a legitimate reason to seek medical help and, if needed, leave.

> **The honest truth about “hustle”**
>
> You cannot out-discipline a system that never stops. Rest is not the reward for productivity — it is the fuel. Burning yourself out does not make you more committed; it makes you less useful to everyone, including yourself.

8. Phone, Doomscroll & Your Attention

You are not weak-willed; you are up against an attention economy engineered by some of the smartest people alive. The goal here is not to quit your phone. It is to take back the two hours a day that the scroll quietly takes from your sleep, focus and mood.

Why the scroll feels soothing and leaves you worse

Short-form feeds deliver tiny, unpredictable rewards — exactly the pattern that keeps a brain hooked. Bad news travels fastest, so a “quick look” turns into twenty minutes of anxiety-inducing content you cannot act on. You close the app more wound up than when you opened it. That is not an accident; it is the design.

Five rules that actually work

- **Charge the phone outside the bedroom.** Buy a cheap alarm clock. This one change protects both your sleep and your mornings.
- **No screens in the first and last 30 minutes of the day.** The first 30 minutes set your mental tone; the last 30 decide how well you sleep.
- **Turn off every non-human notification.** Apps do not need to interrupt you. People do.
- **Grayscale your phone in the evening.** Colour is a slot machine. Grey is boring — which is the point.
- **Give the scroll a home.** If you love it, do it deliberately — 20 minutes, at a set time, sitting down, not as a background hum all day.

The doomscroll interrupt

When you notice the spiral — bad news after bad news, heart rate creeping up — use this three-step brake: **Notice** (“I'm doomscrolling”), **Name the feeling** (“Here is fear about the future”), **Move the body** (stand, walk to another room, drink water, ten slow breaths). You are not ignoring the world; you are choosing not to marinate in it. Information you can act on is useful. Information you cannot act on, consumed on a loop, is just anxiety with a screen.

> **A kinder frame**
>
> You do not need to be a monk. You need a phone that works for you instead of on you. Pick one rule from this page and start there — the bedroom rule is the highest-value one.

9. Panic Attack First-Aid

A panic attack is one of the most frightening experiences a body can produce — and one of the least dangerous. It is a false alarm: the full fight-or-flight response fired with no real threat. It peaks within about ten minutes and always ends. Knowing what it is, and having a script for it, takes most of its power away.

What is happening

Your alarm system floods you with adrenaline. Heart pounds, breathing goes shallow and fast, chest tightens, hands tingle, vision narrows, you feel dizzy and unreal. The mind supplies the terrifying interpretation: “I'm having a heart attack,” “I'm going to faint,” “I'm going mad.” The sensations are real; the interpretation is not. A panic attack does not damage your heart and does not kill you. It is deeply uncomfortable and it passes.

Eight steps, in the moment

	Step	Detail
1	Name it	“This is a panic attack. It is a false alarm. It will peak and pass.” Say it, out loud if you can.
2	Do not fight it	Struggling against it feeds it. Let it be there; you are riding the wave, not drowning in it.
3	Slow the exhale	Breathe in through your nose for 4, out through pursed lips for 6. Longer out than in. Do not gulp air.
4	Anchor your body	Press both feet hard into the floor. Press your palms together. Feel the pressure. You are here.
5	Cool down	Sip cold water, or hold something cold. Cold on the face or wrists helps settle the alarm.
6	Ground with your senses	5 things you can see, 4 you can feel, 3 you can hear (Tool 2).
7	Stay put if you can	Running from the situation teaches your brain it was dangerous. If you must move, move slowly.
8	Ride it out	It will ease within minutes. Do not judge yourself for having one.

What NOT to do

Do not Google your symptoms mid-attack — it will convince you it is a heart attack.
Do not gulp air rapidly or breathe into a paper bag — it makes the dizziness worse.
Do not drink alcohol or take an unprescribed pill to stop it.
Do not decide anything important while it is happening.

After it passes — and when to get help

Once it is over, be kind to yourself and rest. Then write down what happened and what you did that helped — that note becomes your own instruction manual for next time. Occasional panic happens to many people. But if panic attacks are **repeated, unexpected, or making you avoid places and people**, that is panic disorder, and it responds very well to CBT and, where

appropriate, medication. See Chapter 11 for how to get help — and if it happens with chest pain that spreads to your arm or jaw, or with fainting, treat it as a medical emergency and call 112.

10. When It Is More Than Stress — The Red Flags

Self-help has limits, and knowing where they are is a skill, not a failure. This chapter is the honest line between “I can manage this with the tools in this book” and “I need a professional.” Read it once now, so you recognise it later.

Seek professional help if…

- ☐ Low mood, anxiety or worry has lasted **most days for more than two weeks**, or keeps coming back.
- ☐ It is **interfering with work, study, sleep, eating or relationships** — you are not functioning as usual.
- ☐ You are **avoiding** more and more of life (people, places, classes, the office) to feel safe.
- ☐ You have **panic attacks**, or persistent physical symptoms with no medical cause (chest tightness, headaches, stomach trouble).
- ☐ You are **not sleeping** for weeks, or sleeping far too much.
- ☐ You are using **alcohol, tobacco or other substances** to cope, or your eating has changed sharply.
- ☐ You have thoughts of **harming yourself or ending your life**.
- ☐ Someone who cares about you has said, more than once, that they are worried about you.

> **If you have thoughts of suicide or self-harm**
> This is not something to sit with alone, and it does not make you broken. It is a medical emergency of the mind, and it is treatable. Please tell one person today — a trusted friend, family member, or a helpline counsellor.
> **Tele-MANAS: 14416 · Vandrevala: +91 9999 666 555 · AASRA / other crisis lines: see Chapter 13 · Emergency: 112.**
> If you feel you may act on the thoughts, go to the nearest hospital emergency department or call 112. Stay with someone. Remove access to means if you can.

Warning signs in someone else

You do not need to be a therapist to save a life. If you notice a friend or family member withdrawing, giving away belongings, talking about being a burden, or saying goodbye in a way that feels final — take it seriously. Ask directly and without panic: “Are you thinking about suicide?” Asking does not plant the idea; research shows it opens the door. Then listen without judging, stay with them, and help them reach a helpline or a professional. You do not have to fix anything — being there is the intervention.

A simple way to support someone

Do	Don't
Ask directly and gently how they are really doing.	Say “others have it worse” or “snap out of it.”
Listen more than you talk. Let them finish.	Rush to solutions or lecture them.
Take it seriously and stay in touch.	Promise secrecy if they are in danger — get help anyway.
Offer concrete help: a meal, a lift to an appointment, a walk.	Diagnose them or play doctor.
Look after yourself too — supporting someone is tiring.	Carry it entirely alone; bring in others and professionals.

Two things worth repeating

1. Asking about suicide does not cause suicide. It is one of the most protective things you can do.

2. Getting help early is not an overreaction. It is the single biggest advantage you can give yourself. Most people wait over a year. Do not be most people.

11. Getting Real Help — Free First, Then Paid

The biggest myth about mental healthcare in India is that it is expensive and hard to find. In reality, there are free, government-run routes that most people never use, and the paid options are more affordable than the horror stories suggest. This chapter lays out both, honestly.

Start here: what is free

Service	What it is	How to reach it
Tele-MANAS	The Government of India's national tele-mental-health programme — free, confidential counselling 24×7, in 20 languages, with referral to specialists if needed. Counsellors, not a chatbot.	**14416** or **1-800-891-4416**
KIRAN	Government mental-health rehabilitation helpline — support, information and referral for mental-health concerns.	**1800-599-0019**
District Mental Health Programme (DMHP)	Free outpatient mental-health care at district hospitals, run under the National Health Mission. Sanctioned in 767 districts.	Ask at your district hospital or government medical college
Government hospital OPD	Psychiatrist consultations at government medical colleges (AIIMS, NIMHANS, KEM, PGIMER and others) for a nominal fee — often ₹10–₹100.	Walk in, or book via the hospital's OPD
Ayushman Arogya Mandirs	Primary-health centres where mental-health screening and psychosocial support are now integrated (over 1.83 lakh of them).	Your nearest health-and-wellness centre
NIMHANS Helpline	Medical advice, counselling and rehabilitation information from India's apex mental-health institute.	**080-46110007**

If cost is the wall between you and help, **call Tele-MANAS first**. It is free, confidential, and staffed by trained counsellors who can also guide you to the right in-person service near you.

If you want to pay: what it actually costs in 2026

Prices vary widely by city and by the clinician's experience. These are typical 2026 ranges, drawn from published India therapy-cost guides and reported insurer data.

Type of professional	What they do	Typical cost (2026)
Psychiatrist (medical doctor)	Diagnoses, prescribes medication; the only one who can write a prescription.	First consult ₹600–₹2,500 (metro); ₹400–₹1,200 (tier-2). Follow-up ₹500–₹2,000.
Clinical psychologist (RCI-registered)	Delivers structured therapy — CBT, DBT, EMDR, trauma work, assessments.	₹800–₹3,500 for a 50-minute session (metro); ₹600–₹1,800 (smaller cities).
Counsellor	Talk-based support for stress, relationships, everyday concerns.	₹500–₹2,500 per session.
Online therapy platforms	Video/text sessions; often cheaper and easier to access from anywhere.	₹999–₹2,999 a session; packages work out to about ₹900–₹2,100 per session.
Government hospital OPD	Psychiatrist care, often with free or subsidised medicines.	₹10–₹100 (plus waiting time)

A weekly therapy session at ₹1,500–₹2,000 adds up to roughly ₹8,000 a month. That is a real cost — which is exactly why knowing the free routes and your insurance position matters.

How to choose a therapist

- **Check the qualification.** For structured therapy, look for a clinical psychologist registered with the Rehabilitation Council of India (RCI), or a psychiatrist (MBBS + MD/DNB Psychiatry). Counsellors can help with everyday stress; complex conditions need a clinician.
- **Fit matters more than fame.** You should feel safe and not judged. It is completely fine to try two or three before settling.
- **Ask these in the first session:** “What approach do you use?” “How many sessions before we review progress?” “What are your fees and cancellation terms?” “Is there homework?”
- **Expect structure, not just talking.** Good therapy sets goals and reviews them. If after 4–6 sessions nothing is shifting, say so — a good therapist will adjust or refer you on.

Insurance: the law says one thing, the policy often says another

Under **Section 21(4) of the Mental Healthcare Act, 2017**, every insurer must provide medical insurance for the treatment of mental illness **on the same basis as physical illness**. The IRDAI directed insurers to comply in 2018 and reiterated it in October 2022. In practice, there is a large gap.

What usually IS covered	What usually IS NOT
Inpatient treatment for mental illness — hospitalisation is covered on par with physical illness, and this is enforceable.	**Routine outpatient therapy** — your weekly session — unless your policy has an OPD benefit, a psychotherapy/counselling rider, or you are on a group corporate plan that includes it.
Treatment linked to an admissible hospitalisation (pre- and post-hospitalisation).	Many policies still exclude suicide attempts and substance-use disorders.
Some policies offer a fixed number of app-based or network counselling sessions.	Reimbursing an independent therapist of your choice.

Check your policy in five minutes

Read the **policy schedule** and the **Customer Information Sheet**. Then search the wording for: “OPD”, “outpatient”, “psychotherapy”, “psychologist”, “counselling”, “psychiatric”, “mental illness”, “e-counselling”.

Then email your insurer this exact question: *“Does my policy cover recurring outpatient psychotherapy with my chosen provider? Please identify the clause, annual limit, per-session cap, waiting period and documents required.”* Get the answer in writing.

If a claim is refused, ask for the **precise contractual reason in writing**. A denial simply because the treatment is mental-health-related is very different from a denial because your plan is hospitalisation-only. Use the insurer's grievance process, then the Insurance Ombudsman if needed.

Your first appointment: what to expect

The first session is mostly assessment — your history, symptoms, and goals. Nothing you say leaves the room without your consent (the Mental Healthcare Act, 2017 gives you strong confidentiality rights, with narrow exceptions around serious risk). Before you go, jot down: when it started, what makes it worse and better, how it affects sleep/work/relationships, any past treatment, and your medicines and medical conditions. That one note makes the first session far more useful.

Medication myths, briefly

Prescribed psychiatric medication is not “addiction” or “giving in.” For moderate-to-severe conditions it is often the fastest route back to being yourself, and it is usually paired with therapy. Only a psychiatrist can prescribe it, doses are adjusted carefully, and you should never stop suddenly without your doctor's advice. Ask questions — any good prescriber will welcome them.

12. Your 30-Day Calm Plan

Reading changes nothing. A small, repeatable routine changes a lot. This plan asks for about **ten minutes a day**, plus one longer exercise a week. Do not skip ahead — the order is deliberate: stabilise sleep first, then build the stress tools, then widen out.

The daily 10-minute core (every day, all 30 days)

When	Do this	Time
On waking	Get bright light; no phone for the first 30 minutes.	2 min
Midday	One slow-breathing session (Tool 1).	2 min
Evening	One grounding or unhooking practice (Tool 2 or 3).	3 min
Before bed	Wind-down: screens off, lights low, note tomorrow's three priorities.	3 min

Week by week

Week	Theme	Your focus
1	Sleep first	Fix your wake-up time, cut caffeine after 2 p.m., start the 7-day sleep log. Practise Tool 1 daily.
2	The rescue toolkit	Practise Tools 2, 3 and 4 daily. Use one of them in a real stressful moment and note what happened.
3	Rewire the thoughts	Do one thought record a day (Chapter 4). Start worry time. Build one boundary script for work or study.
4	Widen and protect	Add the phone rules (Chapter 8), one micro-recovery habit, and one connection with a person who is good for you. Review the month.

Weekly review — five honest questions

- What is one thing that actually helped this week?
- What made me feel worst — and was it a situation, a thought, or a body state?
- Did I sleep enough? If not, what got in the way?
- Which tool did I use most, and which one do I keep avoiding?
- Is there one thing I should get help with rather than keep managing alone?

30-day tracker

Tick each day. The goal is not a perfect row — it is that you can see your own patterns, and that a missed day does not become a missed week.

Day	Sleep 7–8h	Breathe	Ground / Unhook	No phone in bed	Moved my body	Mood /5
1	☐	☐	☐	☐	☐	☐
2	☐	☐	☐	☐	☐	☐
3	☐	☐	☐	☐	☐	☐
4	☐	☐	☐	☐	☐	☐
5	☐	☐	☐	☐	☐	☐
6	☐	☐	☐	☐	☐	☐
7	☐	☐	☐	☐	☐	☐
8	☐	☐	☐	☐	☐	☐
9	☐	☐	☐	☐	☐	☐
10	☐	☐	☐	☐	☐	☐
11	☐	☐	☐	☐	☐	☐
12	☐	☐	☐	☐	☐	☐
13	☐	☐	☐	☐	☐	☐
14	☐	☐	☐	☐	☐	☐
15	☐	☐	☐	☐	☐	☐
16	☐	☐	☐	☐	☐	☐
17	☐	☐	☐	☐	☐	☐
18	☐	☐	☐	☐	☐	☐
19	☐	☐	☐	☐	☐	☐
20	☐	☐	☐	☐	☐	☐
21	☐	☐	☐	☐	☐	☐
22	☐	☐	☐	☐	☐	☐
23	☐	☐	☐	☐	☐	☐
24	☐	☐	☐	☐	☐	☐
25	☐	☐	☐	☐	☐	☐
26	☐	☐	☐	☐	☐	☐
27	☐	☐	☐	☐	☐	☐
28	☐	☐	☐	☐	☐	☐
29	☐	☐	☐	☐	☐	☐

Day	Sleep 7–8h	Breathe	Ground / Unhook	No phone in bed	Moved my body	Mood /5
30	☐	☐	☐	☐	☐	☐
Notes						

If you fall off the plan

Missing a day is data, not failure. Do not “start again on Monday” — just do today's ten minutes. Consistency beats intensity every single time, and the people who recover are the ones who keep coming back after a bad day, not the ones who never had one.

13. Helpline Directory (India, Verified)

Save these. Put the first two in your phone right now — not because you need them today, but so that if someone you love ever does, you already know the number. All of the following are current as of October 2026.

Mental-health & crisis lines

Service	Number	Notes
Tele-MANAS (Govt. of India)	**14416** / 1-800-891-4416	Free, confidential, 24×7, 20 languages. Counsellors who can refer you to specialists.
KIRAN (Govt. of India)	**1800-599-0019**	24×7 mental-health support and rehabilitation helpline.
NIMHANS Helpline	**080-46110007**	Medical advice, counselling and rehabilitation information.
Vandrevala Foundation	**+91 9999 666 555**	Free crisis counselling, 24×7×365 — call or WhatsApp.
iCALL (TISS)	**022-25521111**	Psychosocial counselling helpline.
Jeevan Aastha	**1800-233-3330**	Suicide-prevention and mental-health counselling.
One Life	**78930-78930**	Suicide-prevention and crisis support.
Mann Talks	**+91 8686 139 139**	Counselling support.
Psychosocial First-Aid & Counselling	**8448-8448-45**	Mental-health support helpline.
Connecting Trust	**9922004305**	Mental-health concerns and crisis intervention.
Parivarthan Counselling	**+91 7676602602**	Counselling helpline.
Muktaa Mental Health	**788-788-9882**	Mental-health support helpline.

Other essential numbers

Service	Number	Use it for
Emergency Response Support System	**112**	Any immediate danger to life — police, fire, ambulance.
Childline	**1098**	Children in distress — 24×7, free.
Women Helpline	**181**	Women in distress, domestic violence, support and counselling.
Elderline	**14567**	Senior citizens — emotional support, pension, legal, abuse.
Cyber Crime Helpline	**1930**	Report online fraud and financial cybercrime.
National Commission for Women	**14490**	24×7 women's helpline.

Sources for this directory: the Department of Empowerment of Persons with Disabilities (DEPwD), the Ministry of Health & Family Welfare / Tele-MANAS, the Ministry of Women & Child Development, the Ministry of Social Justice & Empowerment (Elderline) and the National Commission for Women — all verified October 2026.

One-Page Cheat Sheet

Photograph this page, or tear it out and keep it where you will see it. It is the whole book in one glance.

In the moment

If you feel…	Do this, now
Heart racing, chest tight	Breathe in 4, out 6, ten times. Feet flat on the floor.
Mind spinning into the future	Grounding 5-4-3-2-1. Name what you can see, feel, hear.
Stuck in a worry loop	Notice → Name it → Refocus. Then write a thought record.
A feeling you keep fighting	Make room: notice it, name it, breathe around it like weather.
Panic attack	Name it as a false alarm. Slow the exhale. Anchor your body. Ride it out.
Tense, wound up	2-minute body release: tense 5 seconds, release 10, feet to jaw.

Every day

- Same wake-up time, seven days a week.
- Bright light within 30 minutes of waking. No phone for the first 30 minutes.
- Caffeine stops at 2 p.m. Screens leave the bedroom.
- Ten minutes of practice: breathe, ground, unhook.
- Move your body a little. Talk to one human. Note three priorities for tomorrow.

Remember

- Anxiety is a fast physical alarm, not a verdict on you.
- You cannot out-argue your body — send it safety signals instead.
- Help early beats help late. Most people wait over a year. Do not.
- Free, confidential help exists: **Tele-MANAS 14416**, 24×7, 20 languages.
- In any emergency: **112**.

The Calm Mind Playbook — Anxiety, Stress & Sleep Reset (India Edition 2026). Published by Digitalaikart. Educational self-help only; not a diagnosis, therapy or substitute for professional care. Every statistic verified against official sources (MoHFW/PIB, NIMHANS, WHO, Amaha 2026, and published 2026 India surveys) as of October 2026. If you are in distress, please contact a qualified professional or one of the helplines listed above.