Testing with CasperJS

```
niko@NikoBook:casperjs (0.6*$) $ bin/casperjs samples/googletesting.js PASS google homepage title is the one expected PASS main form is found PASS google title is ok PASS search term has been submitted PASS google search for "foo" retrieves 10 or more results PASS 5 tests executed, 5 passed, 0 failed.
niko@NikoBook:casperjs (0.6*$) $
```





```
⊖ ⊖ ⊖ GasperJS, a navigation script × ⊕ariya/phantomjs - GitHub × Neuer Tab
                                                                                   ☆ 🏈 🧿 🤏
← → C ff ( casperjs.org/#installation
      });
      casper.thenOpen('http://yahoo.fr/', function() {
         this.echo("Now I'm in your yahoo.")
                                                                       Quick
     });
                                                                       reference
     casper.run();
                                                                       The Casper class
                                                                        Casper.options
                                                                        Casper.back()
                                                                        Casper.base64encc
     Casper#thenOpenAndEvaluate(String
                                                                        Casper.click()
                                                                        Casper.capture()
    location[, function then, Object
                                                                        Casper.captureSel
    replacements])
                                                                        Casper.clear()
                                                                        Casper.debugHTML(
     Basically a shortcut for opening an url and evaluate code against remote
                                                                        Casper.debugPage(
     DOM environment.
                                                                        Casper.die()
     Example:
                                                                        Casper.downlo
                                                                        Casper.each()
     casper.start('http://google.fr/').then(function() {
          this.echo("I'm in your google.");
```

Typical test cases





A first simple testcase

```
var casper = require('casper').create();
casper.start('http://www.gutefrage.net/', function() {
   this.test.assertExists(".logo", "The logo exists");
});
casper.run();
```

Writing more involved tests

```
var casper = require('casper').create();
casper.start('http://www.gutefrage.net/');
casper.thenEvaluate(function(){
  $("#mainNavigation li:first-child").mouseover();
});
casper.then(function(){
  this.test.assert(
     this.visible("#mainNavigation li:first-child .subnav",
"Subnav is visible")
  );
});
casper.run();
```

Evaluating code in the browser

```
casper.then(function(){
    $("#mainNavigation li:first-child").mouseover();
});
```


```
casper.thenEvaluate(function(){
    $("#mainNavigation li:first-child").mouseover();
});
```

How To Debug

```
casper.then(function() {
   this.test.info("Hi, I'm an informative message.");
});
```

Hi, I'm an informative message.

```
casper.then(function() {
  this.captureSelector('slider.png', "#slider");
});
```



Typical test cases

- No very long tests
- Add some info output
- Don't forget that CasperJS is not the right choice for every test

Zeit für das kalte Wasser



- Pair
- Pick easy + hard test
- Check in the code to casperjs test folder

See you at 11:00 o'clock

Thanks

• Picture of remote controll from moneyblognewz licensed under a CC BY 2.0 License