

HOW CAN I USE OPERATOROS TO


COVER MY ASS?

SHOW YOUR WORK.

When the client asks what happened, answer with a record of scope, decisions, actions, evidence, and verification.

John Travis Williams Jr.

Built for engineers, service leads, and MSP owners.



6 DISPUTE SCENARIOS

13 MODULE PROFILES

THE ANSWER IN ONE SENTENCE

Make your work explainable under pressure.

Use OperatorOS to retain a factual chain from the request and scope to the action, result, remaining risk, and next owner. A reviewer should be able to reconstruct that chain without the original technician.

01

What we knew

Client and asset context, symptoms, baseline evidence, prior work, and the limits of what was known.

02

What we were asked to do

The actual request, authorization source, permitted scope, exclusions, window, and approved variations.

03

What we actually did

Named actors, procedure/script versions, chronology, outputs, failures, side effects, and recovery.

04

What we verified

Specific checks, actual results, expected outcomes, pending validation, and the next responsible owner.

The practical stack: TechDeck for technical history; SnapProofOS for reviewed proof; Script Ops for exact-version script governance; FaultlineLab for lessons that become training. Actual module access must be granted.

START WITH THE DISPUTE

Know which record you need to retrieve.

A defensible operational answer separates the source fact from interpretation, internal approval, customer response, and uncompleted work.


“You broke it.”	Baseline → exact action → post-change checks TechDeck + external execution evidence
“You never warned us.”	Recommendation version → actual response → follow-up TechDeck + original communication source
“We did not authorize that.”	Specific scope/window → authorizing response → actual action Client approval process + TechDeck / Script Ops
“Nobody tested it.”	Defined test → observed result → untested remainder Resolution Intelligence + retained test output
“Nobody told the next tech.”	Chronology → failed steps → current state → owner TechDeck + handoff acknowledgement
“What did you do for this invoice?”	Scope → work capture → report → commercial reference SnapProofOS + entitled TradeFlowKit or existing PSA

The useful outcome is a clear reconstruction, including evidence of an MSP mistake when that is what happened. Selective closeouts weaken the record.

FROM OBSERVED WORK TO A REVIEWED EXPLANATION

Keep the source behind the summary.

OperatorOS can organize accepted evidence and its provenance. It cannot manufacture missing authorization, endpoint telemetry, client acknowledgement, or historical facts.



Platform guardrails

Exact-host SSO; server-resolved tenant, role, and module access; scoped records; auditable decisions.

Provenance limits

A stored hash supports integrity checking of retained bytes. It does not establish that the original observation was true.

Evidence handling

Protect originals and sensitive context. Record collection time and event time separately when known; retain source timezone.

A PROPOSED TEAM OPERATING PROCEDURE

Capture while working. Review before closing.

This procedure combines built-in capabilities with deliberate technician actions. It is a recommended operating pattern, not a claim that every step is automatically enforced.

BEFORE	DURING	AFTER
Establish scope and state ▪ Open the correct client/ticket/asset context in TechDeck. ▪ Attach or reference the actual authorization; record action, window, exclusions, and rollback. ▪ Capture baseline checks and pre-existing faults. ▪ If using a script, identify its approved exact version.	Record the actual sequence ▪ Use the separately authorized execution tool. ▪ Preserve meaningful outputs, time/timezone, actor, and affected system. ▪ Keep failed attempts, side effects, recovery, and deviations. ▪ Pause and escalate when the work exceeds its authority.	Close only what you can substantiate ▪ Run defined checks; distinguish success, failure, and pending work. ▪ Use the Ticket Completion Prompt with approved source context; review its result. ▪ Validate and import the supported export in Resolution Intelligence. ▪ Assign follow-ups; review customer proof and keep actual delivery/response records.

DO NOT COLLAPSE THESE INTO “APPROVED”

Five decisions. Five different meanings.

Attach the actual source of permission when the system stores a record of an external decision. Internal workflow status cannot substitute for that source.

01	Product access OperatorOS session, tenant, role, entitlement	Establishes: The user may use the granted product surface.	Does not establish: Permission to change a client production system.
02	Script approval Script Ops exact-version review	Establishes: This reusable source revision passed the internal process.	Does not establish: Authorization to execute it for this client now.
03	Client work authorization Your approved client/change-control process	Establishes: The retained source describes who authorized what and when.	Does not establish: A scope expansion inferred from admin access.
04	Report approval SnapProofOS report review	Establishes: The internal reviewer approved the selected report snapshot.	Does not establish: Customer receipt, acceptance, payment, or waiver.
05	Client acknowledgement Actual reply/acceptance source you retain	Establishes: A person made the statement recorded by that source.	Does not establish: Automatic proof that all risks or obligations were resolved.

SYNTHETIC EXAMPLE / NO REAL CUSTOMER DATA

Write the facts that let someone reconstruct it.

Use the canonical closeout structure to preserve failed work, uncertainty, and remaining validation. The entries below are illustrative technician records, not captured production events.

WEAK CLOSEOUT

“Restarted service.
Everything is fixed.”

- No affected asset or scope.
- No baseline or exact action.
- No test result or evidence reference.
- No failed attempt or side effect.
- No owner for remaining validation.

A MORE USEFUL RECORD

CONTEXT	LAB-APP-07 / synthetic tenant; approved service restart within the referenced maintenance window.
OBSERVED	09:12 EDT: health check failed before work. Preserve the original output and its collection source.
ACTION + FAILURE	09:18: restart attempted; process returned, but the transaction check still failed. Retain both results.
VALIDATION	09:26: diagnostic endpoint passed. Full user transaction and overnight stability remain unverified.
CURRENT STATE	Service available for the tested path. Root-cause hypothesis remains unconfirmed; record the basis separately.
FOLLOW-UP	Assigned engineer to perform the specified transaction check at the agreed time; escalate if failure repeats.

A good closeout may show that the work is incomplete. That distinction is part of its value.

ILLUSTRATIVE CASE STUDY 01

“You touched it. Now it is broken.”

Reconstruct the change before arguing cause.

A synthetic MSP client reports intermittent authentication failures the morning after an approved maintenance window. The engineer needs to establish what changed and what was already failing.

01 Before work

Keep the actual authorization and window reference. Capture the affected asset, pre-change symptoms, baseline checks, intended change, and rollback plan.

02 During work

Record the exact script or procedure revision, operator, execution time and timezone, outputs, failed attempts, and any unplanned effect. Collect execution evidence from the tool that actually ran the work.

03 After work

Compare equivalent checks before and after. Import the reviewed closeout into TechDeck, retain the source revision, and link the ticket, asset, evidence, and remaining checks.

The answer your record can support: We can show the approved scope, exact change, observed baseline, and tests we performed. The later symptom is recorded; causation remains unproven until the evidence supports it.

Boundary: Script approval is not permission to run it on this client. OperatorOS does not automatically collect endpoint execution logs or prove causation from timing.

RETRIEVE THESE RECORDS

- 01 Original authorization reference
- 02 Pre-change evidence + affected asset
- 03 Exact procedure/script revision
- 04 External execution output
- 05 Post-change validation + open questions

PILOT CHECK

Ask an uninvolved engineer to reconstruct the window and identify every unverified claim.

ILLUSTRATIVE CASE STUDY 02

“You never warned us about that risk.”

Keep the recommendation and the real response.

A synthetic client postpones replacing a failing storage device. Weeks later, an outage raises the question of what was recommended, who received it, and who owned the follow-up.

01 State the observation

Link the asset and dated diagnostic evidence. Describe the observed condition, business impact, recommendation, and uncertainty in a versioned document or ticket record.

02 Preserve the decision

Retain the actual dated client response from the authorized communication channel, including sender identity and any relevant scope. A technician's note that the client declined is a separate, weaker source.

03 Keep the risk open

Record the unresolved condition, follow-up owner, due date, and escalation trigger. If the recommendation changes, append current context without rewriting the historical response.

The answer your record can support: Here is what we observed, the recommendation we sent, the response we retained, and the follow-up that remained open. The source shows what the client actually said.

RETRIEVE THESE RECORDS

- 01 Dated condition evidence
- 02 Exact recommendation version
- 03 Original client response/source
- 04 Open risk + owner + next review
- 05 Subsequent changes and follow-up

PILOT CHECK

Can a reviewer distinguish the original response, technician interpretation, and remaining action?

Boundary: This is a documented operating practice, not a dedicated risk-acceptance or e-signature feature. A recorded refusal does not automatically transfer responsibility or remove an MSP's obligations.

ILLUSTRATIVE CASE STUDY 03

“We did not authorize that work.”

Separate access, review, and permission.

A synthetic engineer has administrator access and an approved cleanup script. A client disputes whether the specific production action was authorized during the agreed window.

- 01

Bind the scope

Retain the actual work request and authorizing person's source response. Specify the client, assets, action, window, exclusions, and rollback conditions in the work record.
- 02

Pin the asset

Use Script Ops to review the exact source revision and its prerequisites. Download only the approved current version; keep its identity with the change record.
- 03

Record actual execution

Use the separately authorized execution tool and preserve its output. Record any deviation, pause, escalation, or new permission before extending the work.

The answer your record can support: The record separates who could access the system, who reviewed the script, who authorized this action, and what actually ran. Each decision has its own source.

RETRIEVE THESE RECORDS

- 01

Client authorization source
- 02

Client/asset/window/scope
- 03

Approved script revision + review
- 04

Execution record from the external tool
- 05

Deviation and escalation decisions

PILOT CHECK

For one action, identify all three decisions: access, asset approval, and client work authorization.

Boundary: RBAC grants product access. Script approval governs a reusable asset. Neither substitutes for client change authorization or a maintained contract/change-control process.

ILLUSTRATIVE CASE STUDY 04

“The ticket said fixed. It was not tested.”

Make closure narrower than the evidence.

A synthetic line-of-business service restarts successfully, but the user's full transaction still fails. The closeout must distinguish service recovery from functional acceptance.

01 Name the check

Record the exact functional check, who performed it, the environment/asset, observation time, and expected result. A green service status is one check, not the whole acceptance test.

02 Keep mixed outcomes

Retain successful checks, failures, side effects, and pending validation in the structured closeout. Record the current state in language the next engineer and client can interpret.

03 Assign the remainder

Give uncompleted validation an owner and next action. Produce a reviewed client summary that preserves those limitations instead of flattening everything into 'resolved'.

The answer your record can support: The service restarted and the recorded health check passed. End-to-end client testing remained pending, with a named owner. We did not record full acceptance we had not observed.

RETRIEVE THESE RECORDS

- 01 Defined expected result
- 02 Observed test output + time
- 03 Performed / failed / pending checks
- 04 Side effects + rollback evidence
- 05 Follow-up owner + completion criterion

PILOT CHECK

Can another engineer state exactly what passed, what failed, and what was never tested?

Boundary: A validated JSON import proves format and screening checks, not technical truth. A model-generated closeout must be reviewed against the original work and test results.

ILLUSTRATIVE CASE STUDY 05

“Nobody told the next technician.”

Make the handoff survive the people.

A synthetic overnight engineer attempts several fixes, recovers from a side effect, and hands the ticket to the day shift. A short final note would cause the same failed branch to be tried again.

01 Preserve the whole path

Record the action sequence, failed attempts, qualified causal claims, recovery, present state, and remaining questions. Keep exact identifiers and the relevant source evidence.

02 Make the next action explicit

Assign the ticket and follow-up, identify what must not be repeated without review, and link the correct current document. Confirm handoff through the team's normal process.

03 Reuse with review

Search the incident by exact identifier. Create a cited KB/runbook draft; prepare a FaultlineLab case only after manager and privacy review. Source changes should trigger a new review.

The answer your record can support: The handoff retained the failed step, the recovery, the unverified assumption, and the next owner. A later reader can find the source instead of trusting a copied conclusion.

RETRIEVE THESE RECORDS

- 01 Full action chronology
- 02 Failed branch + observed side effect
- 03 Recovery + current operating state
- 04 Named owner + next action
- 05 Reviewed document/source links

PILOT CHECK

Give the case to a fresh engineer and inspect their first proposed action before briefing them.

Boundary: A saved assignment or published document does not prove that the next technician read it. Training exports require privacy review; masking alone is not complete de-identification.

ILLUSTRATIVE CASE STUDY 06

“Why are we being billed for this?”

Tie the commercial story to the work record.

A synthetic client disputes the labor and completion of an installation. Photos, technician notes, approval, and the invoice are spread across different systems.

- 01

Capture the work

Associate the correct customer/job and collect dated notes, before/after photos, findings, parts, labor, and relevant acceptance evidence. Keep original scope and approved variations as source records.
- 02

Review the package

Use SnapProofOS to assemble and approve the customer report. Retain its snapshot and source context, generate the document, and share only the approved report through a deliberate channel.
- 03

Connect the commercial record

Where TradeFlowKit is entitled, return the approved PDF to the originating job using its supported handoff. Otherwise attach the reviewed document to the existing PSA/invoice workflow manually.

The answer your record can support: Here is the scope, recorded work, reviewed report, and associated commercial record. Client acceptance and payment remain separate facts supported by their own sources.

RETRIEVE THESE RECORDS

- 01

Scope + approved variation source
- 02

Job-linked captures + work notes
- 03

Parts/labor and service history
- 04

Approved report version
- 05

Invoice reference + actual client response

PILOT CHECK

Reconstruct one billed item from authorized scope to work evidence, report, and payment state.

Boundary: Report approval is internal; sharing is not receipt; receipt is not acceptance; an invoice is not settlement. TradeFlowKit is a separate core product, not automatically included in a TechDeck tenant.

A REVIEW PACKAGE YOU CAN ASSEMBLE

Build the packet before the difficult meeting.

Use supported records and exports, then assemble a reviewed package. This is a recommended dossier structure—not a new one-click OperatorOS export or an automatic TechDeck-to-SnapProofOS integration.

01 / Work identity

Client, site, asset, ticket, scope, request, authorizing source, and relevant window.

02 / Work chronology

Before state; exact actions; actor and times; failed attempts; side effects; recovery and deviations.

03 / Source evidence

Original outputs, captures, notes, file identities, approved procedure revision, and links to retained source.

04 / Validation and open risk

Checks actually run, results, observations, uncertainty, untested scope, follow-up owner, and due date.

05 / Reviewed explanation

Internal engineering account plus a customer-appropriate report, with limitations and exact report version.

06 / Communication record

Actual sending/delivery references and client responses where retained; keep those separate from internal approval.

THE RECORD NEEDS ITS OWN SAFEGUARDS

Preserve truth, access, and uncertainty.

The point is a faithful explanation of the work, including mistakes. A polished summary becomes useful only when the underlying sources and limitations remain inspectable.

Keep facts distinct

Separate observed output, client statements, technician interpretation, root-cause hypotheses, and pending checks. Import time is not automatically the event time.

Keep the original context

Preserve the accepted source and revision. Screen out secrets; retain protected evidence through authorized storage and access paths. Do not silently rewrite the accepted history.

Review every AI-derived statement

Use the closeout prompt with approved context and review the result. Cited document drafts are deterministic. Semantic similarity does not establish repair confidence or causation.

Protect the evidence itself

Enforce tenant and source access. Apply an approved retention/hold policy, verify backup/restore, and use external evidence controls where required. Hashes are not independent notarization.

Engineering reference: NIST SP 800-61r3, RS.AN-06/07, emphasizes action records and preservation of integrity and provenance, protected by appropriate access and retention practices. This is a design rationale, not a certification or endorsement.

PRIORITIZE THE EVIDENCE WORKFLOW

Use the parts that support your service model.

Start with a TechDeck-led workflow and granted companions. Other core products and optional services require their own access; this map is not an all-apps bundle promise.

DIRECT MSP VALUE

TechDeck

PRIMARY MSP RECORD

SnapProofOS

PROOF PACKAGE

Script Ops

AUTOMATION GOVERNANCE

FaultlineLab

PREVENTION + LEARNING

CONTEXT + ENABLEMENT

TradeFlowKit

COMMERCIAL CONTEXT

PulseDesk

HEALTHCARE OPERATIONS CONTEXT

CallCommand AI

INTAKE CONTEXT / PROVIDER GATED

BrandForge OS

CONSISTENT SERVICE MESSAGING

Deploy Ops

DELIVERY PREPARATION

StudyForge AI

TRAINING SUPPORT

SPECIALIST / NOT AN MSP CONTROL

TorqueShed

SPECIALIST / LIMITED MSP RELEVANCE

Operator Pool Hall

TEAM BENEFIT / NO EVIDENCE CONTROL

OutCall

UNAVAILABLE / NO MSP CONTROL

Read pages 18–30 for every application’s features and three short scenarios. Pool Hall and OutCall are explicitly identified as having no current MSP evidence-control role.

MAKE THE VALUE MEASURABLE

Can a second engineer reconstruct the work?

Proposed pilot, not performed results. Start in an approved environment with synthetic or explicitly approved data and validate the intended access, storage, and release state.

- 01

SET THE RULE

Choose a small sample

Agree on a minimum record: scope source, actor/asset/time, baseline, action, result, failed paths, validation, and next owner.
- 02

RUN THE WORK

Capture in the normal flow

Use existing PSA/RMM/EDR and communication tools as appropriate. Preserve their outputs; import reviewed closeout records rather than duplicating unverified conclusions.
- 03

CHALLENGE THE RECORD

Review without the original tech

Give a second engineer the record and one of the six dispute questions. Ask for the supporting source and every remaining uncertainty.
- 04

DECIDE WHAT TO EXPAND

Measure retrieval and completeness

Track reconstruction time, records missing actual authorization, unowned pending checks, repeated failed steps, and report/source mismatches.

Suggested success condition: a reviewer can identify the scope, exact action, evidence, validation limits, and next owner without guessing. Set numeric targets only after measuring your baseline.

PRIMARY MSP RECORD

TechDeck

Reconstruct technical work and preserve what remains unknown.

Use ticket/client/asset context, reviewed closeout imports, exact retrieval, and source-linked documentation as the primary technical record.

FEATURE INVENTORY

- 01

Service operations

Manage client/site-linked tickets, assignments, comments, time, requester updates, and accountable closeout.
- 02

Configuration and lifecycle inventory

Track typed configurations, asset context, warranty/renewal dates, lifecycle changes, and related records.
- 03

Network and IPAM records

Maintain network, subnet, address, and topology relationships as documented operational context.
- 04

Versioned documentation

Edit knowledge articles and runbooks with revisions, backlinks, review, approval, publication, and private attachments.
- 05

Resolution evidence intake

Import structured closeouts with screened source material, immutable revisions, validation, warnings, failures, and side effects.
- 06

Exact and full-text retrieval

Search identifiers and narrative; inspect evidence, components, action chronology, revision history, and native links.
- 07

Evidence-derived knowledge

Preview deterministic KB/runbook drafts, retain source citations, link multiple incidents, and block stale-source approval.
- 08

Protected reports and audit

Use tenant-scoped report snapshots, private attachments, audited source downloads, and current source-access controls.

THREE ILLUSTRATIVE SCENARIOS

- 01

The outage accusation

Compare the approved action and actual timeline against pre-existing symptoms. Retrieve the exact outputs and unresolved causal questions.
- 02

The forgotten side effect

Keep the failed remediation and its observed effect in the source closeout. The next engineer sees both recovery and warning.
- 03

The unsupported fix claim

Record performed, failed, and pending checks separately. A client summary can then state the precise limits of validation.

PROOF PACKAGE

SnapProofOS

Show what was captured, reviewed, and included in the report.

Use approved snapshots and controlled report access for field proof. Preserve external permission and response records separately.

FEATURE INVENTORY

- 01

Customers, jobs, and assignments

Select shared customer identity, create proof work, assign field tasks, and retain job context.
- 02

Field evidence capture

Collect photos, private notes, files, observations, parts, labor, and dated work context.
- 03

File integrity and scanning

Apply type/signature checks, private storage, scan state, and SHA-256 verification through shared services.
- 04

Findings and review

Submit evidence, inspect findings, record comments, and move reports through authorized review and approval.
- 05

Branded report output

Generate approved PDF and DOCX documents from the selected report snapshot and template.
- 06

Controlled report shares

Create expiring and revocable report links; inspect access history without exposing the private source library.
- 07

Custody and retention

Retain hash-linked custody history, immutable report context, archive controls, retention, and legal-hold state.
- 08

Connected proof packages

Receive TradeFlowKit job or TorqueShed diagnostic context; return the exact approved PDF to its originating job.

THREE ILLUSTRATIVE SCENARIOS

- 01

The missing installation evidence

Tie dated photos, notes, findings, parts, and labor to the correct job. Review them into a specific customer report.
- 02

The changed-report question

Retrieve the approved snapshot and its source context. Hash-linked custody helps examine the recorded history without claiming notarization.
- 03

The overshared evidence folder

Share the approved report with expiry/revocation controls. Keep private notes and raw captures outside that customer-facing package.

AUTOMATION GOVERNANCE

Script Ops

Identify exactly which source version was reviewed and downloaded.

Approval governs a script asset. Actual execution, client authorization, and endpoint telemetry remain outside Script Ops.

FEATURE INVENTORY

- 01

Searchable script library

Organize PowerShell, Python, batch, and shell assets with source/provenance context.
- 02

Authoring and import

Create or import source and record the purpose, prerequisites, expected behavior, risk, and rollback.
- 03

Immutable versions

Pin the exact revision, content identity, and change context used by subsequent review and download.
- 04

Server static analysis

Inspect findings and risk indicators before submitting a script version for approval.
- 05

Governed review lifecycle

Submit, approve, reject, or retire scripts under tenant-admin controls with recorded decisions.
- 06

Approved download controls

Allow only the approved current version to be downloaded; retain integrity and download audit history.
- 07

Optional AI drafting

Request drafts through shared AI, idempotency, and usage controls; generated source remains unapproved.
- 08

TechDeck documentation handoff

Create a non-executing draft runbook and protected file-integrity record from an approved script revision.

THREE ILLUSTRATIVE SCENARIOS

- 01

Which script did we approve?

Inspect the immutable revision, static findings, and decision.
Preserve the external execution output to establish what actually ran.
- 02

The AI-generated quick fix

Keep the draft unapproved until an engineer addresses findings and a reviewer accepts that exact revision.
- 03

The procedure-code mismatch

Create the supported non-executing TechDeck runbook draft from an approved revision. Review the resulting guidance before reuse.

PREVENTION + LEARNING

FaultlineLab

Turn known mistakes into repeatable diagnostic practice.

Attempt traces support coaching. A score does not prove production competence, permission, or compliance.

FEATURE INVENTORY

- 01

Challenge catalog

Discover published challenges through search, filters, sorting, authored packs, and daily selection.
- 02

Persistent attempts

Resume standard, daily, preview, assignment, and Chaos-mode attempts across refresh and restart.
- 03

Evidence-driven investigation

Select diagnostic actions, reveal clues, record findings, use progressive hints, and submit a conclusion.
- 04

Server scoring

Evaluate submitted work against the versioned scenario and retain append-only attempt evidence.
- 05

Assignments and progress

Assign cases, inspect learning progress and badges, and select further practice from observed results.
- 06

Authoring lifecycle

Validate, preview, publish, retire, import, and export controlled challenge versions.
- 07

Analytics and exports

Review attempts and outcome history; export material for coaching and team discussion.
- 08

Operational case reuse

Convert reviewed TechDeck, PulseDesk, and TorqueShed records into private first-draft challenges.

THREE ILLUSTRATIVE SCENARIOS

- 01

The repeat troubleshooting mistake

Turn a reviewed resolved incident into an unpublished challenge draft. Remove sensitive material and revise before publishing.
- 02

The onboarding blind spot

Assign a versioned case and inspect actions and missed evidence. Coach the actual investigation rather than quiz vocabulary alone.
- 03

The lesson nobody retained

Repeat a suitable exercise and compare investigation behavior. Use the result to choose the next practice task.

COMMERCIAL CONTEXT

TradeFlowKit

Connect scope, jobs, proof, invoices, and recorded payments.

TradeFlowKit is a separate core product. A TechDeck-led MSP can retain its existing PSA/accounting and use manual reviewed exports.

FEATURE INVENTORY

- 01

Lead and customer management

Capture leads; qualify and convert opportunities; use shared customer identity, contacts, search, and bounded CSV imports.
- 02

Jobs and recurring work

Schedule and assign jobs; retain owners, dates, status, recurring templates, pause controls, and run history.
- 03

Tasks and workflow stages

Track job-scoped tasks, dependencies, comments, tags, workflow transitions, and personal or shared saved views.
- 04

Quotes and conversion

Build multi-line quotes; record decisions; convert to jobs or invoices with duplicate-safe server operations.
- 05

Invoices and payments

Maintain invoice items, partial/full payment records, balances, numbering, and history; connected settlement needs provider acceptance.
- 06

Customer communication

Use scoped public views, customer portals, and consent-aware email/SMS outbox actions with explicit delivery state.
- 07

Reporting and accounting handoff

Inspect workload and revenue from persisted records; export invoice CSV, QuickBooks IIF, and Xero-oriented CSV files.
- 08

Proof and recovery

Create SnapProofOS work from a job, return the approved PDF, and use guarded archive/restore workflows.

THREE ILLUSTRATIVE SCENARIOS

- 01

The scope expansion

Retain the accepted quote and actual variation authorization with the job. Distinguish a manually recorded decision from its original source.
- 02

The disputed invoice

Link the job, approved proof report, invoice line context, and recorded payments. Retrieve the record behind the balance.
- 03

The unbilled completed job

Use recorded job/invoice state to find missed handoffs. Review the work and scope before creating a commercial document.

HEALTHCARE OPERATIONS CONTEXT

PulseDesk

Make operational ownership and escalation visible across departments.

Use for non-clinical facilities, equipment, supply, and vendor work. It is a separate core product, with no EHR or compliance-certification claim.

FEATURE INVENTORY

- 01

Facilities and departments

Maintain directory-linked organizations, facilities, requesters, departments, and operational context.
- 02

Operational request intake

Create numbered requests with structured classification, equipment-issue prefill, tags, and supporting records.
- 03

Queues, teams, and assignment

Route work to an accountable team or owner; prioritize through queues, filters, saved views, and bulk actions.
- 04

Targets and escalation

Track service targets, time, at-risk work, escalation paths, and response history.
- 05

Notes and requester updates

Keep internal coordination separate from requester-facing replies; retain private attachments and work history.
- 06

Equipment and vendor coordination

Associate operational assets with facility issues, supply requests, service vendors, and department needs.
- 07

Knowledge and reporting

Use operational knowledge, persisted dashboards, configuration, preferences, trend reporting, and exports.
- 08

Reviewed handoffs

Accept operations-only CallCommand requests and prepare privacy-reviewed resolved-work drafts for FaultlineLab.

THREE ILLUSTRATIVE SCENARIOS

- 01

The ownerless equipment issue

Associate the department, asset, service target, and assigned team. The record shows where operational responsibility sat.
- 02

The missed shift handoff

Retain internal notes, requester updates, and outstanding actions so the next shift can reconstruct status.
- 03

The privacy-sensitive training case

Review a resolved operations request before a FaultlineLab draft transfer. Exclude patient/clinical data and revise the draft.

CallCommand AI

Retain the request and route an owned follow-up when live service is accepted.

Call capture and caller association do not authorize account resets or prove a person's authority. Simulations remain separate from real calls.

FEATURE INVENTORY

- 01

Receptionist configuration

Define business knowledge, hours, greetings, behavior, and approved routing destinations.
- 02

Call-flow design and simulation

Prepare conversation paths, test a no-cost simulated call, and correct routing before live enablement.
- 03

Number and launch controls

Manage number setup, readiness checks, capacity, usage, service health, and deliberate go-live controls.
- 04

Call records and intelligence

Search history; inspect summaries, timelines, transcripts, consent state, outcomes, and reviewed analysis.
- 05

Follow-up operations

Review leads, tasks, alerts, and staff actions with clear ownership and retained call context.
- 06

Core-module handoffs

Convert eligible analyzed provider calls into reviewed TradeFlowKit, TechDeck, or operations-only PulseDesk work.
- 07

MSP intake foundation

Use approved lines, SupportLinks, Directory-backed organization/contact association, local cases, and operator screen-pop.
- 08

Provider and audit controls

Use signed callbacks, durable retry/outbox records, kill switches, evidence history, and explicit test/live distinctions.

THREE ILLUSTRATIVE SCENARIOS

- 01

What did the caller request?

Inspect the retained transcript/summary and any uncertainty. Confirm consequential instructions through the approved client process.
- 02

The missed support handoff

After live-provider acceptance, review an eligible analyzed call and create a linked TechDeck ticket. Simulator calls are rejected.
- 03

The urgent reset request

Use MSP intake context and screen-pop to support review. Privileged reset and endpoint actions need separately accepted processes.

CONSISTENT SERVICE MESSAGING

BrandForge OS

Keep service claims and approved campaign material consistent.

This supports communication discipline; it is not contract approval, client consent, or proof that a campaign was delivered.

FEATURE INVENTORY

- 01

Brand HQ
Maintain brand kits, positioning, voice, offers, and audience personas; associate approved shared customer identity.
- 02

Campaign planning
Create campaign briefs, objectives, channels, budgets, timelines, and related landing content.
- 03

Copy Studio and workflows
Develop copy variants, calls to action, ad prompts, strategy, and creative directions through guided modes.
- 04

Logo concepts
Preview wordmark, lockup, badge, and monogram compositions; export editable SVG and standard/2x PNG.
- 05

Review and collaboration
Manage draft/review/approval states, comments, assets, activity, and recoverable selected logos.
- 06

Calendar and reusable templates
Organize delivery work and reuse global/custom templates subject to the applicable entitlements.
- 07

Recorded performance and reports
Track entered results, recommendations, and campaign reports; create controlled exports.
- 08

Launch-package handoff
Transfer a campaign into Deploy Ops with copy, visual-production briefs, work items, and an approval starting state.

THREE ILLUSTRATIVE SCENARIOS

- 01

Marketing promised too much

Review a shared service-offer and brand brief before exporting variants. Remove claims the actual service does not support.
- 02

The obsolete service description

Find the current reviewed campaign asset and its context. Coordinate external replacement manually in the publishing tools.
- 03

The confused customer identity

Associate the correct shared customer with the brand and keep the campaign's assets and review states distinct.

DELIVERY PREPARATION

Deploy Ops

Expose missing campaign deliverables and record reviewed handoffs.

Deploy Ops prepares campaign launches. It does not deploy software or prove a live external publication from a completed checklist.

FEATURE INVENTORY

- 01

Business templates and briefs
Start from reusable templates; define audience, offer, action, tone, channels, and launch date.
- 02

Multi-channel campaign packages
Prepare landing, ad, email, SMS, social, FAQ, flyer, and call-to-action copy.
- 03

Visual-production briefs
Create up to nine visual briefs, with included plan items made explicit.
- 04

Versioned artifacts
Retain saved packages, revisions, source context, approved inputs, and related private assets.
- 05

Launch execution workspace
Assign phases, milestones, owners, required files, tasks, and dependencies.
- 06

Computed readiness
Calculate readiness from recorded conditions and approvals; inspect missing prerequisites before a launch transition.
- 07

Verified exports
Download supported text, Markdown, JSON, and CSV packages with checksum and audit context.
- 08

Reviewed completion
Receive BrandForgeOS campaign handoffs and record externally confirmed completion with a reference.

THREE ILLUSTRATIVE SCENARIOS

- 01

The missing deliverable

Inspect task dependencies, required files, and approval state before exporting the campaign package.
- 02

The ambiguous handoff

Generate a verified export from the reviewed version, then retain the actual receiving team's acknowledgement through your process.
- 03

The false launch-complete claim

Record external completion only after a person verifies the published result and provides a reference.

TRAINING SUPPORT

StudyForge AI

Make approved operating material easier to study and revisit.

Study packs and quiz history assist learning. They do not prove policy acknowledgement, certification, or authorization to work independently.

FEATURE INVENTORY

- 01

Folders and study sets
Organize source material, course/exam context, titles, descriptions, and reusable study sets.
- 02

Complete study packs
Create summaries, key terms, flashcards, multiple-choice questions, short answers, review sheets, and plans.
- 03

Built-in and optional AI paths
Use deterministic creation or configured shared AI refinement with validation, provenance, and fallback behavior.
- 04

Flashcard learning
Practice with keyboard/touch controls and retain known/learning state and session progress.
- 05

Quizzes and review
Use server-scored attempts, inspect explanations and missed answers, and retain retry/history records.
- 06

Plans and progress
Track date-based study plans, exam countdowns, streaks, usage, and learning trends.
- 07

Content lifecycle
Edit, search, filter, duplicate, regenerate, archive, restore, and remove supported study material.
- 08

Portable output
Export study sets and supported progress/results as JSON or entitlement-gated CSV.

THREE ILLUSTRATIVE SCENARIOS

- 01

The unread procedure manual

Build a source-based pack from approved, non-secret material.
Correct it against the source before staff practice.
- 02

The weak knowledge area

Use quiz explanations and session history to identify topics for another pass; keep live supervision decisions separate.
- 03

The unavailable AI service

Use built-in creation and manual review to maintain learning without depending on an external model.

SPECIALIST / LIMITED MSP RELEVANCE

TorqueShed

Apply the same diagnostic record discipline to vehicle or fleet work.

Relevant to an automotive/fleet service boundary, not general endpoint defense. Physical findings and verification need actual technician evidence.

FEATURE INVENTORY

- 01

Garage and service history

Record vehicles, mileage, owner concerns, repairs, maintenance, and service chronology.
- 02

Structured diagnostics

Organize symptoms, codes, observations, likely causes, tests, findings, and verification.
- 03

Torque Assist

Request context-aware diagnostic guidance through OperatorOS-owned AI and usage/token accounting.
- 04

Build journals and cost context

Track build stages, parts, labor, costs, notes, and supporting media.
- 05

Repair reports and collaboration

Create workshop exports and repair records; use supported live-bay and sharing workflows.
- 06

Community

Maintain profiles, preferences, posts, comments, reactions, follows/blocks, private media, and moderation records.
- 07

Marketplace listings

Search and save listings; contact sellers; retain conversations, expiry, reports, and listing history.
- 08

Proof and training handoffs

Prepare diagnostic proof in SnapProofOS and reviewed automotive challenge drafts in FaultlineLab.

THREE ILLUSTRATIVE SCENARIOS

- 01

The repeat vehicle complaint

Record symptoms, tests, failed steps, repair, and actual verification instead of preserving only the final part replacement.
- 02

The disputed workshop history

Retrieve service entries, parts/labor, and supporting media to reconstruct what the workshop recorded.
- 03

The repair-to-proof handoff

Review an authorized diagnostic and prepare a SnapProofOS package. Treat customer acceptance as a separate source fact.

COMPANION APPLICATION / Free companion; optional metered Assist

TEAM BENEFIT / NO EVIDENCE CONTROL

Operator Pool Hall

A free companion with no direct MSP accountability function.

Included to preserve the full ecosystem map. Gameplay records should not be represented as service evidence, readiness, or staff performance controls.

FEATURE INVENTORY

- 01

Free Shoot practice

Practice shot selection, aim, power, and cue-ball control in the Canvas play surface.
- 02

CPU matches

Play against seeded CPU behavior with the supported rules and deterministic physics.
- 03

Local hot-seat play

Share a device for turn-based play with visible match and turn state.
- 04

Authenticated online rooms

Create or join protected rooms through OperatorOS identity and access controls.
- 05

Authoritative match checks

Use durable snapshots/events and independent server re-simulation of submitted actions.
- 06

Reconnect and expiry

Recover supported room state after interruptions and enforce room lifecycle limits.
- 07

Touch, English, and audio

Use touch-friendly controls, spin/English, audio options, and performance settings.
- 08

Profiles and local results

Keep supported profile/result records and use the installable web-app experience.

THREE ILLUSTRATIVE SCENARIOS

- 01

A short team break

Use Free Shoot between support sessions. The benefit is recreation, with no claim that it reduces service liability.
- 02

A remote team social

Play in a protected room and reconnect within the supported lifecycle. Keep it separate from client work records.
- 03

A state-recovery demonstration

Use a test match to discuss durable events and server validation. This does not certify the security of another module.

UNAVAILABLE / NO MSP CONTROL

OutCall

No current role in an MSP's defensible service workflow.

OutCall remains coming soon. Verified-self personal calls are outside MSP escalation, emergency response, and client authorization.

FEATURE INVENTORY

- 01

Safety acknowledgement

Explain the personal-use and non-emergency boundary before preparing a call workflow.
- 02

Verified-self phone setup

Use a controlled phone-ownership verification path; arbitrary destinations are excluded.
- 03

Neutral call profiles

Store private profiles with controlled voice/script and supported keypad behavior.
- 04

Private exact triggers

Bind exact-match trigger phrases to an approved profile and verified self-owned destination.
- 05

Immediate and scheduled requests

Prepare bounded call requests using durable state and supported scheduling controls.
- 06

Cancellation and history

Inspect actual request/provider state, cancel eligible requests, and retain private history.
- 07

Signed provider events

Enforce controlled voice/SMS/DTMF callbacks, replay checks, and persistent rate limits.
- 08

Private export and deletion

Use password-confirmed export and account-slice deletion controls for the retained personal records.

THREE ILLUSTRATIVE SCENARIOS

- 01

A future personal exit cue

After separate activation acceptance, an individual could request a neutral call to their own verified number; not an MSP on-call service.
- 02

A cancelled personal plan

A future accepted workflow would show cancellation/history accurately. It does not provide incident acknowledgement or dispatch proof.
- 03

A private history request

Supported personal export/deletion needs its own accepted workflow. Do not use it as a customer evidence-retention system.

COMPANION APPLICATION / Coming soon / unavailable

A CREDIBLE ANSWER NEEDS CREDIBLE LIMITS

Good records reduce ambiguity. They do not erase risk.

OperatorOS supports operational accountability. It does not guarantee liability protection, legal admissibility, regulatory compliance, insurance coverage, or a particular dispute outcome.

An incomplete record stays incomplete

No tool proves an authorization never captured, a test never performed, a client response never received, or a log that was never collected.

Internal status is only its own fact

An approved script, approved report, successful import, saved share, or invoice each proves a different bounded workflow event.

Keep independent systems of record

Execution telemetry, original communications, contracts, approved change records, and required external evidence archives retain their own roles.

Validate the target environment

The 29 September release record documents v65 publication and 47/47 public checks. Authenticated v65, production write, other-role, live logout, and restore acceptance remain separate.

AI is optional and bounded

Exact/text retrieval and deterministic evidence-derived drafts are independent of semantic activation. The reviewed source keeps the new semantic provider disabled.

Adopt the workflow before expanding

Validate grant/role boundaries, evidence access, report generation, controlled sharing, and retrieval in the environment the MSP will actually use.

REPOSITORY FACTS + EXPLICIT EDITORIAL GUIDANCE

Trace the capability claims.

Module features come from the reviewed source snapshot. Recommended team procedures and synthetic examples are identified as such. Source links may require GitHub access.

R01

Current product catalog

Application names, hierarchy, access classification, and OutCall availability.

R02

Product outcomes and service limits

Current module outcomes, integrations, exclusions, and manual/provider boundaries.

R03

MSP Resolution Closeout Prompt

Whole-incident chronology, failures, side effects, confidence, validation, and no invented facts.

R04

Resolution Intelligence API

Screened import, immutable revisions, explicit mapping, audited raw reads, and exact/text retrieval.

R05

Resolution Intelligence data model

Source hashes, action/validation records, claim kind, confidence, and typed evidence relationships.

R06

Evidence-derived documents

Cited draft assembly, inherited source access, review, and stale-source protections.

R07

Script Ops implementation

Exact-version approval, critical static findings, current approved downloads, and audit boundaries.

R08

Registered module handoffs

Supported source/destination pairs, current access, source freshness, and deduplication.

Review: 29 September 2026 · reference revision 737a9d0f · published application ee9ca05e. No customer data was used. Scenarios are illustrative; no quantified benefit is asserted.

REPOSITORY FACTS + EXPLICIT EDITORIAL GUIDANCE

Trace the capability claims.

Module features come from the reviewed source snapshot. Recommended team procedures and synthetic examples are identified as such. Source links may require GitHub access.

R09

Identity and tenant authority

Shared authority, exact-host sessions, tenant enforcement, and module role ceilings.

R10

SnapProofOS evidence implementation

Tenant-scoped cases, evidence, hash-linked custody, report lifecycle, and controls.

R11

Core and companion commerce

Selected core, companion selection, separate grants, and seat model; no pricing quote in this brief.

R12

Current release gate

Recorded v65 publication; semantic provider remains disabled and authenticated v65 acceptance is pending.

R13

Semantic-search boundary

Explicit opt-in, disabled activation, excerpt review, limits, and exact/text fallback.

R14

SnapProofOS current capability matrix

Field work, approved PDF/DOCX reports, controlled shares, custody, and retention scope.

R15

Current module parity index

Current overlays and limitations; historical implementation records do not grant live acceptance.

N01

NIST SP 800-61r3 · April 2025

Printed page 29: RS.AN-06 and RS.AN-07 address action records, integrity, provenance, controlled access, and preservation. No product endorsement implied.

Review: 29 September 2026 · reference revision 737a9d0f · published application ee9ca05e. No customer data was used. Scenarios are illustrative; no quantified benefit is asserted.