

1. `<html>` - Root element of the page.
2. `<head>` - Contains metadata and links to styles and scripts.
3. `<title>` - Sets the title of the document.
4. `<body>` - Contains the visible content of the page.
5. `<h1>` - Defines the highest-level heading.
6. `<h2>` - Defines the second-level heading.
7. `<h3>` - Defines the third-level heading.
8. `<h4>` - Defines the fourth-level heading.
9. `<h5>` - Defines the fifth-level heading.
10. `<h6>` - Defines the sixth-level heading.
11. `<p>` - Defines a paragraph.
12. `<br>` - Inserts a line break.
13. `<hr>` - Defines a horizontal rule (line).
14. `<a>` - Defines a hyperlink.
15. `<img>` - Embeds an image.
16. `<strong>` - Defines strong importance, usually in bold.
17. `<em>` - Defines emphasized text, usually in italics.
18. `<b>` - Defines bold text.
19. `<i>` - Defines italic text.
20. `<u>` - Defines underlined text.
21. `<mark>` - Highlights text.
22. `<small>` - Defines smaller text.
23. `<del>` - Defines deleted text (strikethrough).
24. `<ins>` - Defines inserted text (underlined).
25. `<sub>` - Defines subscript text.
26. `<sup>` - Defines superscript text.
27. `<blockquote>` - Defines a block of text quoted from another source.

28. `<q>` - Defines a short inline quotation.
29. `<code>` - Defines a single line of code.
30. `<pre>` - Defines preformatted text.
31. `<var>` - Defines a variable in programming.
32. `<cite>` - Defines a citation.
33. `<dfn>` - Represents a term being defined.
34. `<address>` - Defines contact information for the author.
35. `<span>` - Defines a section in a document (inline element).
36. `<div>` - Defines a division or section (block-level element).
37. `<ol>` - Defines an ordered list.
38. `<ul>` - Defines an unordered list.
39. `<li>` - Defines a list item.
40. `<dl>` - Defines a description list.
41. `<dt>` - Defines a term in a description list.
42. `<dd>` - Defines the description of a term in a description list.
43. `<table>` - Defines a table.
44. `<tr>` - Defines a row in a table.
45. `<th>` - Defines a header cell in a table.
46. `<td>` - Defines a data cell in a table.
47. `<thead>` - Groups header content in a table.
48. `<tbody>` - Groups the body content in a table.
49. `<tfoot>` - Groups footer content in a table.
50. `<caption>` - Defines a caption for a table.
51. `<form>` - Defines an HTML form for user input.
52. `<input>` - Defines an input control.
53. `<button>` - Defines a clickable button.
54. `<textarea>` - Defines a multi-line text input control.
55. `<select>` - Defines a drop-down list.
56. `<option>` - Defines an option in a drop-down list.

57. `<label>` - Defines a label for an input element.
58. `<fieldset>` - Groups related elements in a form.
59. `<legend>` - Defines a title for a `<fieldset>`.
60. `<datalist>` - Specifies a list of pre-defined options for an `<input>` element.
61. `<optgroup>` - Groups options in a drop-down list.
62. `<meter>` - Defines a scalar measurement within a known range (e.g., a gauge).
63. `<progress>` - Defines the progress of a task.
64. `<output>` - Represents the result of a calculation or user action.
65. `<script>` - Defines client-side JavaScript.
66. `<noscript>` - Defines content for browsers that do not support JavaScript.
67. `<link>` - Defines the relationship between the document and external resources (usually used for linking CSS files).
68. `<meta>` - Provides metadata about the document (like character set, author, etc.).
69. `<style>` - Defines CSS styles within a document.
70. `<svg>` - Defines a container for SVG graphics.
71. `<canvas>` - Defines an area for drawing graphics via JavaScript.
72. `<audio>` - Embeds audio content.
73. `<video>` - Embeds video content.
74. `<source>` - Defines multiple media resources for `<audio>` or `<video>`.
75. `<track>` - Defines text tracks for video and audio elements.
76. `<embed>` - Embeds external content like multimedia, plugins, or other resources.
77. `<object>` - Embeds external content like images, multimedia, or interactive content.
78. `<param>` - Defines parameters for `<object>`.

79. `<iframe>` - Defines an inline frame to embed another document.
80. `<frame>` - Defines a frame for the `<frameset>` (obsolete in modern HTML).
81. `<frameset>` - Defines a collection of frames (obsolete in HTML5).
82. `<noscript>` - Defines content that should be displayed if JavaScript is disabled.
83. `<style>` - Embeds CSS styles.
84. `<bdi>` - Isolates a span of text to prevent bidirectional override.
85. `<bdo>` - Overrides the current text direction.
86. `<wbr>` - Suggests an optional line break opportunity.
87. `<time>` - Defines a specific time or a range of time.
88. `<progress>` - Displays the progress of a task.
89. `<dialog>` - Represents a dialog box or interactive component.
90. `<details>` - Defines a disclosure widget from which the user can obtain additional information.
91. `<summary>` - Defines a visible heading for a `<details>` element.
92. `<menu>` - Defines a list of commands or menu items.
93. `<menuitem>` - Defines a command in a menu (deprecated).
94. `<caption>` - Provides a title or caption for a table.
95. `<header>` - Defines the header of a section or page.
96. `<footer>` - Defines the footer of a section or page.
97. `<section>` - Defines a section in a document.
98. `<article>` - Defines an article or independent section.
99. `<aside>` - Defines content aside from the content it is placed in (e.g., sidebar).
100. `<main>` - Represents the dominant content of the `<body>` of a document.