

SCTR's PUNE INSTITUTE OF COMPUTER TECHNOLOGY, PUNE - 411043

DEPARTMENT OF ELECTRONICS & TELECOMMUNICATION ENGINEERING

Lab Practice -2 [404184C] : ELECTIVE-III(C) - JavaScript									
ACADEMIC YEAR: 2024-25									
CLASS	: BE	DIV	: 6	Batch	: P6	DATE	: / /24		
Roll No	42130	ABC ID	:			SEMESTER	: I		

Experiment No.:


Code:

```
HTML
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Home Page Background Color Change</title>
  <style>
    #hoverBox {
       width: 300px;
      height: 300px;
       background-color: lightblue;
       margin: 50px auto;
    input {
      padding: 10px;
      font-size: 16px;
       margin-top: 20px;
  </style>
</head>
<body style="text-align: center;">
  <h1>Home Page</h1>
  <div id="hoverBox"></div>
  <button id="focusInput">Click to change color</button>
  <script src="script.js"></script>
</body>
</html>
```

```
let colors = ['#66ccff', '#3422cc'];
let currentColorIndex = 0;
document.getElementById('hoverBox').addEventListener('mouseover', function () {
  document.body.style.backgroundColor = '#4522';
});
document.getElementById('hoverBox').addEventListener('mouseout', function () {
  document.body.style.backgroundColor = ";
});
document.getElementById('focusInput').addEventListener('focus', function () {
  document.body.style.backgroundColor = '#00453';
});
document.getElementById('focusInput').addEventListener('blur', function () {
  document.body.style.backgroundColor = ";
});
document.getElementById('focusInput').addEventListener('click', function () {
  currentColorIndex = (currentColorIndex + 1) % colors.length;
  document.body.style.backgroundColor = colors[currentColorIndex];
});
```

Output:



Date:		Course Teacher Sign